

ANNA KENDALL

DESCRIPTION

Commencing 791 feet north and 633 feet west of the SE corner of the SW $\frac{1}{4}$ of section 26-19-3E. and runs east 633 feet thence south 40° east 998 feet, thence south 30° east 572 feet, thence south 960 feet, thence south 74° west 340 feet, thence south 20° west 100 feet, thence south 12° west 900 feet, thence south 200 feet, thence south 82° east 500 feet, thence east 550 feet, thence south 62° east 400 feet, thence north 70° east 21 feet, thence south 60° east 240 feet, thence south 10° east 130 feet, thence south 8° west 870 feet, thence south 5° east 200 feet, thence south 10° west 450 feet, thence south 4° west 430 feet, thence south 24° east 90 feet, thence south 225 feet, thence south 28° east 175 feet, thence east 350 feet, thence south 87° east 50 feet, thence east 260 feet, thence north 90° east 90 feet, thence south 85° east 230 feet, thence south 41° east 1010 feet, thence south 40° east 280 feet, thence south 25° east 150 feet, thence south 290 feet, thence south 40° east 760 feet, thence south 85° east 400 feet, thence east 200 feet, thence south 60° east 50 feet, thence south 48° east 325 feet, thence south 87° east 475 feet, thence east 450 feet, thence north 52° east 369 feet, thence 15° east 125 feet, thence north 15° east 850 feet, thence north 87° east 350 feet, thence north 54° east 670 feet, thence north 2° east 100 feet, thence north 51° east 300 feet, thence north 82° east 100 feet, thence south 45° east 450 feet, thence south 54° east 350 feet, thence east 200 feet, thence north 60° east 300 feet, thence north 45° east 200 feet, thence north 70° east 100 feet, thence south 82° east 200 feet, thence north 69° east 200 feet, thence north 74° east 200 feet, thence south 89° east 800 feet, thence north 60° east 100 feet, thence east 160 feet, thence south 80° east 340 feet, thence south 14° east 600 feet and terminating at Sta 218. 736 feet north and 797 feet to the north west corner of the SE $\frac{1}{4}$ of section 6-18-4E.

O. Book 5 Page 135, 219, 226, 227, 232

O. Book 7 Page 398

w) D.R. Book 5 Page 326, 214, 228

D.R. Book 5 Page 9 to 12 214 to 228

D.R. Book 2 Page 81, 82 - 1898

D.R. Book 1 Page 112 - 1891

D.R. Book 3 Page 279 - 1912

CR 24 . p 29

CR 21 p 19, 20 - BRIDGE

October 21, 1881 - Petition for Drain

November 25, 1881 - Proof of Notices

February 13, 1882 - Report of Commissioners

July 22, 1912 - Assessment Role

March 29, 1934 - Assessment Role

20, 214 open

1891

1898

4.3
9.9
10.3

5037
Report of Commissioners.

FAVORABLE.

*Kennerly's title
assessment.*

FILED

FEB 13 1882

J. R. Christian

Clerk Hamilton

Circuit Court

Filed *11th* of February, 1882

J. R. Christian

Clerk Circuit Court.

Wm. B. Burford, Printer, Indianapolis.

To the Honorable the Judge of the Hamilton County
Circuit Court

Your Honor

The undersigned Brewer and Engineer
appointed at the last November term of the Circuit
Court held in the Court House in the town of Noblesville
met at the place of beginning of said ditch and
after making personal inspection of the lands described
in the petition and of the lands of the petitioners and
petitioners, and consider the proposed ditch practicable
and when properly constructed will be beneficial to the
public health, and will benefit the public highways which
said improvement may cross, will not materially benefit
any street in town, and will be of public utility and
we believe the costs, damages and expense of effecting the
drainage will be less than the benefits to the owners of the
lands likely to be benefitted by the proposed drainage.
We have determined that an open ditch will be the best
and cheapest method of draining the lands through which
the proposed ditch is to run. The proposed ditch will
commence 791 feet north and 633 feet west of the
East Corner of the South West Quarter of Section 26 Town
19 Range 3 East and run East 633 feet thence South
498 feet thence South 30° East 572 feet thence South 96 feet
thence South 74° West 340 feet thence South 20° West 100 feet thence South
12° West 900 feet thence South 20 feet thence South 82 East 500 feet
thence East 550 feet thence South 62 East 400 feet thence North
70° East 210 feet thence South 60 East 240 feet

thence South 10° East 130 feet thence South 8° West 870 feet thence
South 5° East 200 feet thence South 10° West 430 feet thence South
4° West 430 feet thence South 24° East 90 feet thence South 225 feet
thence South 28° East 175 feet thence East 350 feet thence South 87° East
50 feet thence East 260 feet thence North 90° East 90 feet thence
South 83° East 230 feet thence South 41° East 1010 feet thence South 40°
East 280 feet thence South 25° East 130 feet thence South South 290 feet
thence South 40° East 700 feet thence South 85° East 400 feet thence East
200 feet thence South 60° East 50 feet thence South 48° East 320 feet
thence South 87° East 475 feet thence East 450 feet thence North
53° East 369 feet thence 15° East 125 feet thence North 15° East 880 ft
thence North 87° East 350 feet thence North 54° East 670 feet thence
North 2° East 180 feet thence North 57° East 300 feet thence North 82°
East 100 feet thence South 46° East 450 feet thence South 54° East
350 feet thence East 200 feet thence North 60° East 300 feet
thence North 45° East 200 feet thence North 70° East 100 feet thence
South 82° East 200 feet thence North 69° East 200 feet thence North
74° East 200 feet thence South 89° East 800 feet thence North 60°
East 100 thence East 160 feet thence South 80° East 340 feet thence
South 14° East 600 feet ending at Stake 218 - 736 feet
North and 497 feet to the North West Corner of the North East
Quarter of Section 6 Township 18 Range 4 East

Quantities for the Kendall Ditch

No of Stations	Depth of Cut	No of C.Yards	No of Stations	Depth of Ditch	No of C.Yards	No of Stations	Depth of Cut	No of C.Yards	No of Stations	Depth of Cut	No of C.Yards
0	3.00 <i>for</i>		26	4.	53	52	6.8 <i>2.4 deeper</i>	160	78	4.5	85
1	3.7	52	27	4.3	60	53	4.9	124	79	4.9 <i>2.2 deeper</i>	90
2	3.3	50	28	4.2	60	54	4.7	80	80	4.5	90
3	4.1	64	29	4.1	60	55	4.6	78	81	5.	90
4	4.1	76	30	4.7	70	56	4.9 <i>3.6 deeper</i>	82	82	5.	93
5	4.8	84	31	4.6	75	57	8.	141	83	4.8	91
6	5.8	110	32	2.7	42	58	7.	126	84	4.7	90
7	5.2	132	33	4. <i>2.0 deeper</i>	40	59	6.1	112	85	4.7	90
8	3.9	91	34	3.8	50	60	7.2	160	86	4.6	85
9	3.	55	35	3.8	50	61	6.0	160	87	4.4 <i>2.2 deeper</i>	83
10	3.	44	36	4.7	60	62	6.	120	88	5.	90
11	4.2	62	37	4.8	71	63	5.5	110	89	5.2	96
12	2.9	62	38	4.5	71	64	6.5 <i>2 feet deeper</i>	120	90	5.	96
13	3.6	52	39	4. <i>2 ft deeper</i>	60	65	6.8	124	91	5.6	100
14	2.7	47	40	4.2	60	66	6.5	124	92	4.6	96
15	2.9	39	41	4.6	67	67	6.3	125	93	4.8	90
16	2.6	36	42	4.5	71	68	6.4	125	94	4.8	90
17	3.	38	43	5.2	101	69	5.5	110	95	4.6	90
18	2.5 <i>2 feet deep</i>	26	44	5.	114	70	5.1	100	96	5.	93
19	2.9	26	45	5.2 <i>2 ft deeper</i>	114	71	4.6	90	97	5.5	97
20	3.5	30	46	5.3	75	72	4.6	90	98	4.9	97
21	3.8	41	47	6.0	80	73	4.4 <i>1.8 deeper</i>	85	99	4.6	90
22	3.3	40	48	6.4	171	74	4.3	85	100	4.9	90
23	3.7	40	49	7.	184	75	4.7	90	101	5.	91
24	3.	40	50	7.1	207	86	4.8	93	102	4.8 <i>2 ft deeper</i>	97
25	4.	40	51	6.2	185	77	4.3	85	103	5.4	98
		1377			2257			2899			2377

Quantities for the Kendall Ditch

No of Station	Depth feet+inches	Cubic Yards	No of Station	Depth feet+inches	Cubic Yards	No of Station	Depth feet+inches	Cubic Yards	No of Station	Depth feet+inches	Cubic Yards
104	3.9	85	130	5.9	95	156	4.6	75	182	3.6	42
105	4.3	80	131	5.5	107	157	5.	82	183	5. 1 foot deep	53
106	4.6	81	132	4.3	91	158	4.4	77	184	4.8	58
107	3.8	77	133	5.7	93	159	3.7	67	185	4.4	55
108	4.3	63	134	5.1	101	160	4.2	66	186	3.4	49
109	4.8	83	135	5.1	96	161	4.5	71	187	4.2	46
110	4.8 2.1 deep	89	136	5.3	97	162	4.1 1.4 deep	71	188	4.	53
112	4.4	85	137	5.2 2.3 deep	101	163	4.6	71	189	2.7	42
112	5.2	80	138	4.2	88	164	2.7	61	190	3.5	40
113	5.1	96	139	4.8	83	165	3.	40	191	4.2	42
114	5.2	96	140	5.4	96	166	5.5	70	192	3.5	42
115	4.2 2.4 deep	88	141	5.4	101	167	3.7	75	193	1.6	35
116	3.9	80	142	5.6	103	168	3.7	63	194	4.	37
117	3.8	70	143	5.4	103	169	2.7	55	195	2.2	40
118	4.7	80	144	5.8	95	170	2.4	30	196	4.7	42
119	4.	80	145	5.	101	171	2.6	30	197	3.8	52
120	4.8	81	146	4.3 2.2 deep	85	172	2.00	25	198	1.9	37
121	4.9	90	147	4.7	83	173	3.1	30	199	2.9	33
122	4.8	90	148	4.4	83	174	3.7	32	200	1.2	29
123	6.1 2.5 deep	110	149	5.2	90	175	3.9	46	201	6.6	48
124	5.7	110	150	5.7	101	176	1.4	35	202	6.4	74
125	4.7	77	151	5.1	101	177	1.7	26	203	4.4	62
126	6.5	103	152	3.8	81	178	2.9	41	204	5.	37
127	5.5	110	153	5.8	91	179	4.5	46	205	3.7	53
128	6.1	109	154	3.5	85	180	2.9	46	206	3.1	42
129	5.4	107	155	4.2	69	181	3.3	40	207	3.	40
		2300			2420			1371			1193

No of Station	Depth of Cut	Cubic Yards	No of Station	Depth of Cut	Cubic Yards	No of Station	Depth of Cut	Cubic Yards	No of Station	Depth of Cut	Cubic Yards
208	3.5	41	211	4.2	46	214	4.9	61	217	5.2	57
209	5.9	57	212	3.8	48	215	4.8	58	218	4.3	57
210	3.4	55	213	3.3	55	216	3.3	48			
		153			149			167			108

1st page 1377. 2257-2899. 2377 = 8904 Cubic Yards
 2nd " 2300. 2420. 1371. 1193 = 7284 " "
 3rd " 153. 149. 167. 108 = 577 " "
Total 16765 " "
 at 12 Cents per Yards \$2011.80

The above and foregoing Estimates are based upon an open ditch one foot wide in the bottom from Stake 0 to Stake 60 and from Stake 60 to Stake 156 two feet wide in the bottom and from Stake 156 to 173 three feet wide in the bottom and from Stake 173 to 218 four feet wide in the bottom the sides will slope at an angle of 45° degrees. The dirt taken out of the ditch must be removed two feet out side the slopes of the ditch

and the said Commissioners and Engineers further report that they have estimated the benefits and injury to the several tracts of land which will be affected by the work as follows

NAMES OF OWNERS.		Number.	DESCRIPTION OF LANDS.		Section.	Township.	Range.	Acres.	Hundredths.	Value of lands <i>Improvements</i> .	Value of lands <i>Improvements</i> .
*	Andes Anne		S 1/4	E 2	26	19	3	40		210	
	Master Calvin		S 2	SW	26	19	3	40		90	
	Barker Cyrus		N 1/4	SW	26	19	3	40			
	" "		S 1/4	SW	26	19	3	40		162	
	" "		N 1/4 E 2	SW	26	19	3	35			
g.s. 3.111	John D Edwards		S 2	SW	35	19	3	40		50	
ok	John J White		N 1/4	NW	35	19	3	40		80	
	" "		S 1/4	NW	35	19	3	40			
	Edwards Roberts		N 1/2	NW	35	19	3	40			
	" "		S 2	NW	35	19	3	40		120	
v	Isaac Roberts		N 1/4	NE	35	19	3	40		100	
	" "		S 1/4	NE	35	19	3	40		60	
	" "		S 2	NE	35	19	3	40		25	
	Joseph A Leonard		N 1/2	SW	35	19	3	40		80	
	" "		N 1/4	S 2	35	19	3	40		90	
v	Asa Ellis		N 1/4 S	S 2	35	19	3	30		100	
v	M. C. Morris		N 1/4 S	S 2	35	19	3	10			
v	" " "		S 2	S 2	35	19	3	40			
v	" " "		N 1/4 S	SW	36	19	3	35		180	
	A. A. Givens J. J. Bray		S 1/4	S 2	35	19	3	40		50	
	Joel Barker & Sons		S 2	NE	34	19	3	40		5	
	Anna Pike & N. K. East		N 1/4 N	SW	36	19	3	30		82	
+	John Wheeler & Wheeler		N 1/4 N	SW	36	19	3	15		2	
v	W. M. Bowman East		S 1/4	S 2	36	19	3	40		15	
v	Roberts Samuel		N 1/2	NW	2	18	3	40		10	
	" "		N 1/4	NE	2	18	3	40		115	
	" "		S 2	NE	2	18	3	40		33	
	" "		S 1/4	NE	2	18	3	40		30	
	Asa Ellis				1	18	3	12		50	
	Raffey B. J.				1	18	3	38		50	
	Asa Lamb				1	18	3	7		5	
	Maac Barker		N 1/4	NW	1	18	3	40		42	
	A. B. Jones		N 1/2 S 2	NW	1	18	3	20		60	
	J. O. Baldwin		S 1/4 S 2	NW	1	18	3	20		36	
	" "		N 1/4	S 2	1	18	3	40		100	
	" "		N 1/2	S 2	1	18	3	31		60	
v	Able Dunc		N 1/4	NE	1	18	3	40			
	" "		S 1/4	NE	1	18	3	40			
v	William Patterson East		N 1/2	SW	1	18	3	37		48	
	8 acres out of south east corner off										
										2226	

NAMES OF OWNERS.	Number.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	Acres.	Hundredths.	Value of Lands.	Improvements.
Benjamin A Coffin		Westfield Conn Beginning at the South west corner of a tract of lands sold by John S Conklin to Judah Robert thence East 34 Rods 17 1/2 links thence North 56 Rods thence West 14 Rods thence South 34 Rods 6 feet 8 inches West 83 Rods 7 feet South 27 Rods 11 feet 1 inch Also begin at a stone on section line 53 Rods South North of the South East corner of said quarter section thence West 37 Rods 20 links North 16 Rods 21 links East 38 Rods 4 links South 16 Rods 21 links to the place of beginning	1	18	3				
Olas		Commencing 48 Rods South of the North East Corner thence South 20 Rods West 16 Rods North 19 Rods 2 1/2 feet East 34 Rods thence South One Rod 18 1/2 links East 11 Rods North 2 Rods to beginning Also begin at South East corner of a lot formerly owned by John Robert South 1/2 East along West line of James Prills lot 66 Rods 1 Rod to South East corner of said Prills lot thence West along South line of said 1/4 section 24 Rods North 1/2 West 67 Rods East 24 Rods 3/4 Rod continuing in all 13 Belonging to B A Coffin	1	18	3	13		\$ 12	
Judah Roberts		Westfield Conn Part of the East quarter and a part of the South East quarter of the North East quarter section 1 Township 18 Range 3 beginning on the North line first measured 40 acres 47 Rods West of the North East corner of said tract thence West 6 Rods thence South 1 1/2 Acres East 25 Rods East 4 1/2 Rods North 16 Rods East 3 1/2 Rods North 1 1/2 East 20 Rods to beginning Also begins on Township line 15 Rods 20 1/2 links West of the town plat of Westfield thence South 12 Rods 1/2 link East 15 Rods 20 1/2 links thence South 11 Rods thence West 8 Rods 18 links thence South 22 1/2 links West 17 Rods 20 links thence South 9 1/2 Rods thence West 34 Rods 17 1/2 links thence North 67 Rods East 24 Rods 8 links North 27 Rods 5 1/2 links West 5 Rods 2 links North 19 East 4 Rods North 3 1/2 East 4 Rods 1 link North 21 Rods 4 1/2 links East 18 Rods 12 links to beginning containing 25 1/2 Acres more or less Belonging to Judah Roberts	1	18	3	25	22	\$ 12	
Anna Stalkov		Westfield Conn A part of the South East quarter of the North East quarter of section 1 Township 18 Range 3 begin at a stone on the section line 41 Rods 14 links North of the South East corner of said 1/4 section West 37 Rods 14 links thence South 11 Rods 17 links to beginning 3 1/4 Acres Also begins 21 Rods 18 1/2 links North of the South East corner of said 1/4 section thence North 19 Rods 21 links thence South 30 Rods 14 links thence North 10 Rods 19 1/2 links East 8 Rods 6 1/2 links containing in all 9 1/2 Acres (more or less)	1	18	3	9	25	\$ 12	
John Spry		Westfield Conn Part of the South East quarter of the North East quarter of section 1 Township 18 Range 3 beginning at the South East corner of said 40 acre tract over north 10 Rods thence East 40 Rods thence South 80 Rods thence East 40 Rods to beginning being 2 1/2 Acres in the South East corner of said 40 acre tract	1	18	3	2	50	\$ 2	
Daniel M Jones		Part of the South West quarter of section 36 Township 19 Range 3 begin at a point one rod West of the South East corner of said tract thence North 80 Rods thence West 68 Rods thence South 45 Rods thence East to the place of beginning 36	36	19	3	32		\$ 15	
Nathan A Cladie		S. W. Federal or Westfield Conn Part of the North West quarter of the North West quarter and a part of the North East quarter of the North West quarter and a part of the South East quarter of the North West quarter and a part of the South West quarter of the North West quarter of section 6 Township 18 Range 4 beginning at the center of said section thence West 74 Rods thence North 58 Rods thence West 60 Rods thence North 48 Rods thence South 80 East 2 Rods North 59 East 30 Rods North 9 1/2 Rods East 10 Rods North 1 Rod East 16 1/2 Rods North 6 1/2 Rods East 5 Rods South 32 Rods 4 feet 9 inches East 73 1/2 Rods South 100 Rods 11 feet 9 inches containing 18	18			66		10	
Jozette Phelps		Westfield Conn Part of the North East quarter of the North West quarter section 6 Township 18 Range 4 begin at the North East corner thence South 37 Rods 4 feet 9 inches West 78 Rods thence North 32 Rods 4 feet 9 inches East 68 Rods North 5 Rods East 5 Rods 15 Acres	6	18	4	15		\$ 2	60

NAMES OF OWNERS.	Number.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	Acres.	Hundredths.	Value Benefit	Value of Improve-ments.
Lydell J Jones		A part of the north west quarter of the north east quarter of section 6 Township 18 Range 4 begin at the north west corner of said tract run east 1/2 Paces 16 links south 60 Paces West 1/2 Paces and 16 links north 64 rods to begin	6	18	4	24		16	
John Wheeler		15 acres off north side west 1/2 Sec 8	86	19	3	15		2	
Eliah Heald		10 acres off the south and west half north west quarter	1	18	3	40		40	
Kelley Estes & Phibey Powers		at S 1/4 Sec 31	31	19	4			3	
Jim an Casey		East 3/4 corner off north west quarter of the N 1/4 Sec 1	1	18	3	3		2	
Charity Williams		N 1/4 Sec 6	6	18	4	1	50	2	
A. P. Snow		N 1/4 Sec 6	6	18	4	4		3	
Lewis Estes		N 1/4 Sec 6	6	18	4	28		2	
Joseph Jones		at S 1/4 Sec 6	6	18	4	2		1	
John Kenyon		at S 1/4 Sec 31	31	19	4	40			
"		at S 1/4 Sec 31	31	19	4	10		14	
County Road		Commencing at the south west corner of East 1/2 South East quarter Section 35 of 19 Range 3 running North one half (Mile thence north west through said Section)	35	19	3			27	
County Road		running from the quarter Section corner on east side of Section 35 Township 19 Range 3 west to the corner of the East half of the South East quarter of said Section	35	19	3			28	
Noblesville & Castleton branch Road								35	
County Road		running north and south between Section 1 & 2		18	3			12	
John M. Stone		at N 1/4 Sec 18	18	4		5		3	
Amount Brought over from 1st page								187	
" " " " 2nd "								22	
								60	
Total Amount of Assessment of lands									2473
The following named persons are entitled to the following									
Jacob Durst	3	days		1	25			3	75
Deas Leonard	3	"							125
Calvin Keister	3	"		1	25			3	75
Sam Kendall	3	"		1	25			3	75
Isaac Roberts	3	"		1	25			3	75
James A. McMullen	9	"	Commissioner		3				27 00
Benjamin Hershey	9	"	"		3				27 00
Elijah Cottingham	4	"	Engineer		5				20 00
"	2	"	"		3				6 00
William J. Cottingham	1	"	Roadman						1 25
All of which is respectfully Submitted February 11, 1881									
Elijah Cottingham Engineer									
James A. McMullen									
Benjamin Hershey } Commissioners									

STATE OF INDIANA,)
County,) ss :

We, the undersigned, Commissioners of Drainage, swear that we have each personally examined each tract of land assessed for benefits and damages and the whole route of the proposed work, and that such drain is of sufficient capacity to carry, without overflowing, all the water which flows or should flow along such route, that no other lands than those described in this report will be either benefited or damaged by the construction of the proposed work, and that all the statements therein are true and correct, and that all assessments of benefits and injuries set forth therein are correct, just, fair and equitable to all parties concerned, as we verily believe.

James A. McMullan
Benjamin Hershey
Elijah Cottingham

Commissioners.

Subscribed and sworn to by said Commissioners, this 11th day
of February, 1882, before me.

J. R. Robinson

Clerk Circuit Court.