Drain: WESTFIRD FARMS ORAIN Drain #: 207
Improvement/Arm: WESTFIRD FARMS - SECTION 1
Operator: JOH Date: G-72-0V
Drain Classification: Urban/Rural Year Installed: /185

### **GIS Drain Input Checklist**

•	Pull Source Documents for Scanning	976
•	Digitize & Attribute Tile Drains	N/A
•	Digitize & Attribute Storm Drains	972
•	Digitize & Attribute SSD	974
•	Digitize & Attribute Open Ditch	gp_
•	Stamp Plans	9 <b>%</b>
•	Sum drain lengths & Validate	gu
•	Enter Improvements into Posse	Ja.
•	Enter Drain Age into Posse	post
•	Sum drain length for Watershed in Posse	Jung
•	Check Database entries for errors	m 0

# Gasb 34 Footages for Historical Cost Drain Length Log

Drain-Improvement: WEST-IKLO FORMS ORAIN - WESTFIELD FARMS - SECTION 1

		l en edle			PAPE	leable 154
Drain Type:	Size:	Length SURVEYORS REPORT	Length (DB Query)	Length Reconcile	Price:	Cost:
550	6"	4220'	4,220'	Ø		
RCP	12"	280'	Z80'	9		
	15°	739'	739'	97		
	18"	602'	602'	8		
	21"	30'	301	Ø		
C SWALE		1,195	1,195'	ø		
			,			
					-	
	Sum:	7,066	7,066'	ø	4	
inal Report:						
Comments:	***************************************			7		
ommonto.						
					·····	





Kenton C. Ward, Surveyor

776=9626

Noblesville, Ind. 46060 June 12, 198 5

To: Hamilton County Drainage Board

Re: Westfield Farms Drain

Attached are the petition, plans, calculations, engineers estimate, nonenforcement request, easement and assessment roll for the Westfield Farms Drain. I have reviewed the petition and found it to be in proper form. Upon inspection of the site, I believe the proposed drain to be practicable, will be of public utility and that the costs, damages and expenses of the proposed project will probably be less than the benefits accruing to the owners of land likely to be benefited.

The drain shall consist of the following:

12"	RCP	280 ft
15"	RCP	739 ft
18"	RCP	602 ft
24"	RCP	571 <b>f</b> t
21"	RCP	30 ft
6"	SSD	4730 ft

The plan on Sheet 4 has omitted the 6" subsurface drain along the streets which is included as part of the drain. The total length of the drain will be 6952 feet. With 31 lots at \$30.00 per lot and 6.8 acres of streets at \$2.00 per acre with a \$30.00 minimum, the total yearly assessment will be \$960.00.

The maintenance of the detention areas will be the responsibility of the Drainage Board. I recommend a hearing be set for this drain on August 12th, 1985.

Kenten C. Ward, Surveyor

STATE OF INDIANA COUNTY OF HAMILTON SS:

To: Hamilton County Drainage Board, Noblesville, Indiana c/o County Surveyor, Courthouse, Noblesville, Indiana

Tn	the	matter	of	Westfield Farms	Subdivision,	Sect	ions
111	Line	Madoci				•	•
1		I		Drain Petition.		•	••

Petitioner—is—the owner of all lots in the land affected by the proposed new legal drain. The drainage will affect various lots in Westfield Farms a subdivision in Hamilton County, Indiana. The general route of such drainage shall be in existing easements and along public roads as shown in the plans on file in the Surveyor's Office.

Petitioner believes that the cost, damages and expenses of the proposed improvement will be less than the benefits which will result to the owners of the land likely to be benefited thereby. Petitioner believes the proposed improvement will:

- (a) improve public health
- (b) benefit a public street
- (c) be of public utility

Petitioner agrees to pay the cost of construction of the storm sewers and requests periodic maintenance assessments by the Board thereafter. The Petitioner also agrees to the following:

- 1. To provide the Drainage Board a performance bond for the portion of the storm sewer system which will be made a legal drain. The bond will be in the amount of 100% of the Engineers estimate. Bond will be in effect until construction of 100% of the system is completed and so certified by the Engineer.
- 2. The Developer shall retain the Engineer throughout the construction phase. At completion of the project the Developers Engineer shall certify that the storm sewer system which is to be maintained as a legal drain has been constructed as per constuction plans.
- 3. Any changes made in the field shall be documented and given to the Surveyor to be placed the the Drain file.
- 4. The developer shall instruct his Engineer to provide a reproducable print on a 24" x 36" mylar of the final design of the Drainage System.

The Petitioner further requests that the Drain be classified as an Urban Drain.

Owner R. N. Thompson

# GUARD CASUALTY & SURETY INSURANCE COMPANY Indianapolis, Indiana

## 8513116

SUBDIVISION BOND

8 PAGE 540

KNOW ALL MEN	BY THESE PRESENTS: That We, the undersign	
R. N. Thompson and Assoc	iates, Inc., 234 S. Franklin Road, Ind	ed,
on D.	The., 234 S. Franklin Road, Ind	ianapolis, TN ///
U 1 1 .	POLIT O SUPETV B ALL.	
bound unto Board & West sign	JALTY & SURETY P SURANCE COMPANY, Commissioners & Hamilton County Drain.  Id Township Board of Trustees.	as Surety, are held and two
west He	Commissioners & Hamilton County Drain.  Id Township Board of Trustees, as Chlin	age
in the penal sum of One Hundre	ed Five Thousand Two Hundred Fifty and	K66
DOLLARS (\$105, 250, 00)	iwo Hundred Fifty and	NO/100
(\$ <u>-551250.00</u> ), for t	are payment of which well and venter and	· · · · · · · · · · · · · · · · · · ·
executors, administrators and assi	gns.	we bind oursewes, our her
SCALLD AND DAIL	ED THIS 25th DAY OF March	10.00
THE CONDITIONS (	OF THE ABOVE OBLIGATION ARE SUCH THAT	· 19 😤 📆 ¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬
WHEDEAG B	THE ABOVE OBLIGATION ARE SUCH TH	4T: \$35 5 917
WHEREAS, R. N.	Thompson and Associates, Inc.	
lave not been improved		
as required	by the regulations of said Obligee	5 7 70
	- PIIRGE	<u> </u>
er in which said work is done or th	orm in which said work shall be done, and shall p rise by reason of delay in completion of said work	ay and save Obligee
morning such work, then this oblig	any ordinance of the Obligee and remain in f	requirements
	otherwise to be and remain in f	ull force and effect.
en e	// .	+ ,
	This Instrument Recorded Mary L. Clark, Recorder, Hamilton C	1985
	R. N. Thompson and Associates	ounty, Ind.
$Q \wedge Q$		, Inc.
TIEST: UGP VI 170	By: 2 41.2	
HAMILTON	GUARD CASUALTY & SURETY INS	
AUDITO		URANCE COMPANY
•	By: Comaca	( ) 14. 3xes,
I FORM No. 172	Tamara S Olver, Attorney-	in-Fact
; <del>- ' •</del>	BUARD OF COMMISSIONERS	CORPUS
	HE COUNTY OF HAMILTON	V 3 RAZZ
	The Houdedy	Jan Wall
	Clay tellas	PANT OFF
	Shil'stan	3 VV 29 """
	***	

# GUARD CASUALTY AND SURETY INSURANCE COMPANY

Nº 702

1317 N. Pennsylvania Indianapolis, Indiana 46244

KNOW ALL MEN BY THESE PRESENTS, GUARD CASUALTY AND SURETY INSURANCE COMPANY a corporation duly organize KNOW ALL MESS BY THESE PROSPECTOR, WE MANY ASSESSED TO A SUBJECT ASSESSED TO A SUBJECT AND A COPPORATION only organize under the laws of the State of Indiana, and having its general office in the city of Indianapolis, State of Indiana, has made, constituted at

Katherine P. Kramer, Diane Sue Curningham, Tamara S. Olver

its true and lawful Attoracy in Fact with full power and authority hereby conferred to sign and deliver in its behalf as Surety, any and a Indianapolis, Indiana kinds of Surety Bonds, except as limited hereon, and to bind GUARD CASUALTY AND SURETY INSURANCE COMPANY thereby as full ly and to the same extent as if such instruments were signed by the duly authorized officers of GUARD CASUALTY AND SURETY IN SURANCE COMPANY and all the acts of said Attorney-in-Fact, pursuant to the authority hereby given, are hereby ratified and confirm ed, provided that the liability of the Company as surety on any such bond executed under this authority shall not exceed

One Hundred Thousand Dollars and No/100

(\$100,000.00)

THIS POWER VOID IF ALTERED OR EPASED OR IF POWER NUMBER IS NOT IN BLUE INK.

(This power does not authorize the execution of bonds for loan, financial or bank guarantees.)

The acknowledgement and execution of any such document by said Attorney-in-Fact shall be as binding upon the Company as if such bond the acknowledgement and execution of any such document by some accounty are accounted had been executed and acknowledged by the regularly elected officers of the Company.

The signature of the President or a Vice President and the seal of the Company may be affixed by facsimile on any power of attorney granted, and the signature of the Assistant Secretary and the seal of the Company may be affixed by facsimile to any certificate of any such power and any such power or certificate bearing such facsimile signature and seal shall be valid and binding on the Company Any such power so executed and scaled and certified by certificate so executed and scaled shall—ith respect to any bond or undertaking to

GUAIGD CASCALTY AND SURETY INSURANCE COMPANY further certifies that the following is a true and exact copy of a resolution of the Board of Directors of GUARD CASUALTY AND SURETY INSURANCE COMPANY, duly adopted and now in force, to wit: All bonds of the curporation shall be executed in the corporate name of the Company by the President, any Vice President, or by such other officers as the Board of Directors may authorize. The President, any Vice President, or any Assistant Secretary may appoint Attorneys-in-

23 authority hereby conferred about	we company,	may appoint Attorneys-in-
September 7 1985 but noted	thout notice, unless used before midu	ight of
IN WITNESS WHEREOUT	such time shall be irrevocable and	
IN WITNESS WHEREOF, the said GUARD CASUMETY AN ec 'ved by its officer, with its corporate seal affixed, this dat	O SURETY INSURANCE COMPAN	Y has caused these presents to be
	***********	18 62 7
WRETY	UARD CASUALTY AND SURETY I	NSURANCE COMPANY
The second	This Instrument  Mary L. Clark	Recorded Sept 5 1985 Recorder, Hamilton County, Ind.
STATE OF INDI		Recorder, namenton County, Ind.

STATE OF INDIANA COUNTY OF MARION

Norm, acknowledged that he signed the above Power-of-Attorney as an officer of the said GUARD CASUALTY AND SURETY ., before me, a Notary Publy, personally appeared Leon E. Ellis who being by me duly INSURANCE COMPANY and acknowledged wath insurpress to be the value ary act and deed of the corporation.

My commission expires: May 28, 1985

Sondry of Pellin Notary Public

Il you have aby quar ing this power call (217) 638-1835 for verification,

#### CERTIFICATE OF COMPLETION AND COMPLIANCE

TO: HAMILTON COUNTY SURVEYOR

RE: Westfield Farms Section I

#### I hereby certify that:

- 1.) I am a Registered Land Surveyor in the State of Indiana,
- 2.) I am familiar with the plans and specifications for the above referenced subdivision,
- 3.) I have personally observed and supervised the completion of the Drainage Facilities for the above referenced subdivision, and
- 4.) To the best of my knowledge, information and belief, the Drainage Facilities within the subdivision has been installed and completed in conformity with all plans and specifications.

SEAL STATE OF STATE OF SURVEY OF SUR

INDIANA REGISTRATION NUMBER

L.S. No. S0529



STORTAGE





Kenton C. Ward, Surveyor

776-9626

Noblesville, Ind. 46060\_

August 24, 1988

TO: Hamilton County Drainage Board

RE: Westfield Farms Drain, Section 1

I have inspected the drainage facilities for the Westfield Farms, Section 1
Drain and have found them to be complete and acceptable. The Project Engineer has submitted the Certificate of Completion and Compliance and "As Built"
Drawing on reproducible mylar of the drainage system.

Two (2) changes occured during the construction of this section. Both changes are noted on the request from Evergreen dated June 27, 1986 and my approval dated July 1, 1986. The first change deleted subsurface drainage (SSD) in the detention area on Lots 83 and 85 and substituted a concrete swale. The second change is a concrete swale along the North side of 146th Street from Harvest Drive to the Rail Road. This concrete swale is to be part of the regualted drain.

The changes will change the length of the SSD as noted on my report dated June 12, 1985 from 4730 feet to 4220 feet. Added to the total will be 1195 feet of concrete swale. The total length of the drain is now 7637 feet.

At this time I recommend the Board approve the drainage facilities as constructed. I further recommend that the non-enforcement request for this plat be approved by the Board.


KCW/no

SEP 1 2 1988
HAMILTON COUNTY DRAINAGE BOARD

Kenton C. Ward

Hamilton County Surveyor

This copy printed from the Digital Archive Withe Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060



Str. NO.	Structure Type	INV.	T.C.	Neemoh Cstg Type	Costing Copocity	IN Flow CFG	Area
	End gection	871.00			·	0.51	0.24
2	curb inlet	868.35	871.GO	R-3501-TL	3.87	1.80	0.65
3	curh inlet	867.37	871. <i>60</i>	R-3501-TR	3.87	0.97	0.20
4	End Section	866.95				3.64	1.09
5	Located	in	future	section.			
6	Locoted	in	future	gection.			
7	Yord Inlet	874.85	879.00	R-2560-E1	1.G0	1.46	0.90
8	Solid Lid MH	871.41	81G.00	R-1077-H			- Anna Anna Anna Anna Anna Anna Anna Ann
9	Curb Inlet	810.01	874.00	R-3501-TL	3.87	3.80	1.67
10	CUrb Inlet	869.31	874.00	R-3501-TR	3.87	0.54	0.20
11	Yard Inlet	867.49	872.00	R-2560-E1	1.60	1.57	0.88
12	Yard Inlet	866.53	870.50	R-2560-E1	1.60	1.00	0.56
13	End section	865.06				18.70	11.41
14	Abl. Curb Inlet	871.95	874.20	R-3501-TREL	7.74	5.98	2.70
15	CUrb Inlet	871.65	874.20	R-3501-TL	3.87	2.50	0.61
16	Dbl. Curb Inlet	870.57	873.57	R-3501-TRiL	7.74	4.19	1.77
17	curb inlet	870.17	873.49	R-3501-TL	3.87	1.72	0.60
18	End Section	866.00				5.89	2.37
19	Curh Inlet	8G1.98	865.00	R-3501-TR	3.87	3.45	0.95
20	End Section	861.00				8.40	3.21
21	COMC. STOPE WATT	-873.5 INV.	- 280 L.F.	12" R.C.M	12"End	Section -	866.00 INV.
22	conc.slope wall	-864.0 IMV.	- 220 L.F.	18" R.C.M	18" End	gection-	861.00 INV.
23	CONC. STOPE WALL	- 860.20 INV.	- 40 L.F.	15" R.C.P	15" End	Section -	860.00 INV.
24	Curb Inlet	863.18	865.80	R-3501-TL	3.87	2.12	0.76
25	Curb Inlet	863. <b>33</b>	865.80	R-3501-TR	3.87	3.81	1.50

### GENERAL NOTES

- 1. All construction work and material shall meet the specifications of the Indiana State Highway Commission, 1978.
- 2. All trenches under or within five (5) feet of street pavement shall be backfilled to the subgrade with granular material as directed by the engineer.
- 3. Before earthwork is commenced, the contractor shall remove the topsoil in the area of the streets and house pads that require fill. This topsoil shall be stockpiled as directed by the engineer in sufficient quantity so as to allow for the placement of at least three (3) inches over all disturbed areas before mulch seeding. The remainder of the topsoil shall be distributed in the front and rear yards.
- 4. All fills placed under paved areas and house pads are to be compacted to 95% standard proctor (ASTM D-698). \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*
- \* Minimum elevation for the top of slab of slab-type structures or \* if a crawl space or basement is used, the flood protection grade \* would pertain to the lowest land grade around the exterior of the
  \* building, is two (2) feet above the 100-year flood elevation. \* \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*
- 5. Temporary silt settlement basins, two feet in depth shall be excavated at the entrance to storm structures, as directed by the engineer.
- 6. Pavement is to be placed on a prepared subgrade with no traffic on the subgrade prior to paving , as per 1978 I.S.H.C. Specifications, Section 207.
- 7. Concrete pavement to be placed as per 1978 I.S.C.H. Specifications, Asphalt pavement to be placed as per 1978 I.S.C.H. Specificiations, Section 400.
- 8. All construction within the dedicated right of way or in areas dedicated to the public shall conform to the specifications adopted by the Hamilton County Commissioners on November 13, 1967.
- 9. All natural areas which are disturbed by site development construction shall be seeded with a mixture of 60 pounds per acre of Perrenial Rye grass and 60 pounds per acre of Kentucky 31 Fescue or Alta Fescue.
- 10. Driveways and sidewalks are not to be installed as part of these plans and are the responsibility of the individual home builder.

**EARTHWORK SUMMARY:** General Excavation 19,400 C.Y. 1,175 C.Y. Roadway Excavation Total Excavation

Embankment Req'd. 14,900 C.Y. +20% Shrinkage & Loss 2,980 C.Y. 17,880 C.Y. Total Embankment

EXCESS = 2695 C.Y.

Excess excavation material to be spread in the areas of future development at the direction of the engineer.

84-32

1"= 50'

4 of 12

DATE Morch 13,1985

JOB NO.

SCALE

SHEET NO.

6/27/86 ADDED CONC. SWALE 9/30/85 REVISED STREET GRADES ~ HARVEST COURT 5/29/85 ADDED SSD TO N. D.R.A. AND NOTE SECTION I DESIGN BY DRAWN BY CHECKED APPROVED 5/29/85 \* CHANGED FROM 7.5' TO 10' CMB 4/3/83 ENLARGED DEAINAGE EASEMENTS ALK

Evergreen **Development Corporation** 234 SOUTH FRANKLIN RD., INDIANAPOLIS, INDIANA 46219 317/353-6161