Drain: WW FORKNER	Drain #: <u>286</u>		
improvement/Arm:			
Operator: J. LIVINGSTON	Date: 12-23-03		
Drain Classification: Urban Rural	Year Installed: 1893		

GIS Drain Input Checklist

•	Pull	Source	Documents	for	Scanning
---	------	--------	-----------	-----	----------

- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors

Just

Juf

Jung

Juf Juf

Gasb 34 Footages for Historical Cost <u>Drain Length Log</u>

					b. 2020 00 1730 00 20	
Orain Type:	Size:	Length (Length (DB Query)	Length Reconcile	Price:	Cost:
OPEN		6700'	6700'		19.55/sf	130,985
					,	
			,			
						 -
						<u>.</u>
			····			
						·
					•	
		6700'	le 700'			·
	Sum:	6 700	<u> (e 700</u>		#	130,985
inal Report:						
omments:						
 						
W						
		······································				

DESCRIPTION

Commencing in Fipton County 870 feet south and 755 feet west of the NE corner of section 31-21N-5E, thence south 20 west 600 feet, thence south 70° west 100 feet, thence west 100 feet, thence south 20° west 200 feet,! thence south 33° west 100 feet, thence south 80° west 100 feet, thence west 100 feet, thence south 10° west 100 feet, thence south 8° west 100 feet, thence south 12° west 100 feet, thence south 75° west 200 feet, thence south 18° west 100 feet, thence south 10° west 100 feet, thence south 5° east 100 feet, thence south 10° feet, thence south 15° east 100 feet, thence south 28° west 100 feet, thence south 10° feet, thence south 15° east 100 feet, thence south 28° west 100 feet, thence south 30° east 200 feet, thence south 10° feet, the

I. Book Page 40
C.R. Book 7 Page 202
C.R. Book 8 Page 60
D.R. Book 2 Page 91,282
D.R. Book 3 Page 138
D.R. Book 5 Page 177
C. Book 10 Page 323,369,531
D. Book 11 Page 301
D. Book 12 Page 301
D. Book 12 Page 301
See Sylvania Conway

SYLVANIA CONWAY

DESCRIPTION

DiR. 5 pg 177 Will. Forking

Reallott before claiming 1936

2' wide in bottom Com 40+056

3' ""

C.R. 15 pg 223 3221 June 6, 1909

Sylvanus Conoucy

CIR. 15pg 28 July, 1909

Final report July, 1909

6790 open drain

Beginning at a point about 820 feet south and 755 feet west of the NE corner of section 31-21N-4E in Tipton County, thence in a general south-westerly direction to the south line of the NE4 of said section 31-21N-4E. in a general southeasterly direction through the SE4 of said section 31 and the SE part of section 32, until it reaches the south line of section 32 being the line dividing Hamilton County and Tipton County, thence into said Hamilton County in a general southwesterly direction through the west of section 5 and the south 2 of section 6 in said County and terminating at a point about 1000 feet south and 780 feet west of the SE corner of hte NW4 of said section 6. The said proposed drain petitioned for is over and along the line of what is known as the W.W. Forkner Ditch as shown in Ditch Record Book 9 Page 395 of Tipton County.
6,790 feet of open

D.R. Book 3 Page 138
I. Book Page 79
D.R. Book 7 Page 133
C.R. Book 15 Page 83 - 223- 263- 224
MR. Book T Page 199

Forkner be done and we as such newers did view and locale said dilch report the following route in the said louters of. Capullow of Septem State of Sudiana fulther of the twelveast Comer of Section 31 Found or Arret of Range seast there south rang that 600 fet theres South. go deg best 100 ful there best 100 fat there south to deg Stest roo ful there south 33 deg best 100 ful there douth 80. this 100 fax thurs this 100 feet thuce South 46. this 100 feet there South 8° West 100 ful, there South for West 100 ful there South 75° best roofed there South 18° West 100 feet there South 10° best 100 feet there South so last 100 feet there South 100 feet theuce doubt sof thest 100 feet theuce South 80 thest 100 fat theuce South 100 feet there South is east 100 feet there South 370 east 100 ful thence south 93° east rooful thence sent 100 ful There south po east roofer there south for east 10 of at there donthe rideg east rooful there south sy east 100 ful theuce South so last roofer thence South 10° east 100 ful there South To east 100 ful thuce South or east 100 ful thence South 290 East 400 ful there douth 12° east 100 fat these South 10° east 100 ful South 3reas (500 ful themes south 45° east 100 ful these South 25° east 100 feet there so east 100 feet there south 2000 feet there South of deg thish foo ful there west oo ful there South 100 ful There South ryo bust 100 theme South 100 ful there best roofed Thurs south 170 West rooful thence south 47° west rooful thuse south growest loo ful there west oo ful there but 65° 400 fs. thurs south 87° west goo. ful, thereo South soo fall thence that 300 ft There south 1° west 100 ful there south so west 100 ful there South ove west, 100 feet there west 100 feet there South 66 dag west 100 fut there south 81° west 100 ful directing 1000g South and 780 ful west of the south rast times of the Anthyfiest quarter of sie to. The so. Anth Rauge of last.