












Drain: CLARA GINTERT Drain #: 8  
Improvement/Arm: DRESHER-HEISSER  
Operator: J. LIVINGSTON Date: 12-30-03  
Drain Classification: Urban/Rural Year Installed: 1883

### GIS Drain Input Checklist

- Pull Source Documents for Scanning 
- Digitize & Attribute Tile Drains 
- Digitize & Attribute Storm Drains 
- Digitize & Attribute SSD 
- Digitize & Attribute Open Ditch 
- Stamp Plans 
- Sum drain lengths & Validate 
- Enter Improvements into Posse 
- Enter Drain Age into Posse 
- Sum drain length for Watershed in Posse 
- Check Database entries for errors 

**Gasb 34 Footages for Historical Cost  
Drain Length Log**

Drain-Improvement: CLARA GINTERT - DRESHER - HEISSER

Drain Type:	Size:	Length ( )	Length (DB Query)	Length Reconcile	If Applicable	
					Price:	Cost:
TILE	2X10"	2380'	2380'		3.00/lf	14280.00
	18"	158'	158'		6.50/lf	1027.00
CMP	21"	20'	20'		40.00/lf	800.00
OPEN DITCH	—	11592'	11592'		19.50/lf	226623.00
ARM 1 - TILE	10"	170'	170'		3.00/lf	510.00
CMP	12"	20'	20'		14.00/lf	280.00
ARM 2 - TILE	2X10"	2443'	2443'		5.90/lf	14658.00
- OPEN DITCH	—	1387'	1387'		19.50/lf	2715.00

Sum: 10170' 10170' \$285294.45

Final Report: \_\_\_\_\_

Comments:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

5342

Report of Commissioners.

FAVORABLE.

Mr Dresher  
et al

8

Filed December 12, 1889

J R Christian

Clerk Circuit Court.

Wm. B. Burford, Printer, Indianapolis.

# REPORT OF COMMISSIONERS.

To the Honorable Judge of the Hamilton Circuit Court:

The undersigned, Commissioners of Drainage, to whom was referred the petition of Wm. Preshler et al for the drainage of the South  $\frac{1}{2}$  of S.E.  $\frac{1}{4}$  Sec 17 and ~~the~~ acres off the North side of the N.E.  $\frac{1}{4}$  Sec 20. also a tract beginning  $13\frac{1}{2}$  rods East of SW corner N.E.  $\frac{1}{4}$  Sec 20 run North  $115$  rods East  $55\frac{1}{2}$  South  $115$  West  $55\frac{1}{2}$  rods to place of beginning also the W.  $\frac{1}{2}$  of the South East  $\frac{1}{4}$  Sec 20 all in Township 20 Range 5

in Hamilton County, respectfully report that they have inspected personally all the lands described in said petition, and all other lands liable to be affected by the construction of the proposed work, and are of the

opinion that the proposed drainage will improve the public health of that neighborhood, that 3 public highways will be benefited, that the same will be of public utility, and can be accomplished at an expense less than the aggregate benefits to the lands to be affected hereby; and after causing the necessary surveys and examinations to be made they determined that the method of drainage should be as follows, to-wit:

See 4<sup>th</sup> page of this report.

They estimate the cost of constructing the work at ~~nine hundred~~ eight ~~dollars~~ 270 dollars. They further report that they have estimated the benefits and injury

to the several tracts of land which will be affected by the work, as follows:



OWNERS.	DESCRIPTION.	S.	T.	R.	Acres.	Injury		
George Leonard ✓	NEgr SWgr	20	20	5	40	✓	\$ 75	00
George Leonard ✓	SEgr SWgr	20	20	5	40	✓	110	00
Conrad Mosbaugh ✓	NWgr SEgr	20	20	5	40	✓	80	00
Conrad Mosbaugh ✓	SWgr SEgr	20	20	5	40	✓	100	00
George Lively +	SWgr SWgr	20	20	5	40	✓	25	00
Peter Snyder ✓	NWgr NWgr	29	20	5	40	✓	25	00
Abraham Haiser	SEgr NWgr	29	20	5	40	✓	40	00
Abraham Haiser	W <sup>1</sup> / <sub>2</sub> NEgr NWgr	29	20	5	20	✓	30	00
A. Buscher	NWgr NEgr	29	20	5	40	✓	75	00
A. Buscher	NEgr NEgr	29	20	5	40	✓	20	00
A. Buscher	SEgr NEgr	29	20	5	40	✓	40	00
Michael Mosbaugh	NEgr SEgr	20	20	5	40	✓	20	00
Harmon Roguato Est	SEgr SWgr	17	20	5	40	✓	25	00
William Drescher +	SEgr SEgr	17	20	5	40	✓	35	00
William Drescher ✓	SWgr SEgr	17	20	5	40	✓	100	00
Henry Leonard Est	NEgr NWgr	20	20	5	40	✓	20	00
Henry Leonard Est	SEgr NWgr	20	20	5	40	✓	20	00
John Haiser	SWgr SEgr	29	20	5	40	✓	85	00
John Haiser	E <sup>1</sup> / <sub>2</sub> NEgr NWgr	29	20	5	20	✓	55	00

All of which is respectfully submitted.

20 ) 55  
 20  
 250  
 250

Commissioners.

OWNERS.	DESCRIPTION.	S.	T.	R.	A.	Benefits.	Injury.	
William Drescher	pt of west 1/2 NE qr section 20 of 36 R. 5 East begin at NW corner of said NE qr run east 80 rods south 45 rods west 80 rods North 45 rods to place of beginning					22 1/2	\$ 55	✓
William Drescher	pt of east 1/2 of NE qr Sec 20 T 20 Range 5 East begin at NE corner of Sec 20 T 20 R 5 aforesaid run south 45 rods west 80 rods North 45 rods East 80 rods to place of beginning					22 1/2	10	✓
William Drescher	pt of west 1/2 NE qr Sec 20 T 20 R 5 East begin 13 1/2 rods East of south west corner of NE qr Sec 20 T 20 R 5 East run north 115 rods East 55 1/2 rods south 115 rods west 55 1/2 rods to place of beginning					40	\$ 70	
Mrs Hannah Wally	pt NE qr Sec 20 T 20 R 5 East begin 58 rods & 20 links west of south east corner of said NE qr run west 32 rods & 23 links north 115 rods & 8 links East 40 rods & 18 links south 44 rods west 8 rods & 20 links south 71 rods & 10 links to place of beginning					25	\$ 30	
Henry Leonard	pt west 1/2 NE qr Sec 20 T 20 R 5 East begin at south west corner said qr Sec run north 115 rods & 8 links East 13 1/2 rods South 115 rods & 8 links west 13 1/2 rods to beginning					10	\$ 30	
John Haiser	pt NW qr Sec 29 T 20 R 5 East begin at NW corner of said NW qr run south 16 rods East 80 rods north 16 rods west 80 rods to place of beginning					8	\$ 5	
Total assessment							\$ 1825	

OWNERS.	DESCRIPTION.	S.	T.	R.	A.	Benefits.	Injury.
Arcadia Gravel Road Co						\$ 30	
Cicero & Bear Creek Gravel Road Co						\$ 30	
White River Township	Public Highway running north & south in the center of sec	28	10	50		\$ 35	

All of which is respectfully submitted

S. B. Wells  
 James A. McMillan  
 E. F. Cottingham

} Com  
 Commissioners

By the construction of a ditch  
 commencing 40 rods east of North West  
 corner North East quarter section 20  
 Township 20 North of Range 5 East  
 and run thence

South 1400 ft ✓ S 14° W 50 ft ✓  
 S 47½° W 90 ft ✓ S 30½° W 160 ft ✓  
 S 20½° W 210 ft ✓ S 32° W 290 ft ✓  
 S 47° W 100 ft ✓ South 133 ft ✓  
 S 28° W 100 ft ✓ S 5½° W 331 ft ✓  
 S 4½° E 150 ft ✓ S 23½° W 80 ft ✓  
 S 56° W 100 ft ✓ S 72° W 70 ft ✓  
 S 26° W 260 ft ✓ S 35½° W 250 ft ✓  
 S 50° W 140 ft ✓ West 90 ft ✓  
 S 49° W 10 ft ✓ West 200 ft ✓  
 South 660 ft ✓ East 240 ft ✓  
 S 37½° E 100 ft ✓ South 950 ft ✓  
 S 65° E 150 ft ✓ S 71° E 270 ft ✓  
 S 48½° E 680 ft ✓ East 360 ft ✓  
 S 74° E 400 ft ✓ S 27° E 290 ft ✓  
 S 4½° E 150 ft ✓ S 13¼° E 600 ft ✓ (arm of ditch  
 S 7° E 550 ft ✓ S 64° E 400 ft ✓ commences  
 S 28° E 200 ft ✓ S 24½° E 100 ft ✓ at stake 69  
 S 20° E 200 ft ✓ S 5° W 400 ft ✓ and runs  
 S 9½° E 100 ft ✓ S 72° E 100 ft ✓ S 9° E 437 ft ✓

and terminating 54 rods south 40 west of  
 North East corner of South East quarter Sec  
 29 Township 20 North of Range 5 East

The following is a tabulated state  
 ment of the number of station the depth of  
 cut at the beginning and terminus of each of every  
 station of one hundred ft the width at bottom and  
 top at each stake, no of cu yards in each station  
 cost per cu yard and the cost per station  
 of 100 ft



No. of Station.	Depth of Cut.	Width at Bottom.	Width at Top.	No. Cubic Yards.	Cost per Cubic Yard.	Cost per	Section.	No. of Station.	Depth of Cut	Width at Bottom.	Width at Top.	No. Cubic Yards.	Cost per Cubic Yard.	Cost per	Section.
0	4.0	30			162			33	5.9	1	12.8	80	12 1/2	10	00
1	5.0	"		12	"	\$1	80	34	5.7	1	12.4	71	"	8	87 1/2
2	4.5	"		12	"	1	80	35	5.2	1	11.4	58	"	7	25
3	5.0	"		12	"	1	80	36	4.4	1	9.8	82	"	10	25
4	4.7	"		10	"	1	50	37	3.6	1	8.2	64	"	8	00
5	5.3	"		10	"	1	50	38	5.0	1	11.0	49	"	6	12 1/2
6	5.0	"		9	"	1	35	39	3.7	1	8.4	54	"	6	75
7	5.7	"		9	"	1	35	40	3.3	1	7.6	48	"	6	00
8	7.2	"		10	"	1	50	41	4.5	1	10.0	55	"	6	87 1/2
9	8.7	"		10	"	1	50	42	4.3	1	9.6	68	"	8	50
10	7.8	"		12	"	1	80	43	4.6	1	10.2	68	"	8	50
11	7.0	"		12	"	1	80	44	4.6	1	10.2	70	"	8	75
12	6.4	"		12	"	1	80	45	3.9	1	8.8	51	"	6	37 1/2
13	7.1	"		13	"	1	95	46	3.4	1	7.8	31	"	3	87 1/2
14	6.8	"		13	"	1	95	47	3.7	1	8.4	28	"	3	50
15	7.3	"		15	"	2	25	48	3.7	1	8.4	39	"	8	87 1/2
16	6.4	"		17	"	2	55	49	3.8	1	8.6	39	"	8	87 1/2
17	6.3	"		18	"	2	70	50	3.6	1	8.2	34	"	4	25
18	6.5	"		18	"	2	70	51	3.5	1	8.0	58	"	7	25
19	6.3	"		18	"	2	70	52	4.2	1	9.4	62	"	7	75
20	6.3	"		54	"	8	10	53	3.7	1	8.4	40	"	5	00
21	6.1	"		31	"	4	65	54	4.2	1	9.4	35	"	4	37 1/2
22	6.8	"		18	"	2	70	55	4.3	1	9.6	46	"	5	75
23	7.5	"		25	"	3	75	56	4.6	1	10.2	53	"	6	62 1/2
24	7.2	15.4	12.4		"	18	60	57	4.5	1	10.0	51	"	6	37 1/2
25	6.6	14.2	10.5		"	15	75	58	4.2	1	9.4	39	"	8	87 1/2
26	6.8	14.2	9.6		"	14	40	59	4.9	1	10.8	36	"	4	50
27	6.6	14.2	9.6		"	14	40	60	5.4	1	11.8	65	"	8	12 1/2
28	6.3	13.6	8.0		"	12	00	61	5.6	1	12.2	87	"	10	87 1/2
29	6.0	13.0	9.0		"	13	50	62	4.2	1	9.4	92	"	11	50
30	7.7	16.4	12.6		<del>18</del>	18	90	63	4.9	1	10.8	83	"	10	37 1/2
31	6.8	14.6	14.3	12 1/2		17	87 1/2	64	4.3	1	9.6	60	"	7	50
32	6.2	13.4	11.5		"	14	37 1/2	65	4.6	1	10.2	48	"	6	00

No. of Station.	Depth of Cut.	Width at Bottom.	Width at Top.	No. Cubic Yards.	Cost per Cubic Yard.	Cost per	Section.	No. of Station.	Depth of Cut	Width at Bottom.	Width at Top.	No. Cubic Yards.	Cost per Cubic Yard.	Cost per	Section.
66	4.9	1	10.8	54	10 1/2	6	75	99	3.7	1	8.4	50	10 1/2	6	25
67	5.7	1	11.4	73	"	9	12 1/2	100	3.6	1	8.2	61	"	7	62 1/2
68	5.2	1	11.4	83	"	10	37 1/2	101	4.0	1	9.0	67	"	8	37 1/2
69	4.5	1	10.0	63	"	7	87 1/2	102	2.4	1	5.8	49	"	6	12 1/2
70	4.5	1	10.0	56	"	7	00	103	2.8	1	6.6	35	"	4	37 1/2
71	4.5	1	10.0	61	"	7	62 1/2	104	2.2	1	5.4	32	"	4	00
72	3.9	1	8.8	61	"	7	62 1/2	105	2.5	1	6.0	28	"	3	50
73	4.7	1	10.4	64	"	8	00	106	3.0	1	7.0	37	"	3	37 1/2
74	5.8	1	12.6	89	"	11	12 1/2	107	3.0	1	7.0	44	"	5	50
75	5.0	1	11.0	98	"	12	25	108	2.1	1	5.2	32	"	4	00
76	4.2	1	9.4	65	"	8	12 1/2	109	2.8	1	6.6	30	"	3	75
77	4.8	1	10.6	66	"	8	25	110	2.4	1	5.8	35	"	4	37 1/2
78	4.9	1	10.8	83	"	10	37 1/2	111	0	1		9	"	1	12 1/2
79	6.4	1	13.8	111	"	13	87 1/2								
80	5.0	1	11.0	116	"	14	50								
81	4.6	1	10.2	88	"	11	00								
82	4.7	1	10.4	85	"	10	62 1/2	0	4.	1 1/2 ft					
83	4.8	1	10.6	89	"	11	12 1/2	1	3.3	"		20	10 1/2	2	50
84	4.7	1	10.4	89	"	11	12 1/2	2	3.5	"		19	"	2	37 1/2
85	6.1	1	13.2	114	"	14	25	3	2.9	"		17	"	2	12 1/2
86	5.9	1	12.8	135	"	16	87 1/2	4	3.2	"		16	"	2	00
87	5.0	1	11.0	112	"	14	00	87 1/2	2.8	"		6	"		75
88	4.8	1	10.6	95	"	11	87 1/2								
89	5.0	1	11.0	98	"	12	25								
90	4.8	1	10.6	107	"	13	37 1/2								
91	4.7	1	10.4	99	"	12	37 1/2								
92	4.4	1	9.8	91	"	11	37 1/2								
93	3.9	1	8.8	77	"	9	62 1/2								
94	3.8	1	8.6	67	"	8	37 1/2								
95	3.5	1	8.0	61	"	7	62 1/2								
96	3.1	1	7.2	50	"	6	25								
97	3.3	1	7.6	49	"	6	12 1/2								
98	2.9	1	5.8	47	"	5	87 1/2								

*Arm of Ditch*

*Total cost Excavation \$ 836, 17 1/2*

53  
29  
24

Total number cu yds main Ditch 6394  
Cost of removal \$826.42 1/2  
Grub and Clear 50.00  
Total cost main Ditch \$876.42 1/2  
No cu yards in arm 78.  
Cost of removal \$9.75  
Cost of 53 rds 7 in tile @ .80¢ \$42.40  
Laying in tile 1.90  
Hauling tile 6.00  
Filling in dirt 2.00  
Cast top of arm \$62.05  
Total Cost of Construction \$938.47 1/2

We further specify that the ditch from stake 0 to 23+80 ft shall be dug 30 inches wide, for three rows of 7 inch tile that William Drescher may have the privilege of tiling if he so desires. From stake 23+80 ft the ditch shall be 1 ft wide in bottom side slopes 1 to 1. The banks are to be cut smooth and of uniform slope and the earth excavated therefrom deposited not nearer than two ft from banks and slope back and away from said banks of ditch. All work to be done in a neat and workmanlike manner.

1 He would further show that the  
2 following named persons are entitled  
3 to fees for services in the matter as  
4 follows, to wit:

5 Joseph Bright roadman 1 day \$ 1.50  
6 Fred Leonard Chairman 1 day 1.50  
7 Geo Leonard Arman 1 day 1.50  
8 Conrad Mosebaugh Arman 1 day 1.50  
9 Wm Dresher Chairman 1 day 1.50  
10

11 He also claims fees as Commissioners  
12 of Drainage and Engineer in the  
13 matter as follows to wit:

14 Samuel Bells Commissioners 5 days \$ 15.00  
15 James McMullaw Commissioners 5 da 15.00  
16 E. F. Cottingham Engineer 3 days 15.00  
17 E. F. Cottingham Commissioners 2 days 6.00  
18 E. F. Cottingham charging report 3.00  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33

STATE OF INDIANA,

County,

SS :

We, the undersigned, Commissioners of Drainage, swear that we have each personally examined each tract of land assessed for benefits and damages and the whole route of the proposed work, and that such drain is of sufficient capacity to carry, without overflowing, all the water which flows or should flow along such route, that no other lands than those described in this report will be either benefited or damaged by the construction of the proposed work, and that all the statements therein are true and correct, and that all assessments of benefits and injuries set forth therein are correct, just, fair and equitable to all parties concerned, as we verily believe.

Samuel B. Mills  
James A. McMillen  
O. F. Cottingham

Commissioners.

Subscribed and sworn to by said Commissioners, this 12 day  
of December, 1882, before me.

J. R. Hunter

Clerk Circuit Court.

No. ....

IN THE MATTER OF

*James M. ...*

.....

*Approved*

REPORT OF DITCH VIEWERS,  
COMMISSIONERS' COURT.

*No 97*

Filed ..... 18.....

Auditor.

Sentinel Printing Co., Indianapolis.

*E. J. ... 186. 7*

Viewer's Report of

Heisser John

Ditch.

TO THE HONORABLE BOARD OF COMMISSIONERS OF

Hamilton

COUNTY, INDIANA:

We, the undersigned, appointed by this Court, at its September Term, 1889, to view a drain described in the certified copy of a petition and order of Court for a Ditch, by John Heisser and others, handed us by the Auditor, would represent that according to said order we, on the day named therein, to-wit: the 9<sup>th</sup> day of October, 1889, in company with W. J. Birmingham, a civil engineer, made an accurate survey of the line of said proposed Ditch from its source to its outlet. A plat of said Ditch is filed herewith including the survey by the engineer, marked "Exhibit" ✓. We caused stakes to be set along said line, each one hundred feet, numbering down stream, as shown by plat. We also made a computation of the total number of cubic yards of earth to be removed from said drain, and estimated the total cost for the construction of the work at Six Hundred Seventy-eight and 100 Dollars. We also apportioned and set apart to each parcel of land a share of said work in proportion to the benefits received, all of which will fully appear by a tabular statement in this report. We have also set out by a statement below, the names of the owners of lands benefited with a description of each tract of land, and the amount assessed against each tract. The depth of cut, the width at bottom, and width at top along said drain is also shown in a tabular statement in this report. After a full and careful view and examination, we are of the opinion that the drain as located by the survey will be of Public Utility, a benefit to health, and will benefit the following lands & Highways. Said Ditch Begins 56 rd. and 18 ft. South of the N.W. Corner of the S.W. 1/4 of the N.W. Section 29. Twp 20 R. 05. Running thence S 75° E 180 ft. Thence down the Old channel of Drisher Ditch to terminus as follows. From Stake 1+80 ft. S 68° E 240. Thence S 72° 30' E 180 ft. Thence S 21 E 200 feet - Thence S 22 E 105 ft. Thence S 5° 30' E 195 ft. Thence South 250 Thence S 5 E 180 ft. Thence S 13 E 170 ft. Thence S 32 E 300 ft. Thence S 12 W 200 ft. Thence S 24 W 320 ft. Thence S 38 W 180 ft. Thence S 34 W 400 ft. Thence South 280 ft. Thence S 50 E 240 ft. Thence S 10 E 190. Terminating 20 rd East & 20 rd South of the N.W. Corner N.E. 1/4 N.E. 1/4 Sec. 32 Twp 20 R. 05. Also an Area See 3rd Page.

The following statement shows who are benefited, the lands thereof and assessment thereon, location, length of each share, amount of assessments, amount of benefits, amount of dirt to be removed from each share, price thereof per cubic yard, and total cost of each share:

Public Utility, a benefit to health, and will benefit the following lands & Highways. Said Ditch Begins 56 rd. and 18 ft. South of the N.W. Corner of the S.W. 1/4 of the N.W. Section 29. Twp 20 R. 05. Running thence S 75° E 180 ft. Thence down the Old channel of Drisher Ditch to terminus as follows. From Stake 1+80 ft. S 68° E 240. Thence S 72° 30' E 180 ft. Thence S 21 E 200 feet - Thence S 22 E 105 ft. Thence S 5° 30' E 195 ft. Thence South 250 Thence S 5 E 180 ft. Thence S 13 E 170 ft. Thence S 32 E 300 ft. Thence S 12 W 200 ft. Thence S 24 W 320 ft. Thence S 38 W 180 ft. Thence S 34 W 400 ft. Thence South 280 ft. Thence S 50 E 240 ft. Thence S 10 E 190. Terminating 20 rd East & 20 rd South of the N.W. Corner N.E. 1/4 N.E. 1/4 Sec. 32 Twp 20 R. 05. Also an Area See 3rd Page.

The following statement shows who are benefited, the lands thereof and assessment thereon, location, length of each share, amount of assessments, amount of benefits, amount of dirt to be removed from each share, price thereof per cubic yard, and total cost of each share:

NAMES OF OWNERS.	DESCRIPTION OF LANDS.	Section.	Assess.	Acres Assessed.	Feet Assessed.	Acres Benefited.	Feet Benefited.	Amount of Benefit.	Amount of Assessments.	From Station.	To Station.	Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.
<u>Main Ditch</u>															
Barney Lintert	Qt W 1/2	SW	29	20	5	15	15	15.00		39+87 to 45+70 = 523		67	15	\$	10,28 - 1
Charles Boughner	SW	SE	29	20	5	40	15	100.00		27+39 to 39+87 = 1248		457	"	68,53 - 2	
Same	SE	SE	29	20	5	40									
Same	NE	SE	29	20	5	40									
Same	ft NW	SE	29	20	5	32									
Frederick Lintert	ft W 1/2	SW	28	20	5	25	25	35.00		22+73 to 27+39 = 466		185	"	24,00 - 3	
Same	ft SE	NE	29	20	5	12	12	100.00		640 to 22+73	1633	333	"	68,53 - 4	
John Heisser	ft NW	SE	29	20	5	8	8								
Same	SW	NE	29	20	5	40	40								
Same	E 1/2 NE	NW	29	20	5	20	12	50.00		0 to 6+40	640	97	"	34,26 - 5	
Braham Heisser	E 1/2 SE	NW	29	20	5	30	30								
Same	W 1/2 NE	NW	29	20	5	20	15								
<u>Area.</u>															
Hamilton County	Occers & Rear break for	SW	21	20	5			50.00		23+82 to 29+66		584	175	"	42,95 - 7
White River Township	Public Highway N.W. 1/4 Sec. 29	SW	21	20	5			25.00		24+49 to 23+82		233	147	"	21,48 - 8
Frederick Lintert	W 1/2 S 1/2 E 1/2	NW	28	20	5	20	20	60.00		29+66 to 37+10		744	344	"	51,55 - 6
Same	E 1/2 SE NE	SW	29	20	5	20	20	175.00		12+69 to 21+49	1113	250	"	150,33 - 9	
William Newby	ft W 1/2 S 1/2	NW	28	20	5	40	40								
Same	NW	NW	28	20	5	40	40								
Same	NE	NW	28	20	5	40	40	40.00		10+63 to 12+69	206	27	"	34,36 - 10	
Anna Buscher	SE	SE	21	20	5	40	40								
Same	SW	SW	21	20	5	40	40	90.00		5+97 to 10+63		466	62	"	77,32 - 11
Samuel Buscher	E 1/2 NE	NE	28	20	5	6	6	5.00		5+97 to 5+97		26	3	"	4,30 - 12
James H. Hill	NW	NE	28	20	5	40	6	5.00		5+97 to 5+97		26	3	"	4,30 - 13
Sarah Audig	W 1/2 E 1/2	SW	21	20	5	40	40	40.00		3+45 to 6+45		200	25	"	34,36 - 14
Amarias Jarman	E 1/2 E 1/2	SW	21	20	5	40	40	60.00		0 to 2+45		345	28	"	51,55 - 15
Same	ft SW	SW	21	20	5	20	20								

Viewers' Report of

Ditch.

TABULAR STATEMENT OF STATIONS, WIDTH, DEPTH, LENGTH, ETC.

STATIONS.	WIDTH AT TOP.		DEPTH OF CUT.			WIDTH AT BOTTOM.		WIDTH OF CLEARING OF TIMBER.
	FEET.	INCHES.	FEET.	TENTHS.	FEET.	INCHES.		

Description of Area.

Begin <sup>470</sup> 28 1/2 rods East of the N.W. Corner Section 28 Twp. 20 R. 5,  
 Thence South 200ft. — D14 N 80ft. — D16 E 300ft. — D27 E 415ft. — D11 E 60ft.  
 D23 W 100ft. — D10 E 80ft. — D13 W 150ft. — D4 W 110ft. — D62 W 100ft.  
 D32°30' W 500ft. — D21 W 160ft. — South 215ft. — D48 W 30ft. — D42 W 85ft.  
 D9°30' W 290ft. — D50 W 120ft. — D35 W 370ft. — D18 W 190ft. — D8 W 140ft.  
 D57°30' W 100ft. Terminating in Main Ditch at Station 14.  
 Near the N.E. Corner of the NE 1/4 of the SE 1/4 Section 29 Twp. 20 R. 5.

266

Main Ditch to be tiled with two rows of 7 inch tile from Stake 0 to Stake 14+80ft.  
 and from Stake 14+80ft. to Stake 14 an open ditch one foot wide in bottom,  
 and from Stake 14. to terminus an open ditch three feet wide in bottom.

File

Area to be tiled with two rows of 10 inch tile from Stake 0 to Stake 20 + 36 ft.  
 and from Stake 20 + 36 ft. to terminus to be an open ditch 2 ft wide in bottom.

There is to be a drop of six inches in both the main ditch and Area at the  
 mouth of the tile.

The open part of the ditches to be cut with uniform bottom, banks cut  
 with 45° slope, and all dirt removed from ditch to be deposited not nearer  
 than two feet from bank of ditch.

Timber to be removed to a distance of 10 1/2 ft on either side of the  
 portions of the ditch to be tiled. One row 18 inch sewer pipe to be use across the road  
 between Stations 24 & 25.

GENERAL SPECIFICATIONS AND SUGGESTIONS.

The fall of the established grade is  $\frac{20}{100}$  feet, from Station 0 to Station 14 + 10, is feet,  
 " " " " " in Area is  $\frac{20}{100}$  " " " 0 to " 20 + 36 From Station 20 + 36 to  
 terminus is  $\frac{20}{100}$  feet.

The total fall is 9 feet feet to the Main Ditch. And.  $\frac{8 \frac{30}{100}}$  feet to the Area.

L. J. Bauinghaus  
 Engineer.

Viewers { Chas Harvey  
 Isaac Black  
 Henry Bardomer.

Subscribed and sworn to before me, this

19 day of Oct  
 M. J. Johns

1889  
 Auditor Hamilton County.



FILED

AUG 9 - 1939

*Chasley E. Beldock*  
Clerk Hamilton Circuit Court

STATE OF INDIANA )  
( SS:  
HAMILTON COUNTY )

APRIL TERM OF THE  
HAMILTON CIRCUIT COURT 1939.

IN THE MATTER OF )  
THE PETITION OF THE )  
WILLIAM DRESHER AND JOHN HEISSER DRAIN )

NO= A 2854

The report of the viewers was favorable and was filed.

Report of R. D. Horney, County Surveyor who was appointed to supervise the repair and reconstruction of the above drain, would respectfully report that he has made a survey of the above drain, would respectfully report that he has made a survey of the above drain and did proceed and definitely determine the best and cheapest method of drainage, the termini and route, location, character of the proposed work, and fix the same by metes and bounds, courses and distance and description, including grades and bench marks, including all necessary arms, estimated the cost thereof, divide the drain or ditch into sections of not more than one hundred feet in length, and computed and set out the number of cubic yards of excavation in each section, assessed the benefits or damages, as his case may be, to each separate tract of land in the water shed to be affected thereby, and to easements held by railway or other corporations, as well as to cities, towns, or other public or private corporations, including any land rights, easements, or water power, injuriously or beneficially affected, and do make report to the court, under oath.

LOCATION: Begin 40 rods E. of N. W. corner of N. E.  $\frac{1}{4}$  Section 20 Township 20 Range 5. Run in a South and Southeasterly direction along the course of the original Dresher & Heisser to Station 142+50 terminating 1215 Feet south and 1014 feet west of the N. E. Corner of Section 32 Township 20 Range 5 East.

All stumps, brush and rubbish must not be covered up in excavating. Either dispose of it by burning or removing from the Job, before work will be accepted as complete.

We would recommend that the S.C.S. - 21 Frankton, Indiana be petitioned for their assistance, to furnishing the labor and other equipment and material they might give.

Where there is a change of channel or new cut, the dirt shall be either placed in the old channel or as near to the old channel as is practical, so that it can be pushed by bulldozer into it.

All concrete work shall be 1-2-4 mix. One cement, two sand, four gravel or stone.

All work shall be done in a good workmanlike manner as is considered good practice.

All tile shall be subject to the A.S.T.M. specifications.

Where there are any private bridges crossing the ditch and it is considered necessary it shall be underpinned or repaired. Property owner furnishing the material.

All tile ditches coming in from either side shall be repaired and either a head wall or pipe shall be put on each one. The property owners to furnish material.

REQUIREMENTS:- Accept the tile portion of the original William H. Dresher ditch as part of this Drain and connect at Station 23+80 the two rows 10" tile and the 1 Row of 10" private tile into one Junction box keeping the lid under ground line 15 inches. Then extend with 18" tile to Station 25+38 and to station 25+58 with 21 inch corrugated pipe 16 gauge pure iron pipe. At this point construct standard S. C. S. Head wall 16' wide. From Station 28+58 re-construct open ditch by clearing, grubbing and excavating to grade as indicated in specifications on plan and profile. 3' wide bottom, slopes  $1\frac{1}{2}$  to 1 depositing dirt as indicated by engineer and keep it leveled down not to exceed 2' above normal ground and 5' back from slope of ditch, following along or near old channel to a approximately Station 40, there change channel into new cut to approximately Station 45+45. Then follow old channel straightening, lengthing arms etc. to Station 92+50. There construct 170' - 10" tile and 20' of 12" corrugated 16 gauge pure iron pipe as tile portion of the original John A. Heisser drain, and will be know now as Arm #1 to Dresher-Heisser consolidated drain. Then follow the channel of the original Heisser by excavating, clearing and grubbing, bottom width 4' wide in bottom  $1\frac{1}{2}$  to 1 slope to station 141+50 or terminus, terminating into an open drain approximately 1215' South and 1014' West of N. E. corner, Section 32 Township 20 N, Range 5 East.

Arm #2:- Accept the tile portion as now in place known as arm #1 of the original John A. Heisser ditch from station 0 to Station 24+43. Repair Head wall by underpinning and pointing up, construct apron in front and anything else as might be required. Then follow old channel, clearing, grubbing, etc., to grade, 2' bottom,  $1\frac{1}{2}$  to 1 slope, same specifications as other work, terminating in main channel at Station 104+80.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
Olmer M. Ponsler & wife	S.W. S.E. 17	20	20	5	40						44	40	44	40
											<del>59</del>	<del>20</del>	<del>59</del>	<del>20</del>
John A. Heiser	PT SE	NW	20	20	5	6					6	66	6	66
											<del>8</del>	<del>88</del>	<del>8</del>	<del>88</del>
Howard Hunter & wife	PT SE 2	NW	20	20	5	21					23	31		
											<del>31</del>	<del>08</del>		
"	PT W 2	NE	20	20	5	77.50					86	82	109	33
											<del>114</del>	<del>70</del>	<del>145</del>	<del>78</del>
Alvin Hunter & wife	PT SE 2	NE	20	20	5	47.50					52	73		
											<del>70</del>	<del>30</del>	<del>70</del>	<del>30</del>
	<i>Do Extra for 100' 18" tile</i>										25	00	77	73
Earl Leonard & wife	W 2	SW	20	20	5	80					88	80	88	80
											<del>118</del>	<del>40</del>	<del>118</del>	<del>40</del>
Harvey Leonard	W 2	SE	20	20	5	80					88	80		
											<del>118</del>	<del>40</del>		
"	NW	NE	29	20	5	39					43	29	132	09
											<del>57</del>	<del>72</del>	<del>176</del>	<del>12</del>
Myrtle M. Leonard	NE	SE	20	20	5	40					44	40	44	40
											<del>59</del>	<del>20</del>	<del>59</del>	<del>20</del>
Arthur C. Leonard & wife	PT SE	SE	20	20	5	39.75					44	12	44	12
											<del>58</del>	<del>83</del>	<del>58</del>	<del>83</del>
Pearl Knapp & husband	W 2	SW	21	20	5	80					88	80	88	80
											<del>118</del>	<del>40</del>	<del>118</del>	<del>40</del>
W.K. Bryant & wife	W 2 E 2	SW	21	20	5	90					33	30	33	30
											<del>44</del>	<del>40</del>	<del>44</del>	<del>40</del>
											<del>59</del>	<del>20</del>	<del>59</del>	<del>20</del>
John B. Hartley	W 2 E 2	SW	21	20	5	15					16	65		
											<del>22</del>	<del>20</del>		
"	W	NE	29	20	5	81					89	91	106	56
											<del>117</del>	<del>08</del>	<del>179</del>	<del>08</del>
													<del>142</del>	<del>01</del>
Leroy & Nellie Nighthenhauser	PT SW	NW	29	20	5	15					16	65	16	65
											<del>22</del>	<del>20</del>	<del>22</del>	<del>20</del>

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
Bellie Nichtenhauer	T <sub>2</sub> NW NW	29	20	5	10						11	10	11	10
											<del>14</del>	<del>80</del>	<del>14</del>	<del>80</del>
Carl & Naomi Nichtenhauer	SE	29	20	5	40						44	40		
"	SE	29	20	5	39						<del>59</del>	<del>20</del>		
"	T <sub>2</sub> NW	29	20	5	8						43	29		
"	Extra for 12" tile										<del>57</del>	<del>72</del>		
											8	88		
											<del>11</del>	<del>84</del>	<del>120</del>	<del>76</del>
											5	00	101	57
Ed. W. Nitz	T <sub>2</sub> SE	29	20	5	20						22	20		
Do	Extra for 12" tile										<del>24</del>	<del>60</del>	<del>24</del>	<del>60</del>
											4	00	26	20
Geo. W. Jackford & wife	T <sub>2</sub> NW	28	20	5	110						122	10	122	10
											<del>162</del>	<del>80</del>	<del>162</del>	<del>80</del>
Geo. W. Nitz & wife	T <sub>2</sub> NW	28	20	5	6						6	66	6	66
											<del>8</del>	<del>88</del>	<del>8</del>	<del>88</del>
											<del>27</del>	<del>75</del>	<del>27</del>	<del>75</del>
Elizabeth Wintert	T <sub>2</sub> NW	28	20	5	30						33	30		
"	T <sub>2</sub> NW	28	20	5	25						<del>44</del>	<del>40</del>		
											27	75	61	05
											<del>37</del>	<del>00</del>	<del>37</del>	<del>00</del>
Clara J. Vogel	T <sub>2</sub> SE	28	20	5	18						19	98		
"	T <sub>2</sub> NE	32	20	5	3						<del>24</del>	<del>64</del>		
											3	33	23	31
											<del>4</del>	<del>44</del>	<del>31</del>	<del>08</del>
Margaret A. Roudsach	T <sub>2</sub> W2	29	20	5	28						31	08		
"	E2	29	20	5	80						<del>42</del>	<del>44</del>		
											88	80	119	88
											<del>11</del>	<del>40</del>	<del>159</del>	<del>84</del>
Caro E. Roudsach	T <sub>2</sub> SE SW	29	20	5	4						4	44	4	44
											<del>5</del>	<del>92</del>	<del>5</del>	<del>92</del>
Devina M. Keller	T <sub>2</sub> SW	28	20	5	40						44	40		
"	T <sub>2</sub> NW	33	20	5	10						<del>57</del>	<del>20</del>		
											11	10	55	50
											<del>14</del>	<del>80</del>	<del>74</del>	<del>00</del>

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment		
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.	
Edward Gintert	P <sup>T</sup> NE NE	32	20	5	20							22	20	22	20
												<del>29</del>	<del>60</del>	<del>29</del>	<del>60</del>
Hamilton County	benefit to Hwys.											75	00	75	00
												<del>100</del>	<del>00</del>	<del>100</del>	<del>00</del>
												<u>8</u>		1421	85
	<b>TOTAL Acres</b>				1182.75							<del>82921</del>		1850	47
												<del>1850</del>		51	80
												<del>1850</del>			

**ESTIMATE COST OF CONSTRUCTION INCLUDING,**

Material, Labor, Hauling, etc., necessary for completion of the work in accordance with the plans and specifications.

TOTAL EXCAVATION-----	all 1460 yds.-----	.07 107	802.20 1145.00
STATION-----	13480-----	150 Lin. Ft. 10" tile-----	22.50
		210' 160 " " 18" "-----	109.50 44.50
STATION-----	92+50-----	170 " " 10" "-----	25.50
CLEANING & GRUBBING-----			64.50
JUNCTION BOX-----			24.45 30.00
20 Lin. Ft. 16 Ga. 21" Corrugated pipe-----			11.20
1 Standard 16' Head wall-----			30.00 29.00
20 Lin. Ft. 16 g ugs 12" Corrugated pipe-----			19.00
Repairing Headwall Arm #2-----			25.00

**TOTAL** \$ 1498.50 1153.83

estimate expenses including:

attorney fees-----			60.00
Recording & Releasing-----			10.00
Legal Printing-----			10.00 25.00
superintendent of Construction-----			50.00 25.00
Court expenses etc.,-----			10.00 15.00
Contingency Fund-----			8.00 11.75

**TOTAL** \$ 200.25 948.00

to claim for services, expenses and mileage to date for:

<u>E. D. Horner</u>	Drainage Commissioner	\$ 10.00
<u>Lewis B. Smith</u>	Viewer	\$ 10.00
<u>Mr. Carson</u>	Viewer	\$ 10.00
<u>A. B. Horner</u>	Engineer & Helpers	\$ 90.00 100.00

**TOTAL** \$ 130.00 120.00

**GRAND TOTAL** \$ 1221.25 1173.83

100047  
\$ 1421.85



The estimate has been made and the cost divided equally among the different lands affected and the County Highways of ~~XXXXXX XXX~~ Hamilton Co. have been assessed for their benefits.

The assessment sheet attached, Atty's. fees, Court Costs, Incidentals viewers, Engineers, Engineers Helpers, Milage, Stakes and Construction.

R. D. Horney or his authorized assistance will have full charge of the work and no work shall be changed or diviated from without his approval.

STATE OF INDIANA )  
                          ) SS:  
HAMILTON COUNTY )

I, the undersigned Engineer to whom was referred the above--entitled petition for construction, after being duly appointed say that I have personally examined the whole line of said proposed ditch, that the assessments herein made are correct, just, and equitable to all parties concerned herein as interested, that no other lands will be benefited or injured by said proposed drain and that the above and foregoing report is true in substance and in fact as I verily believe.

*Viewers WM Carson  
Lewis Bevan*

*R. D. Horney*  
R. D. HORNEY, ENGINEER

Subscribed and sworn to before me this 9 day of Aug 1939.

*Charles E. Balloch*  
Clerk of Hamilton County.

(AUTHORITY)

Section 9 -----Page 1174-1175  
Acts of Indiana General Assembly - 1933

In the matter of  
William Dresher,  
Drainage.

Drain established as referred to No. 700  
No. 5843. Report of Commissioners

Comes now the petitioner by S.O. Bluffe  
his attorney and presents the report of the commissioners  
herein which is in the words and figures as follows to  
wit:

To the Honorable Judge of the Hamilton Circuit Court,  
the undersigned, Commissioners of Drainage, to whom was refered  
the petition of William Dresher, et al. for the drainage of  
the South 1/2 of Sec 17 and 5 acres off the North 1/2  
of the N 1/4 Sec 20, also a tract beginning 13 1/2 rods  
East of N. corner N 1/4 Sec 20 run North 115 rods East  
55 1/2 South 115. West 55 1/2 rods to place of beginning also the  
West 1/2 of the South east 1/4 Sec 20, all in Township 20 Range  
in Hamilton County, respectfully report that they have inspected  
personally all the lands described in said petition, and a  
other lands liable to be affected by the construction of the propo-  
work, and are of the opinion that the proposed drainage  
will improve the public health of the neighborhood that is  
public highways will be benefited that the same will  
of public utility and can be accomplished at an expen-  
less than the aggregate benefits to the lands to be affec-  
tured; and after causing the necessary surveys and exa-  
minations to be made they determined that the method  
drainage should be as follows to wit: by the construction  
of a ditch commencing 40 rods east of the North West  
corner North East quarter Section 20 Township 20 N  
of Range 5 east. and run thence South 1400 ft. S 47 1/2  
90 ft. S 20 1/2 W. 210 ft. S 47 W. 100 ft. S 28 W. 100 ft. S 42  
150 ft. S 56 W. 100 ft. S 26 W. 300 ft. S 70 W. 140 ft. S 49 W  
South 660 feet. S 37 1/2 E 100 ft. S 65 E. 150 ft. S 48 1/2 E. 6  
S 74 E. 400 ft. S 4 1/2 E. 150 ft. S 7 E 550 ft. S 28 E 200 ft. S  
E. 200 ft. S 9 1/2 E 100 ft. S 11 W. 50 ft. S 30 1/2 W 100 ft. S 0  
290 ft. South 180 ft. S 5 1/2 W 330 ft. S 23 W. 80 ft. S 72 W  
S. 35 1/2 N. 250 ft. West 90 ft. West 200 ft. East 240 ft. South  
950 ft. S 71 E. 270 ft. East 360 ft. S 21 E 290 ft. S. 64 E. 4.  
S. 24 1/2 E. 100. ft. S 5 E. 400 ft. S 32 E 100 ft. and termi-  
nates South 40 rods East corner of South

Thursday Feb 15"

18

Day. Hamilton Circuit Court, Feb

Term, 1883

Quarter Sec 29 Township 20 North of Range 5 east. The following is a tabular statement of the number of sections the depth of cut at the beginning and terminus and of every station of 100ft. the width at bottom and top at each stake No of cu yds in each station cut per cu yard, and the cost per section of 100ft.

No of station	depth of cut	Max top bottom	Max at top	No of cut	Cost per section	Total cost	width
1	4.0	30		ct	\$	ct	
1	5.0	"	12	15	1.80		
2	4.5	"	12	"	1.80		
3	5.0	"	12	"	1.80		
4	4.7	"	10	"	1.50		
5	5.3	"	10	"	1.50		
6	5.0	"	9	"	1.55		
7	5.7	"	9	"	1.85		
8	7.2	"	10	"	1.50		
9	7.8	"	12	"	1.80		
10	7.0	"	12	"	1.80		
11	7.0	"	12	"	1.80		
12	6.4	"	12	"	1.80		
13	7.1	"	13	"	1.95		
14	6.8	"	13	"	1.95		
15	7.5	"	15	"	2.25		
16	6.4	"	17	"	2.50		
17	6.3	"	18	"	2.70		
18	6.5	"	18	"	2.70		
19	6.8	"	18	"	2.70		
20	6.3	"	54	"	8.50		
21	6.1	"	31	"	4.65		
22	6.5	"	18	"	2.70		
23	7.5	"	25	"	3.75		
24	7.2	1/2 124	124	"	18.60		
25	6.6	1 142	142	"	15.75		
26	6.8	1 14.6	96	"	14.40		
27	6.6	1 14.2	96	"	14.40		
28	6.3	1 13.6	80	"	12.00		
29	6.0	1 13.0	90	"	13.50		

No of station	width of cut	Max at bottom	Max at top	depth of cut	Cost per cu yard	Total cost	width
31	6.8	1	14.6	143	12 1/2	17.87 1/2	
32	6.2	1	13.4	115	"	14.87 1/2	
33	5.9	1	12.8	80	"	10.00	
34	5.7	1	12.4	71	"	8.87 1/2	
35	5.2	1	11.4	68	"	7.25	
36	4.4	1	9.8	82	"	10.25	
37	3.6	1	8.2	64	"	8.00	
38	5.0	1	11.0	49	"	6.12 1/2	
39	5.7	1	8.4	54	"	6.75	
40	3.3	1	7.6	48	"	6.00	
41	4.5	1	10.0	55	"	6.87 1/2	
42	4.3	1	9.6	68	"	8.50	
43	4.6	1	10.2	68	"	8.50	
44	4.6	1	10.2	70	"	8.75	
45	3.9	1	8.8	51	"	6.57	
46	3.4	1	7.8	51	"	3.87	
47	3.7	1	8.4	28	"	3.50	
48	3.7	1	8.4	59	"	8.87	
49	3.8	1	8.6	59	"	8.87	
50	2.6	1	8.2	34	"	4.25	
51	3.5	1	8.0	58	"	7.25	
52	4.2	1	9.4	62	"	7.95	
53	3.7	1	8.4	40	"	5.00	
54	4.2	1	9.4	55	"	4.57	
55	4.3	1	9.6	46	"	5.75	
56	4.6	1	10.2	58	"	6.62	
57	4.5	1	10.0	57	"	6.57	
58	4.2	1	9.4	55	"	8.87	
59	4.9	1	10.8	56	"	4.50	
60	6.4	1	11.8	65	"	8.12	