

Source Document Log
Source Document Discrepancy Log (Over)

Drain: DANIEL HEINLY

#	Main/Arm Name	Document Name	Document ID	Info From Document
1	DANIEL HEINLY	COMMISSIONERS' REPORT	0811 PGS 181-191	
		DRAIN SUMMARY SHEET	N/A	

Drain: DANIEL HEINZ **Drain #:** 8495
Improvement/Arm: _____
Operator: J. LIVINGSTON **Date:** 1-7-04
Drain Classification: Urban/Rural **Year Installed:** 1884

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors

JL

JL

JL

JL

JL

**Gasb 34 Footages for Historical Cost
Drain Length Log**

Drain-Improvement: DANIEL HEWY DRAIN

Drain Type:	Size:	Length ()	Length (DB Query)	Length Reconcile	If Applicable	
					Price:	Cost:
OPEN DITCH	—	11020'	11020'		19.55/lf	215,441. ⁰⁰

Sum: 11020' 11020' _____ \$215,441.⁰⁰

Final Report: _____

Comments:

DANIEL HEINY

DESCRIPTION

Beginning 30 rods east of the SW corner of the SE $\frac{1}{4}$ of section 32-19N-6E. and runs thence south 22° west 1650 feet, thence south 16 $\frac{1}{2}$ ° west 900 feet thence south 9 $\frac{1}{2}$ ° east 2100 feet, thence 20° west 1300 feet, thence south 24 $\frac{1}{4}$ ° west 2300 feet, thence south 20° west 400 feet, thence south 4° east 550 feet, thence south 23 $\frac{1}{2}$ ° west 1900 feet, thence south 10° east 250 feet, thence south 20° west 150 feet, thence south 12° east 200 feet, thence south 18 $\frac{1}{2}$ ° west 200 feet, thence south 32° west 500 feet, thence south 16 $\frac{1}{2}$ ° west 200 feet, thence south 30 $\frac{1}{2}$ ° west 600 feet, thence south 60° west 200 feet, thence south 87° west 700 feet, thence south 41° west 100 feet, thence south 31° west 400 feet, thence south 8 $\frac{1}{2}$ ° west 600 feet, thence south 11 $\frac{1}{4}$ ° west 600 feet, thence south 58° west 300 feet, thence south 26 $\frac{1}{2}$ ° west 1000 feet, thence south 33° west 850 feet, thence south 61° west 200 feet, thence south 48° west 800 feet, thence south 15 $\frac{1}{2}$ ° west 400 feet, thence south 20° west 300 feet, thence south 30° west 300 feet, thence south 86° west 300 feet, thence south 8 $\frac{1}{2}$ ° west 700 feet, thence south 26° west 400 feet, thence south 44° west 200 feet, thence south 22° west 300 feet, thence south 43° west 700 feet and terminating 60 rods north of the NE $\frac{1}{4}$ of section 25-18-5E. 11,020 feet of open now

December 11, 1883 - Proof of Pasting Notices
November 18, 1884 - Petition
February 4, 1885 - Petition for Drainage
February 7, 1885 - Remonstrance of Iva Carr
June 7 & 9, 1898 - Transcript of the Allotment
January 19, 1887 - Assessments
September 20, 1888 - Motion for citation
April 7, 1891 - Petition for allowance

I. Book Page 33
O. Book 8 Page 271, 248, 384, 516
O. Book 10 Page 489, 559, 568, 557
O. Book 11 Page 100, 138, 150, 168, 181, 191, 227, 251, 193
O. Book 19 Page 13
O. Book 21 Page 176
O. Book 23 Page 36
MR. Book X Page 191, 2, 389
D.R. Book 1 Page 159
D.R. Book 2 Page 78
D.R. Book 3 Page 252

FRANK KEISER IS SAME AS THE FIRST 13830 FT
OF THE HEINY, THE REMAINING PORTION OF THE
HEINY DRAIN IS 11020 FT OF THE ORIGINAL
24,850 FEET.

30 RODS EAST S.W COR. SE 1/4 32-19-6

SW 22° 1650' ✓

SW 16 1/2° 900' ✓

SE 9 1/2° 2100' ✓

~~N or W~~ ^{SE 20°} 20° 1300' ✓

SW 24 1/2° 2300' ✓

SW 20° 400' ✓

SE 4° 550' ✓

SW 23 1/2° 1900' ✓

SE 10° 250' ✓

SW 20° 150' ✓

SE 12° 200' ✓

SW 18 1/2° 200' ✓

SW 32° 500' ✓

SW 16° 200' —

SW 30 1/2° 1600'

SW 60° 1200'

SW 87° 700'

SW 41° 400'

SW 31° 400'

SW 8 1/2° 600'

SW 44° 600'

SW 58° 300'

SW 26 1/2° 1000'

SW 33° 850'

SW 61° 200'

SW 48° 800'

SW 15 1/2° 400'

SW 20° 300'

SW 30° 300'

SW 86° 300'

SW 8 1/2° 700'

SW 26° 400'

SW 44° 200'

SW 27° 300'

SW 43° 700'

60 RODS NORTH OF THE NE 1/4 OF 25-18-

DANIEL HEINY

DESCRIPTION

Beginning 30 rods east of the SW corner of the SE $\frac{1}{4}$ of section 32-19N-6E. and runs thence south 22° west 1650 feet, thence south 16 $\frac{1}{2}$ ° west 900 feet thence south 9 $\frac{1}{2}$ ° east 2100 feet, thence 20° west 1300 feet, thence south 24 $\frac{1}{4}$ ° west 2300 feet, thence south 20° west 400 feet, thence south 4° east 550 feet, thence south 23 $\frac{1}{2}$ ° west 1900 feet, thence south 10° east 250 feet, thence south 20° west 150 feet, thence south 12° east 200 feet, thence south 18 $\frac{1}{2}$ ° west 200 feet, thence south 32° west 500 feet, thence south 16 $\frac{1}{2}$ ° west 200 feet, thence south 30 $\frac{1}{2}$ ° west 1600 feet, thence south 60° west 1200 feet, thence south 87° west 700 feet, thence south 41° west 400 feet, ~~thence south 34° west 400 feet, thence south 8 $\frac{1}{2}$ ° west 600 feet, thence south 114° west 600 feet, thence south 58° west 300 feet, thence south 26 $\frac{1}{2}$ ° west 1000 feet, thence south 33° west 850 feet, thence south 61° west 200 feet, thence south 18° west 800 feet, thence south 15 $\frac{1}{2}$ ° west 400 feet, thence south 26° west 300 feet, thence south 30° west 300 feet, thence south 86° west 300 feet, thence south 8 $\frac{1}{2}$ ° west 700 feet, thence south 26° west 400 feet, thence south 44° west 200 feet, thence south 22° west 300 feet, thence south 43° west 700 feet~~ and terminating 60 rods north of the NE $\frac{1}{4}$ of section 25-18-5E. 11,020 feet of open now

December 11, 1883 - Proof of Pasting Notices
November 18, 1884 - Petition
February 4, 1885 - Petition for Drainage
February 7, 1885 - Remonstrance of Iva Carr
June 7 & 9, 1898 - Transcript of the Allotment
January 19, 1887 - Assessments
September 20, 1888 - Motion for citation
April 7, 1891 - Petition for allowance

I. Book Page 33
O. Book 8 Page 271, 248, 384, 516
O. Book 10 Page 489, 559, 568, 557
O. Book 11 Page 100, 138, 150, 168, 181, 191, 227, 251, 193
O. Book 19 Page 13
O. Book 21 Page 176
O. Book 23 Page 36
MR. Book X Page 191, 2, 389
D.R. Book 1 Page 159
D.R. Book 2 Page 78
D.R. Book 3 Page 252

FRANK KEISER IS SAME AS THE FIRST 13830 FT
OF THE HEINY, THE REMAINING PORTION OF THE
HEINY DRAIN IS 11020 FT OF THE ORIGINAL
24,850 FEET.

It is therefore considered and adjudged by the court that the plaintiff have and retain possession as the owner of the property named in the complaint herein and that he recover of the defendant his costs and charges herein taxed at dollars and cents

James Henry	} } } } } }	...
as		No 5974
Lawrence D Potter		
Walter M Covens		
Lewis et al executors		

... now the jury and return their verdict in open court as follows to wit
"The jury find for the plaintiff and assess his damages at forty dollars (\$40) of as B. Mitchell Foreman

Daniel Henry } No 5809
Drainage }

... the parties and the court being sufficiently advised of the motion by the petitioner heretofore filed, overrules the same to which said petitioner excepts and the court allowed him in which to file bill of exceptions. And the court being sufficiently advised of the motion to reject the new circumstance herein sustains the same and said new circumstance is rejected. And the issues joined on the motion of Dew-Learn et al to dismiss this case are now submitted to the court for trial and the court having heard all the evidence and being sufficiently advised do hereby find the matters and things contained in the answer to said motion to dismiss to be true as therein stated and said motion to dismiss therefore is overruled to which finding and setting said Dew-Learn et al except and the court allowed to file bill of exceptions

Friday February 13, 1885.

188

// Day. Hamilton Circuit Court,

Term, 188

And the court now approves the report of the drainage commissioners heretofore filed and approves and confirms the assessments therein made and orders said drains constructed in all respects according to the plans and specifications, and on the line mentioned in said report, and the same is now referred to George Rogmann for construction, to all of which said Low Carr et al except, and said Ira Carr and William Booth now file their motion for a new trial herein as follows to wit (here insert) and the court being sufficiently advised of such motion overrules the same to which said Carr et al except and they are allowed sixty days in which to file bill of exception and they now pray and appeal to the supreme court which is granted upon filing bond in sum of \$500.00 to be approved by the court. The report of said drainage commissioners is in the words and figures following to wit

Report of Commissioners

To the Honorable Judge of the Hamilton Circuit Court. The undersigned commissioners of drainage to whom was referred the petition of Daniel King for the drainage of North West quarter of the North West quarter of section 17. Township eighteen north of range six east in Hamilton County respectfully report, that they have inspected personally all the lands described in said petition and all other lands liable to be affected by the construction of the proposed works and are of the opinion that the proposed drainage will improve the public health of that neighborhood, will benefit two public highways, will be of public utility and that the same can be constructed at an expense less than the aggregate benefits to the lands to be

affected thereby; and after causing the necessary surveys and examinations to be made are of the opinion that the method of drainage should be as follows to wit. They estimate the cost of constructing the works at three thousand three hundred and seventy four ⁵⁷/₁₀₀. They further report that they have estimated the benefits and injury to the several tracts of land which will be affected by the works as follows

Owners	Description	S	T	R	Acres	Benefit
James Boone	S E et E	6	18	6	40	175 00
"	et E et W	6	18	6	40	25
"	S W et W	5	18	6	40	
"	S W S E	32	19	6	40	190 00
"	S E S E	32	19	6	40	8 00
"	et W S E	32	19	6	40	8 00
William Brattain	et E S W	5	18	6	40	185 00
William Booth	S E S W	5	18	6	40	50
Eliza Burk	Begin at N W cor S W 1/4 S 19. E 98-17 S 39-11 W 39.-17 S 8. W 10. et 8 W 47 14 et 39-11	19	18	6	24 1/2	3500
George "	E E S E	24	18	5	40	100 00
Margaret "	Begin 39-11 S et W cor S W 1/4 19. 18. 6 E 47 14 S 8 E 10 et 8 E 39-7 S 51-19 W 77. et 51. 19	19	18	6	31	15 00
J A Commons	S W S E	5	18	6	40	135 00
" "	S E S E	5	18	6	40	10 00
De Caylor	2 2/3 acres off North side et W et E	8	18	6	2 2/3	95 00
" "	2 2/3 acres off North side et E et E	8	18	6	2 2/3	8 00
Joy Carr	S W et W	19	18	6	40	110 00
" "	et W et W	19	18	6	40	8 00
" "	pt all lying west of mud creek et E et W	19	18	6	20	120 00

Friday February 13th 1885

11 Day. Hamilton Circuit Court,

Term, 188

Calvin Cananda	N W	N E	19	18	6	40	8 00
" "	N E	N E	19	18	6	40	8 00
Tracy of Lowell	S E	S E	24	18	5	40	45 00
Lewis Craig	S E	S E	7	18	6	40	6 00
" "	N E	S E	7	18	6	40	6 00
William DeCamp	N. W. N. S E		24	18	5	20	2 00
Mrs DeCamp	E. N. S E		24	18	5	20	3 00
Daniel Stein	N. W. N.		17	18	6	40	200 00
Benjamin Harger	N E. N		17	18	6	40	8 00
W J Wynn	S E. S W.		32	19	6	40	8 00
Mrs Henry Rider	S W. N.		17	18	6	40	110 00
Mrs Ruben Rider	pt S W S W		8	18	6	35	135 00
Eli Heffer	N W	N E	5	18	6	40	235 00
" "	N E	N E	5	18	6	40	8 00
" "	N E	S E	5	18	6	40	3 00
Geo B Hinman	S E	N W E	24	18	5	40	3 00
" "	N E	N E	24	18	5	40	4 00
" "	S W	S W	17	18	6	12 1/2	10 00
Thomas Lumen	S W	N E	8	18	6	40	5 00
" "	N E	S W	8	18	6	40	175 00
" "	S E	S W	8	18	6	40	100 00
" "	S W	S E	8	18	6	40	3 00
Nidoro Lumen	S E	N E	8	18	6	40	5 00
Charles Lumen Est	N. S. S E		18	18	6	40	135 00
Clifford Lumen	S. S. S E		18	18	6	40	95 00
Martha Stinson	13 acres off						
" "	S side N. N. E		8	18	6	13 1/2	40 00
" "	13 off side						
" "	N E. N E		8	18	6	13 1/2	3 00
Abe Houshrook	N E S E		18	18	6	40	160 00
" "	N W S E		18	18	6	40	8 00
Commodore Mitchell	pt N E begin						
" "	N W cor. N E 1/4 25. 18. 5						
" "	E 20. S 72. W 20. N 22		25	18	5	12	10 00
William Mitchell	pt N E. Right						
" "	S 41 1/2 100. E. N W cor. N E 1/4						
" "	E 20. S 42 W 20 N 22		25	18	5	12	10 00
Wm Jesse Miles	S W N E		5	18	6	40	30 00
" "	N W S E		5	18	6	40	30 00

Michael Keenan	S. SW NW	8 18	4	20	4 00
Philip Mills	SW NW	8 18	4	20	4 00
William Royer, Etico					
Royer, Laura & Charles					
Reiger	N. E. S E	24 18	5	40	90 00
James Rued	SW NW	8 18	4	15	3 00
William Rowland	SW NW	8 18	4	40	8 00
Thomas Turner	SW NW	5 18	4	40	5 00
Thomas & Mary Stanford	SW NW	18 18	4	40	5 00
"	SW NW	18 18	4	40	8 00
"	SW NW	18 18	4	40	8 00
"	SW NW	8 18	4	40	120 00
"	SW NW	8 18	4	40	175 00
Arnold	SW NW	17 18	4	40	45 00
"	SW NW	17 18	4	40	5 00
"	SW NW	17 18	4	25	6 00
Geo W Wiseman	SW NW	18 18	4	40	75 00
"	SW NW	18 18	4	40	8 00
Joseph Strough	SW NW	17 18	4	40	8 00
Morrell Walker		32 18			
Wayno Sp Highway	E & W on J. Plumb	5 17	4		10 00
"	E & W in center	5 18	4		15 00
Noblesville & Stony Creek	Gravel Road etc				10 00
Wayno Sp Highway	in center	17 18	4		10 00
"	E & W between	17 18	4		10 00
"	SW NW	18 18	4		20 00
"	E & W	18 18	4		10 00
"		19 18	5		
State between Sp Highway	SW NW between	24 18	4		15 00
Sp	E & W	25 18	5		25 00
Orlando Myant	Gravel Road				
	Begin 26 1/2 rods				
	E & W between NW & SE 25 18 5 rods				
	E 27 SW NW 27 NW to begin				
	containing 17 rods	25 18	5	12	50 00
Morrell Walker	SW NW	18 18	4	20	20 00
"	SW NW	19 18	4	40	45 00
"	SW NW	19 18	4	10	3 00
Elihu Estill	SW NW (begin 7 rods north)	8 18	4	30	10 00
	(SW NW 60. E 80. S 60 NW)				
Total assessment					3994 00

Friday February 13th 1885

188

11 Day. Hamilton Circuit Court,

Term, 188

By the construction of a ditch beginning
30 rods East of the S.W. cor of the S.E. quarter
of Section 32 Township nineteen (19) North of
range Six (6) East in Hamilton County and
run thence S 22° W 1650 ft. thence S 16 1/2° W 900 ft
S 9 1/2° E. 2100 ft. 20° W 1300 ft. S 24 1/4° W 2300 ft
S 20° W 1100 ft. S 46° 55' W 550 ft. S 23 1/2° W 1900 ft. S 10° E 250 ft
S 20° W 150 ft. S 12° E 200 ft. S 18 1/2° W 200 ft. S 32° W 500 ft
S 16° W 200 ft. S 30 1/2° W 1600 ft. S 60° W 1200 ft. S 87° W
700 ft. S 41° W 900 ft. S 31° W 400 ft. S 8 1/2° W 600 ft
S 11 1/4° W 600 ft. S 58° W 300 ft. S 26 1/2° W 1000 ft
S 33° W 850 ft. S 61° W 200 ft. S 48° W 800 ft
S 15 1/2° W 400 ft. S 20° W 300 ft. S 30° W 300 ft
S 86° W 300 ft. S 8 1/2° W 700 ft. S 26° W 400 ft
S 41 1/4° W 300 ft. S 22° W 300 ft. S 43° W 700 ft.
and terminate 60 rods North of the North
East quarter of Section 25, Township 18
North of range 5 East.

Below will be found a tabular
statement of the number of each stake
the depth of cut at each stake, the width
at the bottom and at the top at each stake
at the end of each 100 ft, the number of each
cubic yards per section of one hundred
feet, the cost per cubic yard and the cost
per section

(See next page, curvy)

no. of halves	depth of cut	width at bottom	width at top	no. cords	cost per cubic yard	no. of halves	depth of cut	width at bottom	width at top	no. cords	cost per cubic yard
0	11.2	1.8	4.1		130	37	4.4	1.8	10.8	118	13
1	4.1	1	9.7	117	"	38	4.8	1	10.4	59	"
2	3.9	1	8.8	114	"	39	4.0	1	10.0	67	"
3	3.9	1	8.8	40	"	40	4.8	1	10.0	67	"
4	3.5	1	8.0	39	"	41	5.0	1	11.0	57	"
5	3.8	1	8.6	31	"	42	5.2	1	11.4	68	"
6	4.1	1	9.2	110	"	43	11.7	1	11.4	57	"
7	3.3	1	7.4	34	"	44	4.8	1	10.4	49	"
8	4.1	1	9.2	34	"	45	4.5	1	10.0	45	"
9	3.7	1	8.4	40	"	46	5.2	1	11.4	53	"
10	3.6	1	8.2	31	21	47	7.4	2	16.8	100	"
11	3.9	1	8.2	31	21	48	7.7	2	17.4	164	"
12	4.2	2	7.4	40	"	49	8.0	2	18.0	153	"
13	4.2	1	9.4	51	"	50	6.2	2	14.4	139	"
14	4.0	1	9.0	47	"	51	6.4	2	14.8	93	"
15	4.1	1	9.2	44	"	52	6.4	2	14.8	98	"
16	3.8	1	8.6	40	"	53	6.1	2	14.2	88	"
17	4.6	1	10.2	51	"	54	5.8	2	13.6	72	"
18	4.5	1	10.0	61	"	55	5.5	2	13.0	57	"
19	3.9	1	8.8	51	"	56	5.3	2	12.6	48	"
20	4.2	1	9.4	45	"	57	5.9	2	13.8	57	"
21	3.1	1	11.2	45	"	58	6.2	2	14.4	77	"
22	4.7	1	10.4	45	"	59	5.7	2	13.4	72	"
23	3.7	1	8.4	45	"	60	5.9	2	13.8	60	"
24	4.0	1	9.0	40	"	61	5.4	2	12.8	50	"
25	4.2	1	9.4	40	"	62	5.2	2	12.4	50	"
26	4.4	1	9.8	40	"	63	4.7	2	11.4	50	"
27	4.6	1	10.2	40	"	64	5.1	2	13.4	48	"
28	4.6	1	10.2	44	"	65	6.2	2	14.4	45	"
29	4.6	1	10.2	44	"	66	5.9	2	13.8	114	"
30	4.8	1	10.6	46	"	67	5.8	2	13.4	44	"
31	5.0	1	11.2	48	"	68	5.4	2	12.8	48	"
32	4.7	1	10.4	46	"	69	5.8	2	13.4	43	"
33	4.8	1	10.6	44	"	70	5.9	2	13.8	42	"
34	4.4	1	9.8	45	"	71	5.7	2	13.4	42	"
35	4.7	1	10.4	45	"	72	4.5	2	11.0	40	"
36	4.2	1	9.4	45	"	73	6.4	2	14.8	40	"

74	5.7	2	13.9	4.0	13	113	5.0	2	12.0	143	11.3
75	5.3	2	12.6	3.87	"	114	5.9	2	13.2	143	"
76	4.9	2	11.8	3.45	"	115	5.8	2	13.6	45	4
77	5.1	2	12.2	3.88	"	116	6.1	2	14.2	50	"
78	5.1	2	12.2	3.88	"	117	5.3	2	12.6	45	"
79	4.6	2	11.2	3.5	"	118	5.3	2	12.6	143	"
80	4.6	2	11.2	3.5	"	119	5.4	2	13.2	75	"
81	4.5	2	11.1	3.5	"	120	5.8	2	13.6	60	"
82	4.3	2	10.9	3.5	"	121	5.1	2	12.2	50	"
83	4.6	2	11.2	104	"	122	5.1	2	12.2	50	"
84	4.9	2	11.8	3.5	"	123	4.7	2	11.4	40	"
85	4.9	2	11.8	3.5	"	124	4.4	2	10.8	40	"
86	4.0	2	10.0	40	"	125	5.2	2	12.4	40	"
87	4.4	2	11.2	40	"	126	4.8	2	11.6	40	"
88	4.4	2	11.8	42	"	127	5.7	2	13.4	40	"
89	5.9	2	13.2	45	"	128	4.0	2	14.0	45	"
90	6.2	2	14.2	45	"	129	6.0	2	14.0	45	"
91	6.0	2	14.0	50	"	130	5.5	2	13.0	50	"
92	5.4	2	13.2	50	"	131	5.4	2	12.8	50	"
93	5.4	2	13.2	5.5	"	132	6.3	2	14.6	50	"
94	6.2	2	13.4	5.5	"	133	6.4	2	14.8	60	"
95	6.3	2	14.6	60	"	134	5.5	2	13.0	60	"
96	6.1	2	14.2	60	"	135	5.6	2	13.2	65	"
97	5.2	2	12.4	60	"	136	5.9	2	13.8	70	"
98	5.8	2	13.6	60	"	137	5.9	2	13.8	70	"
99	5.9	2	13.8	50	"	138	6.3	2	14.6	75	"
100	5.9	2	13.8	50	"	139	6.10	2	14.0	75	"
101	5.6	2	13.2	50	"	140	5.4	2	12.8	75	"
102	6.0	2	14.0	115	"	141	6.2	2	14.4	168	"
103	6.1	2	14.2	57	"	142	6.3	2	14.6	188	"
104	6.5	2	13.0	73	"	143	6.1	2	14.2	188	"
105	6.4	2	14.8	78	"	144	5.8	2	13.6	172	"
106	6.1	2	14.2	68	"	145	6.0	2	14.0	172	"
107	5.6	2	13.2	50	"	146	6.4	2	14.8	188	"
108	5.4	2	12.8	45	"	147	6.6	2	15.2	204	"
109	5.9	2	13.8	40	"	148	5.4	2	12.8	177	"
110	5.8	2	13.6	168	"	149	6.4	2	14.8	172	"
111	5.6	2	13.2	162	"	150	6.3	2	14.6	193	"
112	5.6	2	13.2	85	"	157	5.8	2	13.4	177	"

Day. Hamilton Circuit Court,

Term, 188

152	4.9	2	15.8	193	13 ^{est}	191	5.9	4	15.2	25	13
153	4.3	2	14.6	239	"	192	5.1	4	14.2	30	"
154	4.8	2	15.6	233	"	193	4.4	4	12.8	40	"
155	4.1	2	14.2	225	"	194	5.1	4	14.8	40	"
156	4.7	2	15.4	225	"	195	6.0	4	14.0	50	"
157	4.8	2	15.4	214	"	196	5.8	4	15.6	50	"
158	4.7	2	15.4	214	"	197	5.9	4	15.8	50	"
159	6.0	2	14.0	193	"	198	5.4	4	14.8	50	"
160	5.8	4	15.4	215	"	199	5.4	4	15.2	120	"
161	6.4	4	17.2	245	"	200	3.4	4	10.8	140	"
162	6.4	4	14.8	260	"	201	4.7	4	13.4	90	"
163	4.7	4	18.4	270	"	202	11.5	4	13.0	110	"
164	6.4	4	17.2	275	"	203	5.0	4	14.0	110	"
165	5.7	4	15.4	225	"	204	5.5	4	15.0	175	"
166	7.1	4	18.3	245	"	205	5.4	4	15.2	190	"
167	5.4	4	15.2	220	"	206	4.7	4	13.4	170	"
168	6.7	4	17.4	225	"	207	4.5	4	13.0	170	"
169	5.0	4	14.0	209	"	208	5.7	4	15.1	195	"
170	6.4	4	16.8	204	"	209	5.2	4	14.4	185	"
171	5.9	4	15.8	227	"	210	4.1	4	12.2	145	"
172	4.6	4	13.2	175	"	211	5.4	4	15.2	140	"
173	4.6	4	13.2	145	"	212	5.3	4	14.6	110	"
174	5.3	4	14.4	110	"	213	4.8	4	13.6	165	"
175	4.1	4	12.2	75	"	214	4.4	5	14.2	149	"
176	4.5	4	13.0	70	"	215	5.1	5	15.2	175	"
177	4.7	4	13.4	40	"	216	5.3	5	15.6	195	"
178	5.3	4	14.6	160	"	217	4.7	5	14.4	185	"
179	5.4	4	15.2	48	"	218	4.4	5	14.2	163	"
180	5.6	4	15.2	175	"	219	5.1	5	15.2	175	"
181	5.4	4	14.8	193	"	220	5.1	5	15.2	189	"
182	5.0	4	14.0	175	"	221	3.8	5	12.6	154	"
183	4.5	4	13.0	150	"	222	4.2	5	13.4	25	"
184	5.2	4	14.4	155	"	223	4.3	5	13.6	25	"
185	4.7	4	13.4	160	"	224	3.7	5	12.4	20	"
186	4.5	4	13.0	146	"	225	4.6	5	14.2	15	"
187	4.5	4	13.0	140	"	226	4.8	5	14.6	85	"
188	4.6	4	13.2	20	"	227	4.7	5	14.4	169	"
189	6.4	4	14.8	20	"	228	4.4	5	14.2	163	"
190	5.6	4	15.2	20	"	229	4.4	5	14.2	163	"

Friday Feb 13 1885

11 Day. Hamilton Circuit Court,

Term, 188

230	4.1	5	13.2	118	13 ^c	251	3.7	5	12.4	25	13 ^c
231	4.0	5	13.6	15	"	234	4	5	11.8	25	"
2	4.1	5	13.2	65	"	3	3.7	5	13.4	22	"
3	3.7	5	12.4	136	"	4	2.4	5	9.8	22	"
4	4.7	5	14.4	169	"	5	3.0	5	11.0	77	"
5	4.7	5	14.4	36	"	6	1.8	5	8.6	69	"
6	3.1	5	11.2	75	"	7	2.3	5	9.6	20	"
7	4.4	5	13.8	146	"	8	3.9	5	12.8	20	"
8	4.1	5	13.2	143	"	9	3.11	5	11.8	20	"
9	4.3	5	13.6	134	"	260	3.1	5	11.2	50	"
340	3.7	5	12.4	98	"	13.7	5	12.4	15	"	
12	1.9	5	10.8	20	"	24.2	5	13.11	15	"	
23	3.9	5	12.8	25	"	33.41	5	11.8	15	"	
344	2	5	13.11	25	"	43.9	5	12.8	40	"	
44.41	5	13.8	25	"	53.7	5	14.4	40	"		
544.5	5	13.0	130	"	65.3	5	15.6	200	"		
63.8	5	12.6	40	"	71.8	5	8.6	110	"		
74.3	5	13.6	25	"	83.2	5	16.4	70	"		
84.0	5	13.0	25	"	269	1.9	5	8.8	90	"	
93.9	5	12.8	25	"							
250	4.0	5	13.0	25	"						

Whole no cu yards Main ditch 232 77
 Cost of removal @ 13 \$ 3020.01
 Grub + Clean 150 00
 Total Cost of work \$ 3170.01

The further specify that the banks of said ditch shall be cut smooth and of uniform slope and the earth excavated therefrom be deposited not more than two feet from the top of the banks and that the old channel at each point where the new ditch cross shall be filled so as to retain the water in the new channel. All trees and grubbs within the way of the ditch to be removed so as not to interfere in any way with the flow of the water.

Cost of in second creek

151	2.6	2 ft	7.7		154	5.3	2	27.9	155
152	3.6	2	9.2	85	155	5.8	2	13.6	190
153	4.4	2	10.8	115	156	6.2	2	14.2	222

157	6.6	2	15.7	2.115	Stoys in cut off	1527
158	6.9	2	15.8	2.70		
159	6.0	2	14.0	2.45		

Total number in yards 24804
 Least of new works @ 130 3224.52
 Subb & clear 150
 Total least of ditch \$ 3374.52

State of Indiana }
 Hamilton County } Ad

We, the undersigned, commissioners of drainage swear that we have each personally examined each tract of land assessed for benefits and damages and the whole route of the proposed works, and that such drain is of sufficient capacity to carry without overflowing all the water which flows or should flow along such route, that no other lands than those described in this report will be either benefited or damaged by the construction of the proposed works and that all the statements therein are true and correct and that all assessments of benefits and injuries set forth therein are correct - just, fair and equitable to all parties concerned as we verily believe

E. A. Bottinghouse }
 S. B. Wells } Commissioner
 James A. McKellen }

Subscribed and sworn to by said commissioners this 8 day of Feb 1884, before me W. A. Evans
 Circuit Court

Richard Stevill }
 vs } No 6143
 David Wilkinson }

Comes now said defendant and dismisses his appeal herein, ordered that said defendant pay all costs herein taxed at dollars and cents