

Source Document Log
Source Document Discrepancy Log (Over)

Drain: NANCY KIMBERLIN

#	Main/Arm Name	Document Name	Document ID	Info From Document
1	NANCY KIMBERLIN	REVIEWERS' REPORT	CR 9 Pgs 50, 52-54	
2		VIEWERS' REPORT	3-2-1938	

Drain: NANCY KIMBERLIN Drain #: 8495
Improvement/Arm: _____
Operator: J. LIVINGSTON Date: 2-13-04
Drain Classification: Urban/Rural Year Installed: 1894

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors

J. Livingston

J. Livingston

J. Livingston

J. Livingston

J. Livingston

J. Livingston

Gasb 34 Footages for Historical Cost Drain Length Log

Drain-Improvement: Nancy Kimberlin

Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	If Applicable	
					Price:	Cost:
OPEN	—	26,905'	26,905'		19.55/lf	525,992. ⁷⁵

Sum: 26,905' 26,905' \$525,992.⁷⁵

Final Report: 29,600'

Comments:

2695' OF DRAIN IN MARION COUNTY

June Regular Term,
R.P. & J. Kimberlin Ditch

Eighth

Day, 1894

fully appear by a tabular statement in this report We have also set out by a statement below the names of the owners of lands benefited with a description of each tract of land and the amount assessed against each tract of land The depth of Cut the width at Bottom and width at top along said Drain is also shown in a tabular statement in this report after a full and Carefull view and examination we are of the opinion that the Drain as located by the survey will be of Public Utility a benefit to health will benefit two Public highways and that the Cash of Construction will be less than the Benefits and said Ditch should be located and Constructed as follows to wit beginning 800 feet east and 120 feet north of the southwest Corner of the tract of land described as belonging to William McKinstrey said point of Commencement being the Southeast Corner of the North half (1/2) of the Northwest Quarter Section four (4) Township Seventeen (17) North north of range five (5) east running thence in a Southwesterly direction straightening deepening and widening the Old Channel of Mud Creek and terminating 80 Rods north and 10 rods east of the Southwest Corner of S 1/4 Section 7 town 17 range five (5) in Main Channel of said Mud Creek.

The following statements shows who are Benefited and lands thereof and assessments thereon. Location length of each Shore amount of Assessments amounts of Benefits amount of debt to be removed from each Shore price thereof per Cubic yard and total Cash of each Shore

Names of Owners	Description of Lands	Section	Town	Range	Acres owned	Half acre	Acres	Benefit	Half acre	Amount of Benefits	Amount of Assessments	Shore	Length	Price	Total
William McKinstrey	NW NW	4	17	5	40		40			70 00					
Same	NE NW	4	17	5	40		40			50 00					
Same	SW SW	33	18	5	20		20			35 00					
Same	SE SE	32	18	5	40		40			59 00					
Same	SW SE	32	18	5	40		10			12 50					
Same	SW 1/2 NW	4	17	5	28		28			35 00	26 50	0	67 97	697	129 97
Nancy O Beaver	E 1/2 SE	NW	4	17	5	20		20		20 00					
Same	E 1/2 NE	SW	4	17	5	20		5		5 00					
Same	E 1/2 SE	SW	4	17	5	20		15		15 00	40 00		64 97	7 67	70 35 50

Names of Owners	Description of Lands	Acres	Front	Range	Section	Town	County	Amount of Property	Amount of Assessment	Year of Assessment	Year of Sale	Year of Construction	Cost of Construction
Euneline Edwards	SE	N6	8	17	5	40	30	15 00	15 00	94	94	48	125
Solomon Cropper	NW	NW	9	17	5	40	40	20 00	20 00	94	94	57	165
Fessie Klepper	NE	NW	9	17	5	40	40	15 00	15 00	93	94	44	125
W L Brandon	SW 1/2 S 1/2	SW	33	18	5	40	40	20 00	20 00	94	94	55	145
Eliza A Brandon	SE	SW	33	18	5	26	15	7 50	7 50	94	95	30	56
W H Brandon	SW 1/2 S 1/2	SW	33	18	5	38	38	19 00	19 00	95	95	56	157
Elias Lunsford	SE	SW	33	18	5	29	10	5 00	5 00	96	95	13	38
Simmon Morgan	SW	SW	33	18	5	8 1/2	5	2 50	2 50	95	95	7	20
John P Wood	SE	SE	32	18	5	21	15	7 50	7 50	96	96	20	56
Rebecca Manship	SE	SE	32	18	5	19	5	2 50	2 50	96	96	7	20
John Manship	SE	SE	32	18	5	40	10	5 00	5 00	96	96	13	44
Caroch Lowery	SE	SE	6	17	5	40	15	7 50	7 50	93	93	33	56
Joanna Flanagan	SE	SE	6	17	5	30	10	5 00	5 00	96	96	200	40
R J Craig	SE	SW	8	17	5	7	7	3 50	3 50	96	96	10	28
Daniel Tate	SE	SW	8	17	5	7	7	3 50	3 50	96	96	10	28
Fall Creek Township	Pub. Highway bet E & W		5/8	17	5			15 00					
Same	" " " bet		7/8	17	5			10 00	25 00	96	97	79	203
Deleware Township	" " " bet		7/8	17	5			10 00	10 00	97	97	33	75

No. of Station	Height of Curb	Width at Top	Width at Bottom	Curve 200 ft	Price per yd	Cost of Station	Profile Paper	No. of Station	Height of Curb	Width at Top	Width at Bottom	Curve 200 ft	Price per yd	Cost of Station
0	8.00	36 feet	10 ft		15			B/M	8.64	36	10		15	
1	6.15	22.30	"	44	"	6 60		17	6.20	22.4	10	86	15	12 90
B/M	6.82	6.00	30 feet	ent of Station	5			18	4.95	13.8	"	"	"	12 90
2	5.28	20.15	"	"	44	6 60		19	6.56	20.0	"	"	"	12 90
3	5.56	20.6	"	"	44	6 60		20	5.65	21.2	"	80	"	12 00
4	5.77	21.50	"	"	60	9 00		21	5.40	20.8	"	90	"	13 50
5	3.50	17.00	"	"	44	6 60		22	5.20	20.4	"	"	"	13 50
6	5.85	2.197	"	"	2.92	43 80	Sta 0 to 6 ditch on south side of Station	23	4.65	19.2	"	92	"	13 50
7	5.90	22.0	"	"	3.50	52 50		24	6.61	23.2	"	92	"	13 80
8	5.50	19.0	"	"	3.95	50 25		25	5.37	20.6	"	"	"	13 80
9	6.05	22.0	"	"	3.40	51 00	Sta 7 to Sta 10	26	5.84	21.6	"	"	"	13 80
10	4.85	19.0	"	"	60	9 00	Ditch on North side of Station	27	5.07	21.0	"	80	"	12 00
11	6.20	22.0	"	"	"	9 00		28	5.36	20.6	"	65	"	9 75
12	6.30	21.0	"	"	70	10 50		29	4.4	20.6	"	55	"	8 25
13	5.80	21.0	"	"	"	10 50		B/M	7.64	36	10			
14	5.98	21.8	"	"	"	10 80		30	5.75	21.4	10	53	"	8 25
15	5.65	21.2	"	"	"	70 50		31	5.80	21.6	"	53	"	8 25
16	5.80	21.6	"	"	80	12 40		32	4.49	18.8	"	"	"	8 25

Commissioners' Court.

Profile of Kinkhenin
Ditch

No of Station	Depth of Cut	Width at Top	Width at Bottom	Center line	Area per foot	Cost of Station
33	6.04	22.0	10ft	55	15	8 25
34	5.59	21.0	"	55	"	8 25
35	6.04	22.0	"	60	"	9 00
36	6.09	22.0	"	70	"	10 50
37	6.34	22.6	"	80	"	12 00
38	6.29	22.4	"	80	"	12 00
39	5.57	21.0	"	80	"	12 00
40	4.97	19.8	"	74	"	11 10
41	5.63	21.2	"	"	"	11 10
B 70	7.28	Pine Oak bluish	50 feet	Station 41	Monk X	
42	4.89	19.6	10	55	15	8 25
43	5.79	21.4	"	222	"	33 25
44	5.35	20.6	"	290	"	43 25
45	5.19	20.2	"	290	"	43 25
46	5.11	20.2	"	290	"	43 25
47	5.32	20.6	"	290	"	43 25
48	5.09	20.0	"	250	"	37 25
49	5.12	20.2	"	250	"	8 25
50	4.59	19.0	"	50	"	7 50
B 70	6.49	15 feet	width of ditch	50	"	
51	4.74	19.4	10	47	15	2 05
52	4.14	18.2	"	45	"	6 75
53	4.10	18.2	"	40	"	6 00
54	4.34	18.6	"	"	"	6 00
55	4.34	18.6	"	35	"	5 25
56	4.35	18.6	"	35	"	5 25
57	4.02	17.8	"	30	"	4 50
58	3.44	16.8	"	25	"	3 25
59	3.75	17.4	"	2	"	3 75
B 70	7.64	OAK tree east of ditch				
60	6.39	22.6	10	25	15	3 75
61	4.25	14.4	"	20	"	3 00
62	2.35	17.0	"	18	"	2 70
63	2.86	15.6	"	20	"	8 00
64	1.86	12.6	"	30	"	4 50
65	4.16	18.2	"	30	"	4 50
66	3.35	16.6	"	"	"	4 50
67	4.64	19.2	"	25	"	3 75
68	5.57	21.0	"	20	"	3 00
69	4.46	16.8	10	15	"	2 25
70	3.57	17.0	"	15	"	2 25
B 70	6.34	OAK tree 30 feet north of station 70				
71	3.21	16.4	10	15	"	2 25
x	780					
72	2.15	12.2	"	"	15	2 25
73	4.50	19.0	"	100	"	15 00
74	1.47	10.8	"	100	"	15 00
75	2.71	15.4	"	20	"	3 00
B 70	3.87	along ditch north side of Runch Mountain X				
76	4.49	18.8	10	20	15	3 00
77	3.62	17.6	10	"	"	3 00
78	2.82	15.6	"	"	"	3 00
79	3.85	17.6	"	"	"	3 00
80	3.97	17.8	"	"	"	3 00
81	1.37	12.6	10	15	"	2 25
82	3.58	17.0	"	"	"	2 25
83	3.76	17.4	"	20	"	3 25
84	5.59	21.0	"	20	"	3 10
85	1.45	12.8	"	20	"	3 10
86	1.40	12.8	"	"	"	3 25
B 70	3.24	10.8	"	"	"	
87	.90	11.8	10	20	"	3 25
88	3.37	16.6	"	20	"	3 25
89	4.60	19.2	"	20	"	3 25
90	4.66	19.2	"	20	"	3 25
91	4.35	18.6	"	"	"	3 25
92	3.14	16.2	"	20	"	3 25
93	4.49	18.8	"	128	"	19 25
94	3.47	16.8	"	207	"	21 00
95	4.14	18.2	"	200	"	30 00
96	3.98	17.8	"	200	"	30 00
97	3.46	16.8	"	200	"	30 00
98	2.74	15.4	"	160	"	24 00
99	3.29	16.4	"	150	"	22 50
100	3.05	16.0	"	133	"	19 95
101	3.57	17.0	"	100	"	15 00
102	3.32	16.6	"	75	"	11 25
103	3.45	16.8	"	58	"	7 50
104	3.10	16.2	"	30	"	4 50

Station 72 to 74
Dike cut on
near hill 25
feet wide 3 feet high

76 to 77 area
cut on equal side
10 feet wide

June Regular Term, Eighth

Day, 1894

Station	Width of Cut	Width at Top	Width at Bottom	Cubic Yds. removed	Price	Cost of each Station	Profile of the Kinkelin Ditch	No. of Stations	Depth of Cut	Height of Top	Width of Bottom	Width of Top	Cost of each Station	
B/M 534	18.8	10	37	15	5.53			115	4.15	18.2	19ft	30	4.50	
105	2.89	15.6	10ft	20	15	3.00		116	2.65	17.2	"	25	3.75	
106	2.14	14.2	"	20	"	3.00		117	2.22	14.2	"	15	2.25	
107	3.59	17.0	"	25	"	3.00		118	3.44	16.8	"	10	1.50	
108	3.44	16.8	"	30	"	3.10		119	3.68	17.2	"	5	.75	
109	3.67	17.0	"	35	"	5.25		120	1.60	13.2	"	"	.75	
110	2.58	15.8	"	37	"	5.53		121	3.41	16.8	"	"	.75	
B/M 658	18.8	10	37	15	5.53			122	3.15	16.2	"	"	.75	
111	4.05	18.0	10	37	15	5.53		123	3.65	17.2	"	"	.75	
112	3.55	17.0	"	"	"	5.53		124	3.75	17.4	"	"	.75	
113	3.36	16.6	"	"	"	5.53		125	2.55	15.8	"	"	.75	
114	4.43	18.8	"	"	"	5.53		B/M 367	3.67	18.8	10	37	15	5.53

Notice for final reports issued June 20 94

John Leonard & M. Karoff Reviewers

Subscribed and sworn to before me this 10 day of May 1894

A. R. Fisher Auditor

The Board having examined the above Report of Reviewers of the Kinkelin Ditch and being sufficiently advised in the Premises do now order the same constructed in accordance with the statute as provided.

- ✓ Allowed W H Gray Potatoes for Poor Form Twenty Seven Dollars and 45/100 27 45/100
- Allowed John H. Fisher Court House acct One Dollar and 50/100 1 50
- ✓ Allowed Jamitt and Sons Poor form acct One Dollar and 90/100 1 90/100
- ✓ Allowed Ezra Swain Poor form acct Ten Dollars and 45/100 10 45/100
- ✓ Allowed Henry Carr Poor form acct Eight Dollars and 60/100 8 60/100
- ✓ Allowed Jamitt and Sons Poor form acct Five Dollars and 10/100 5 10

A 2248

Kimberlain Drain

FILED

APR 5 - 1938

Chesley E. Baldock
Clerk Hamilton Circuit Court

84213

approved 4-5-1938

FILED

MAR 2 - 1938

Chesley E. Baldock
Clerk Hamilton Circuit Court

Set for Hearing
April 5 / 1938

The estimate has been made and the cost divided equally among the different lands affected and the County Highways of Hamilton County. have been assessed for their benefits.

The assessment sheet attached, Atty's fees, Court Costs Incidentals viewers , Engineers, Engineers Helpers, Mileage Stakes and Construction.

R.D. Horney or his authorized assistance will have full charge of the work and no work shall be changed or diviated from without his approval.

State of Indiana) S.S.
Hamilton County

I the undersigned Engineer to whom was referred the above----

Entitled petition for construction, after being duly appointed say that I have personally examined the whole of said proposed ditch, that the assessments herein made are correct, just, and equitable to all parties concerned herein as interested, that no other lands will be benefited or injured by said proposed drain and that the above and foregoing report is true in substance and in fact as I verily believe.

R.D. Horney
Engineer.

Subscribed and sworn to before me this ^{2nd} day of March 1938

Chesley E. Bullock
Clerk of Hamilton County.

(Authority)

Section 9*----- Page 1174-1175
Acts of Indiana General Assembly- 1938

ESTIMATE COST OF CONSTRUCTION INCLUDING,

Material, Labor, Hauling, etc., necessary for completion of the work in accordance with the plans and specifications.

STATION <u>0</u>	TO STATION <u>296 Appr. to 700 Cuyahoga</u>	\$ 7370.00
STATION _____	TO STATION _____	\$ <u>7001.00</u>
STATION _____	TO STATION _____	\$ _____
STATION _____	TO STATION _____	\$ _____
STATION _____	TO STATION _____	\$ _____
STATION _____	TO STATION _____	\$ _____
<u>MISC. HEADWALL etc.</u>		\$ <u>300.00</u>
TOTAL		\$ 7190.00 <u>17301.00</u>

Estimate expenses including,

Attorney fees _____	\$ <u>240.00</u>	
Recording & Releasing _____	\$ <u>10.00</u>	
Legal Printing _____	\$ <u>35.00</u>	
Superintendent of Construction _____	\$ <u>200.00</u>	
Court Expenses etc. _____	\$ <u>50.00</u>	
Contingency Fund _____	\$ <u>186.40</u>	
Total		\$ <u>721.40</u>

We claim for services, expenses, and mileage to date for:

<u>R.D. Honey</u>	Drainage Commissioner	\$ <u>15.00</u>
<u>Chas Amett</u>	Viewer 3 da @ \$5.00	\$ <u>15.00</u>
<u>Herbert Blumberg</u>	Viewer " "	\$ <u>15.00</u>
<u>R.D. Honey</u>	Engineer & Helpers	\$ <u>192.13</u>
Total		\$ <u>237.13</u>
Grand Total		\$ 8678.53 <u>8759.53</u>

Corrected as per hearing this 5th day of April 1938
 R.D. Honey, County Engineer

The Nancy J Kimberlain Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
Henry G. Trillino & wife	SW NE	8	17	5	40				160	00	72	00		
Mrs White	SW SE	8	17	5	40				160	00	72	00		
Do	Pt SE	SE	8	17	5	30			120	00	54	00		
Grover C Fuller	Pt NW NE	8	17	5	24				96	00	43	20		
Do	E $\frac{1}{2}$ NE	8	17	5	80				320	00	144	00	187	20
J.W. Valentine	Pt NE SE	8	17	5	14	50			58	00	26	00	26	10
Conrad Mants	NW NW	9	17	5	40 35				160 140	00 00	72 63	00 00	72 63	00 00
Anna Fort	Pt NE NW	9	17	5	30 25				120 100	00 00	54 45	00 00	54 45	00 00
Walter & Emma Craig	Pt N $\frac{1}{2}$ N $\frac{1}{2}$ NE SE	8	17	5	8				32	00	14	40	14	40
Hamilton County benefit to Highways					90				360	00	162	00	162	00
	Total Acres				4743.63				Total	-----	8542.13			
ADA LOWERY	Pt E $\frac{2}{3}$ E $\frac{2}{3}$ S.W	6	17	5	22				88	00	39	60		
Do	Pt W $\frac{2}{3}$ W $\frac{2}{3}$ S.E	6	17	5	11 8				44 32	00 00	19 14	50 40	59 54	40 00
C.A. RINGER	Pt SW SE SW	6	17	5	15				60	00	27	00	27	00
	Total Acres				4743.63 4588.63				Total Assmt	8628.53 8259.53				

The Nancy J Kimberlin Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
John M Emery & wife Edith	Pt S $\frac{1}{2}$ SW	7	17	5	68				272	00	122	40	122	40
Loma E. Kincaide & wife	Pt N $\frac{1}{2}$ SW	7	17	5	45 88				180 248	00 00	81 111	00 60	81 111	00 60
Lizzie M. Mullen copf	NW NE	7	17	5	40				160	00	72	00	72	00
Veronica K Kane	NE NE	7	17	5	40				160	00	72	00		
Do	Pt N $\frac{1}{2}$ S $\frac{1}{2}$ NE	7	17	5	27				108	00	48	60		
Do	Pt W NW	8	17	5	53	33			213	32	95	99	216	59
Jessie M Hartman	Pt S $\frac{1}{2}$ NE	7	17	5	53	80			215	20	96	84		
Do	Pt N $\frac{1}{2}$ S $\frac{1}{2}$ SE	7	17	5	24	34			97	36	43	81	140	65
Richard E Harold	N Pt SE SE	7	17	5	64				256	00	115	20	115	20
Jas. W Hunt	Pt S $\frac{1}{2}$ S $\frac{1}{2}$ S $\frac{1}{2}$ SE	7	17	5	15	64			82	66	28	15	28	15
Jas. O Mundell	Pt W SW	8	17	5	48	36			183	44	87	65	87	05
Richard E Harold & wife	Pt S $\frac{1}{2}$ SE	7	17	5	61				244	00	109	80	109	80
Essa D Kepner	Pt SW NW	8	17	5	27				108	00	48	60		
Do	Pt NW SW	8	17	5	31				124	00	55	80	104	40
Bert Klepfer	SE NW	8	17	5	40				160	00	72	00		
Do	NE SE	8	17	5	40				160	00	72	00		
Do	NW SE	8	17	5	40				160	00	72	00		
Do	Pt S NE SE	8	17	5	16				64	00	28	80	244	80
Walter E White & wife	Pt W $\frac{1}{2}$ NW NE	8	17	5	16				64	00	28	80	28	80
Henry G Trittico & wife	SW NE	8	17	5	40				160	00	72	00	72	00
Sarah E Hensley	SE SW	8	17	5	40				160	00	72	00	72	00
M. L. White	SW SE	8	17	5	40				160	00	72	00		
Do	Pt SE SE	8	17	5	30				120	00	54	00	126	00

The Nancy J Kimberlain Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment		
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.	
Omer Beaver	Pt N NW SE	4	17	5	15					60	00	27	00		
Do	Pt E $\frac{1}{2}$ E $\frac{1}{2}$ SW	4	17	5	25					100	00	45	00		
Do	Pt E $\frac{1}{2}$ SE NW	4	17	5	19					76	00	34	20	106	20
Jas. C Russell & wife Ernie	NE NW	4	17	5	40					160	00	72	00		
Do	Pt S N $\frac{1}{2}$ NW	4	19	5	20	94				83	76	37	69	109	69
Fred E & Francis Gifford	P ¹ SW	4	17	5	120					480	00	216	00		
Do	pt S NW	4	17	5	59					236	00	106	20		
Do	SE NE	5	17	5	40					160	00	72	00		
Do	E SE	5	17	5	79					316	00	142	20	536	40
Claude Randall	N NE	5	17	5	105 ⁹⁴					420 00 ^{376 00}	188 00 ^{169 20}	189 00 ^{169 20}		169	20
Bessie V Street	SW NE	5	17	5	40					160	00	72	00		
Do	W $\frac{1}{2}$ SE	5	17	5	80					320	00	144	00	216	00
Perle Kirkpatrick	Pt E $\frac{1}{2}$ NW	5	17	5	28	50				114	00	51	30	51	30
Jacob Castetter	P ¹ NW	5	17	5	28	50				114	00	51	30	51	30
E.M. McKinstry & wife Marey	E $\frac{1}{2}$ SW	5	17	5	80					320	00	144	00		
Do	P ¹ SW	5	17	5	15					60	00	27	00		
Do	NE NW	8	17	5	40					160	00	72	00	243	00
Jas. C Moore & wife	Pt S $\frac{1}{2}$ SE	6	17	5	31 ³¹					180 00 ^{124 00}	81 00 ^{55 80}	87 00 ^{55 80}		55	80
Russell Lowery	PT N S $\frac{1}{2}$ SE	6	17	5	15 ¹⁰					60 00 ^{40 00}	27 00 ^{18 00}	27 00 ^{18 00}		18	00
Simon H Beaver & wife	Pt E $\frac{1}{2}$ W $\frac{1}{2}$ NW	7	17	5	15					60	00	27	00	27	00
Jas. H. Miller & wife	NE NW	7	17	5	40					160	00	72	00	72	00
Joseph Emery	SE NW	7	17	5	40					160	00	72	00	72	00

The Nancy J Kimberlain Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
Margaret Alexander	Pt NE SE	34	18	5	33				132	00	59	40	59	40
Clem J Wood	W 1/2 NE NW	35	18	5	20				80	00	36	00	36	00
Eli W Wood	W 1/2 NE NW	35	18	5	20				80	00	36	00	36	00
C.W.Booth	Pt SW NW	35	18	5	20				80	00	36	00		
Do	Pt NW SW	35	18	5	20				80	00	36	00	72	00
MenardV & Marie A Miller	Pt NE SW	35	18	5	50				200	00	90	00	40	00
Indpls Water Co.	Pt E NW	2	17	5	50 9				800 36	00 00	90 16	00 20		
Do	Pt ^{S 1/2} S ^{S 1/2} SW NW	2	17	5	4 24				16 96	00 00	7 43	20 20		
Do	Pt NW NW SW	2	17	5	1				1	00	1	00		
Do	Pt N 1/2 SE	3	17	5	20 40				200 160	00 00	120 72	00 00	275 131	00 40
Newton Morgan	Pt W NW	2	17	5	45 4				180 16	00 00	81 7	00 20	81 7	00 20
Earl Brooks	pt NE	3	17	5	94				376	00	169	20	169	20
Elias A Morgan	Pt NE	3	17	5	93				372	00	167	40		
Do	Pt E NW	3	17	5	65				260	00	117	00	284	40
Vina Ohler	Pt W NW	3	17	5	77				308	00	138	60		
Do	Pt NW SW	3	17	5	8 6				32 24	00 00	14 10	40 80		
Do	E SE	4	17	5	20				80	00	36	00	185	40
Chas.W Day & son Faris	N Pt NE	4	17	5	108	50			434	00	195	30	195	30
Chas W Day & wife	S Pt NE	4	17	5	58	25			233	00	104	85	104	85
Clarence N Russel	Pt NE SE	4	17	5	27				108	00	48	60		
Do	Pt E NW SE	4	17	5	4				16	00	7	20	55	80
Hoosier Properties Inc.	Pt S NW SE	4	17	5	8				32	00	14	40	14	40

The Nancy J Kimberlain Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment	
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.
V.H Manship	E $\frac{1}{2}$ NE	33	18	5	80				320	00	144	00	144	00
Ethel Johnson	Pt W $\frac{1}{2}$ SE	33	18	5	42	50			170	00	76	50		
Do	S $\frac{1}{2}$ NE	34	18	5	20				80	00	36	00		
Do	E $\frac{1}{2}$ SE	34	18	5	20				80	00	36	00		
Do	SW SE	34	18	5	40				160	00	72	00	220	50
Jennie Young Grigg and Alice Young	E $\frac{1}{2}$ SE	33	18	5	80				320	00	144	00		
	NW SW	34	18	5	40				160	00	72	00	216	00
Lucille R Klepfer	N $\frac{1}{2}$ NW	34	18	5	80				320	00	144	00	144	00
Wm A. Morgan	S $\frac{1}{2}$ NW	34	18	5	80				320	00	144	00		
Do	SW NE	34	18	5	40				160	00	72	00	216	00
Malvin Blackford Albert & Sarah Craig	SW SW	34	18	5	40				160	00	72	00	72	00
	W $\frac{1}{2}$ SE	34	18	5	20				80	00	36	00	36	00
Retta Clark	N $\frac{1}{2}$ NE	34	18	5	20				80	00	36	00		
Do	NW SE	34	18	5	40				160	00	72	00	108	00
Albert Julian & wife	Pt W $\frac{1}{2}$ NW NE	34	18	5	8				32	00	14	40	14	40
Thos A Snead	Pt N $\frac{1}{2}$ NW NE	34	18	5	3				12	00	5	40	5	40
Ivy Snead	Pt NW NE	34	18	5	29				116	00	52	20	52	20
Wm F Lowe & Wife	N $\frac{1}{2}$ NE	34	18	5	20				80	00	36	00		
" " "	Pt E $\frac{1}{2}$ NE	34	18	5	60				240	00	108	00		
Do	W NW	35	18	5	19	50			78	00	35	10	179	10
LEMUEL CLARK	Pt E $\frac{1}{2}$ S.E	34	18	5	47				188	00	84	60		
Do	SW. S.W	35	18	5	40				160	00	72	00	156	60

The Nancy J Kimberlain Drain
or Mud Creek.

NAMES	DESCRIPTION OF LANDS	Section	Township	Range	Acres Assessed		Acres Benefited		Amount Of Benefits		Amount of Assessment		Total Assessment		
					A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Cts.	
Fletcher Joint Stock Land Bank	Pt E $\frac{1}{2}$ SW	26	18	5	50					200	00	90	00	90	00
George C. Snead & wife	Pt W $\frac{1}{2}$ SW	26	18	5	60					240	00	108	00	108	00
Charlette F. Snead	E $\frac{1}{2}$ SE	27	18	5	80					320	00	144	00		
Do	Pt SW SE	27	18	5	25					100	00	45	00	189	00
W.O. Sylvester	Pt W $\frac{1}{2}$ SE	27	18	5	26					104	00	46	80	46	80
Kate Hurlock	Pt S $\frac{1}{2}$ SW	27	18	5	65					260	00	117	00	117	00
John Pressel	Pt E $\frac{1}{2}$ SE	28	18	5	40					160	00	72	00	72	00
Sam VanHart & wife	Pt S $\frac{1}{2}$ SE	28	18	5	20					80	00	36	00	36	00
Bessie Bussel	Pt SW NW	33	18	5	10					40	00	18	00		
" "	Pt E $\frac{1}{2}$ NW	33	18	5	44					176	00	79	20	97	20
Elmore Rushton & wife	Pt SW NE SE	33	18	5	2					8	00	3	60	13	60
et al Marey E Manford	Pt S $\frac{1}{2}$ NE SE	32	18	5	3					12	00	5	40		
Do	Pt W NW SW	33	18	5	17					68	00	30	60	36	00
Albert E. Smith	Pt S $\frac{1}{2}$ SE	32	18	5	50					200	00	90	00		
Do	W $\frac{1}{2}$ SW SW	33	18	5	20					80	00	36	00		
Do	P ¹ N $\frac{1}{2}$ N.W	4	17	5	46	81				187	24	84	26	210	26
Estella Garrison	Pt N N $\frac{1}{2}$ SW	35	18	5	7					28	00	12	60	12	60
Myrtle McLean	Pt SW	33	18	5	114	66				458	64	206	39		
Do	Pt NW SE	33	18	5	37	50				150	00	67	50	273	89
Rose Elmerick	Pt W $\frac{1}{2}$ N ^W	33	18	5	69					276	00	124	20	124	20

the job. If assistance is given, the estimate will be materially smaller.

Payments.

Estimates will be made on the 22nd. day of each month for 80% of the work completed to date, payable at the regular Commissionners Court Claim day. No part of the work will be fully accepted until the job is complete and ready for final settlement.

The Contractor shall furnish a bond to conform to the State of Indiana Contractors Bond. Also furnish a 500 dollar certified check with the bid to guarantee carrying out the contract should be awarded the contract.

The work will be supervised by R.D. Horney or his authorized assistants. The Contractor shall stipulate when he can begin work and the approximate time for completion. The quantities have been computed for each 100 ft. and the Engineer reserves the right to increase or decrease quantities as conditions might require, by notifying the Contractor or his representative on the job in writing.

The property owner shall make arrangements to ^{move} reserve and ~~reel~~ replace fences, so as not to interfere with the progress of construction, at his or her own expense. However if the C.C.C. camp give assistance, that work will be done by them.

Sts. 34 plus 50	to sts. 37 plus 50	old channel.
" 39 " 50	" " 49 " 50	straighten.
" 49 " 50	" " 54 " 0	old channel.
" 54 " 0	" " 57 " 50	straighten.
" 57 " 50	" " 59 " 50	old channel.
" 59 " 50	" " 71 " 0	straighten.
" 71 " 0	" " 72 " 50	old channel.
" 72 " 50	" " 74 " 50	straighten.
" 74 " 50	" " 76 " 0	old channel.
" 76	" " 78	straighten.
" 78	" " 84	old channel.
" 84	" " 89	straighten.
" 89	" " 113	old channel.
" 113 plus 50	" " 114 plus 50	straighten.
" 114 plus 50	" " 118 " 0	old channel.
" 118 " 0	" " 122 " 0	straighten.
" 122	" " 126	old channel.
" 126	" " 130	straighten.

Enter Kimberlain drain at 130

Sts. 130	to sts. 131 plus 50	straighten.
" 131 plus 50	" " 134 " 50	old channel.
" 134 " 50	" " 138 " 50	straighten.
" 138 " 50	" " 140	old channel.
" 140	" " 141	straighten.
" 141 plus 50	" " 149	old channel.
" 149 " 0	" " 151 plus 50	straighten.
" 151 " 50	" " 185 " 0	old channel.
" 183 " 0	" " 185 " 50	straighten.
" 185 " 50	" " 187 " 50	old channel.
" 187 " 50	" " 191 " 50	straighten.
" 191 " 50	" " 193 " 50	old channel.
" 193 " 50	" " 195 " 50	straighten.
" 195 " 50	" " 202 " 0	old channel.
" 202 " 0	" " 204 " 50	new cut.
" 204 " 50	" " 218 " 50	old channel.
" 218 " 50	" " 223 " 50	straighten.
" 223 " 50	" " 227 " 50	old channel.
" 227 " 50	" " 229 " 50	straighten.
" 229 " 50	" " 259 " 50	old channel.

255 end of Kimberlain drain.

Sts. 259 plus 50	to sts. 263 plus 0	straighten.
" 263 " 0	" " 267	old channel.
" 267	" " 268	straighten.
" 268	" " 269	old channel.
" 269	" " 272	straighten.
" 272 plus 50	" " 273 plus 50	old channel.
" 273 " 50	" " 281 " 0	straight new cut.
" 280 " 0	" " 291 " 0	old channel.
" 291	" " 292	straighten.
" 292	" " 296	old channel.

Terminative 1386 South of South line of South East $\frac{1}{4}$ Section 7. Township 17 North ~~road~~ ^{RANGE} 5 East in Mud Creek.

All head walls on county ditches to be repaired if needed. All work to be done in a neat and workman-like manner. Any head wall or tile ditches that require repairing shall be done at a price arranged for between the Engineer and Contractor. All private ditches, the material shall be furnished by the property owner. All private ditches shall be extended to the open ditch if the alignment takes it away from the old channel, By the contractor the owner is to furnish the title.

We also recommend that the C.C.C. camp D 6 at Franklin Indiana be petitioned for their assistance by furnishing the labor and any other assistance they might be able to give. However we have been advised they are to be withdrawn from this location. Our estimates are based on complete

April Term of the
Hamilton Circuit Court.

State of Indiana) S.S.
Hamilton County)

To the Honorable Judge of the Hamilton Circuit Court.

In the matter of the petition
of Harry. N. Brusson to
repair and extend the Nancy J Kimberlain, Drain-No#2248.

The report of the Viewers was filed Jan. 20 '38 Favorable.

I did proceed and definitely determine the best and cheapest method of drainage, the termini and route, location, character of the proposed work and fix the same by metes and bounds, courses and ~~distance~~ and description, including grades and bench marks, including all necessary arms, estimate the cost thereof, divide the drain or ditch into sections of not more than one hundred feet in length and computed and set out the number of cubic yards of excavation in each section, assess the benefits or damages, as the case may be, to each separate tract of land in the water shed to be affected thereby, and to easements held by railway or other corporations, as well as to cities, towns, or other public corporations, including any land, right, easements, or water power, injuriously or beneficially affected, and do make report to the court, under oath.

The width of right of way shall be 33ft. on each side of center of said ditch.

Repair said drain by clearing out said drain to the grade set out in their report, by a dredge machine. Slope banks to 1 1/2 to 1 slope, clear bank of all brush, shrubs, weeds and other rubbish that may be on the banks. Leave any standing trees or young trees that are not damaging the ditch. Trim all trees up to a uniform likeness. Trees and shrubs to be removed or left to the opinion of the Engineer.

All timber cut to be the property of the landowner if he so desires. All brushy stump to be burned and cleared up, be for the acceptance of the job of the Engineer. All brush and clearing not to be covered up with the excavation. Where the old channel is left there shall be a dam or barricade built so as to keep the water from following the old channel, also placing the dirt from the new excavation in the old channel. Where the old channel is followed the dirt shall be equally deposited on each side of the ditch and at least 5ft. back from break of bank, and spread out not to exceed 2ft. in thickness, or leveled off by some mechanical arrangement before work is accepted. The Engineer reserves the right to have dirt placed all on one side of ditch if so desired.

Location.

Begin in Mud Creek approximately 600ft. north and 380ft. east of south west corner of north west 1/4 of the south west 1/4 Section 35 Township 18 north range 5 east.

Sts. 0	to sts. 3	straighten.
" 3	" " 4	old channel.
" 4	" " 5	straighten.
" 10	" " 11	old channel.
" 11	" " 12	straighten.
" 12	" " 14 plus 50	old channel.
" 14 plus 50	" " 15 " 50	straighten.
" 15 " 50	" " 16 " 50	old channel.
" 16 " 50	" " 17 " 50	straighten.
" 17 " 50	" " 19 " 0	old channel.
" 19 " " "	" " 21 " 50	straighten.
" 21 " 50	" " 27 " 50	old channel.
" 27 " 50	" " 29 " 50	straighten.
" 29 " 50	" " 30 " 50	old channel.
" 30 " 50	" " 34 " 50	straighten.