



Kenton C. Ward, CFM Surveyor of Hamilton County Phone (317) 776-8495 Fax (317) 776-9628

Suite 188 One Hamilton County Square Noblesville, Indiana 46060-2230

February 5, 2007

To: Hamilton County Drainage Board

RE: Morrow - Follett Drain - City of Carmel Reconstruction

Attached is a petition and plans for the proposed reconstruction of the Morrow – Follett Drain, R.J. Follett Arm. The reconstruction is being proposed by the City of Carmel. The proposal is to reconstruct the drain in place for a new project being proposed on the site by the Carmel Redevelopment Commission.

The reconstructed drain shall consist of those lengths of pipes between the following structures as shown on sheet C100 of the plans named Project #06-26 1st Avenue Southwest – J.W. Morrow Legal Drain Modernization, prepared by CSO Schenkel Shultz, dated December 4, 2006, and having project number 26241: the existing Structure 203A per the 1928 description, which is at approximate Sta. 21+64, and is labeled Str. #1 in the new plans, then to Str. #2, and ending at Str. #3, which is approximately Sta. 18+60 of the 1928 legal description.

The drain in total will consist of the following lengths:

30" RCP - 304 ft

The new drain is a replace in kind for the existing drain, so the result is no change to the drain footage of the Morrow – Follett Drain.

The cost of the reconstruction is to be paid by the City of Carmel. Because the project is to be paid by the City of Carmel and is within the boundaries of the petitioners property, the project falls under the requirements as set out in IC 36-9-27-52.5. Therefore notice for hearing is not required for the petition.

The petitioner was not required to provide a performance bond since this is a City of Carmel project.

I believe this proposed drain meets the requirements for Urban Drain Classification as set out in IC 36-9-27-67 to 69. Therefore, this drain shall be designated as an Urban Drain.

I recommend approval by the Board at this time.

Sincerely -20

Kenton C. Ward, CFM Hamilton County Surveyor

KCW/grh

HAMILTON COUNTY DRAINAGE BOARD NOBLESVILLE, INDIANA

Revised June 1997

IN RE:	Morrow/	Follatt	Drain)
	milton Count		Diain	

PETITION FOR RELOCATION AND RECONSTRUCTION

The Carmel Redevelopment Commission (hereinafter Petitioner"), hereby petitions the Hamilton County Drainage Board for authority to relocate and improve a section of the <u>Morrow/ Follett</u> Drain, and in support of said petition advises the Board that:

- 1. Petitioner owns real estate through which a portion of the <u>Morrow</u>/ Follett Drain runs.
- 2. Petitioner plans to develop its real estate with roads, buildings, utilities, storm drains, sanitary sewers and other structures.
- Petitioner's proposed development of its real estate will require relocation and reconstruction of a portion of the <u>Morrow/Follett</u> Drain, as specifically shown on engineering plans and specifications filed with the Hamilton County Surveyor.
- 4. The work necessary for the proposed relocation and reconstruction will be undertaken at the sole expense of the Petitioner and such work will result in substantial improvement to the <u>Morrow/Follett</u> Drain, without cost to other property owners on the watershed of the <u>Morrow/Follett</u> Drain.
- 5. Proposed relocation and reconstruction will not adversely affect other land owners within the drainage shed.
- Petitioner requests approval of the proposed relocation and reconstruction under IC 36-9-27-52.5.

WHEREFORE, Petitioner requests that an Order issued from the Hamilton County Drainage Board authorizing relocation and reconstruction of the <u>Morrow/Follett</u> Drain, in conformance with applicable law and plans and specifications on file with the Hamilton County Surveyor.

Form-

Signed

Lester S. Olds Printed

Adobe PDF Fillable Form

This copy is from the Digital Archive of the Hamilton County Surveyor's Office; Noblesville, In 46060

Gasb 34 Asset Price & Drain Length Log

Drain-Improvement: Morrow . Follet : Carmel Reconstruction

- Mai			·····		lf Ap	olicable
Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile		Cost:
RCP	30"	304 ft	304	ø	\$24 00	#7478±
		<u></u>	·	-		
tt.						
· · · · · · · · · · · · · · · · · · ·						
					<u> </u>	
		·				
			· · · ·			
	Sum:	304	304	φ		\$ 7478 4
				7		<u> </u>
Final Report:						
Comments:						
				· · · · ·		

This copy is from the Digital Archive of the Hamilton County Surveyor's Office; Noblesville, In 46060



Kenton C. Ward, CFM Surveyor of Hamilton County Phone (317) 776-8495 *Fax* (317) 776-9628

Suite 188 One Hamilton County Square Noblesville, Indiana 46060-2230

To: Hamilton County Drainage Board

February 26, 2007

Re: Morrow-Follett Drain: City of Carmel Reconstruction

Attached are as-builts, certificate of completion & compliance, and other information for City of Carmel Reconstruction. An inspection of the drainage facilities for this section has been made and the facilities were found to be complete and acceptable.

During construction, changes were made to the drain, which will alter the plans submitted with my report for this drain-dated February 5, 2007. The report was approved by the Board at the hearing held February 26, 2007. (See Drainage Board Minutes Book 10, Pages 111-112) The changes are as follows:

30" RCP was shortened from 304 feet to 292 feet.

The length of the drain due to the changes described above is now **292 feet**. The original Morrow-Follett 30" tile was replaced from Station 21+64 to Sta.18+72.


The non-enforcement was approved by the Board at its meeting on October 8, 2007 and recorded under instrument #2007057453.

Sureties were not posted for this project as all costs were paid by the City of Carmel. I recommend the Board approve the drain's construction as complete and acceptable.

Sincerely,

Kenton C. Ward, CFM Hamilton County Surveyor

KCW/slm



11/7	55 0 0 0 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		43.4. 43.4. COULD BOOM	NORFIE WALK CO O CO	SEPTIC TANK LID × Septic TANK LID × Septic Tank LID	82.0' REALING AND
	9 2 C.B TC=82615		1 00 1 m 100 1 0 0 0 0 0 0 0 0 0 0 0 0 0	CRE CREA	- M- M M M-	1 ST AVENUE SOUTHWES
				E/CRUT = E/CIV/T = -E/CIN B" STORM TO BE APPROX. LOCATION MOVED AS REQ'D ABANDONED OR REM	12" STORM TO BE	E/CTV/T ==
OPE)	HH TC 10 HH TC 10 HH TC 10 HE 30* RCP (HE 30* RCP (HE 12* RCP (N.)=814.73' S.)=81473' W.)=82249' MH 9.87 7.74	EXISTING STORM S MANHOLE TO BE STORM STRUCTUR 60° DIA MANHOL PER DETAIL 01/C	<u>5</u> 200	12" TEMPORARY-HDPE STORM ENCEPT EXISTING STORM PIPES. CT W/WES & FITTINGS AS REQUIRED. STORM STRUCTURE- 60" BIA. MANHOLE EPEP DEDMI #1/C2000	
	30"Ø RCP INV (S)=81 30"Ø RCP INV (N)=81 10 20' 40' ALE: 1" = 20'	4.57	152 LFT-30%	E) 818.00 S 814.71 RCP 0.26% SLOPE) FRCP 0.0.18% 152. 0.18%	PER DETAIL 61/C200 INV. IN (12 HDPE) 818.00 INV. (18" E) 824.00 INV. (12" SE) 820.00 INV. (12" SE) 820.00 INVS. (30" N & S) 814.3	STORM MH RIM EL=827.05 12*Ø RCP INV (SE)=819.96 12*Ø HDPE INV (S)=817.89 18*Ø RCP INV (E)=820.95 30*Ø RCP INV (S)=814.30 30*Ø RCP INV (N)=814.30
STORM @ DECC SLOPE		FILL W/	LOOSELY COMPACTED EXCAVATED	152 324 L.F. 30" RCP STORM @ 02862 SI MATERIAL	B BORROW BACKFILL PER DETAIL 05/C200	
	SOUTH END FUTURE BUILDING		RIM EL=829.87		NORTH END FUTURE BUILDING	
			EXISTING GRADE		EXISTING GRADE	RIM=827.05
			EXISTING 12* RCP STORM SEWER			
			APPROX. LOCATION EXISTING 8" VCP STORM SEWER		APPROX. LOCATION EXISTING 12" VCP STORM SEWER	8 LF 18" RCP STUB IN EAST 0.50% SLOPE, CAP & MARK END TO GRADE. INV. 254-00 820,95 8 LF 12" RCP STUB IN SOUTHEAST 1.00% SLOPE. CAP & MARK END TO GRADE.
	[INV-817.74]		APPROX. 25 LF 12" HOPE STUB IN NORTHWEST © 0.50% SLOPE. CAP & MARK END TO GRADE. INV-816 OT			HNV. B28600 819.96 APPROX30. LF-12*. HDPE-STUB IN SOUTHWEST © 0.50% SLOPE CAP & MARK END TO GRADE. INV. B78:502.± 817.89
FØ RCP @ 0.21%	INVS_BDHRZE (CALC		REMOVE EXISTING STORM MANHOLE & PIPE	30"Ø RCP @ 0.18%		EXISTING 30" STORM SEWER @ 0.28% SLOPE
	[INV-814.87]		- INV~814.57		INVS. DDASE (CALC)	
		1 829.87				
12+5	 50			 -50 14	 +00 14+	14+50 RW 51 ET 51
XGRAPHIC SURVEY , P.C. ON ORIGINAL MEL PROJECT No. 08	▶288 BY		المربي 197003 المربي 197003		SEMM 12-15-08 DESIGN ENGINEER DATE DRAWN: SF	CITY OF CARMEL 1st AVENUE SW DRAINAGE AND STREET IMPROVEMENTS AS-BUILT PLAN AND PROFILE
ATE OF 12-04-06.		CR055 ENUME Transpor Development	ERS. PC		CHECKED: TEN	JW MORROW LEGAL DRAIN

-B	UILT PLA	N AND	PROFILE	
W	MORROW	LEGAL	DRAIN	

HORIZONTAL SCALE	BRIDGE FILE	
1" = 20'	N/A	
VERTICAL SCALE	DESIGNATION	
1" = 2'	•	
SURVEY BOOK	SHEETS	
	2 of	2
CONTRACT	PROJECT	
	06-26	

	This information was gathered for input into the Hamilton County Geographic Information System (GIS). This document is considered a official record of the GIS. Entry Date: <u>02-23-09</u>
S. RVETOS	Entered By: <u>SLM</u>

M=827.05		
Ale a suggesting and a		
· · ·		
	1	
	· · · · · · · · · · · · · · · · · · ·	
LF 18" RCP STUB IN		
AST 0.50% SLOPE, CAP MARK END TO GRADE.		
	· ·	
0.95		
		·····
LF 12" RCP STUB IN OUTHEAST 1.00% SLOPE.	· · · · · · · · · · · · · · · · · · ·	
AP & MARK END TO GRADE.	· · · · · · · · · · · · · · · · · · ·	
Droll		
9.96		
PPROX30_LF12*HDPE_STUB SOUTHWEST © 0.50% SLOPE	where when and radius about 1944 where about the same same and	er a secol
AP & MARK END TO GRADE.		-
Q#		
7.89	n terne inder ander ander ander einer einer der ander ander ander ander ander ander eren.	alian siyaya
		~~~ ~~
	n an an Araba an Arab	
EXISTING 30" STOR	M SEWER @ 0.28% SLOPE	
and a start of the second s Second second		·····
15+	-00 15+	.50
		50

