

Drain: EE BENNETT **Drain #:** 20
Improvement/Arm: WA YOUNG ARM
Operator: J. LIVINGSTON **Date:** 10-20-03
Drain Classification: Urban/Rural **Year Installed:** 1911

GIS Drain Input Checklist

- Digitize & Attribute Tile Drains jwf
- Digitize & Attribute Storm Drains n/a
- Digitize & Attribute SSD n/a
- Digitize & Attribute Open Ditch n/a
- Sum drain lengths & Validate jwf
- Enter Improvements into Posse jwf n/a
- Enter Drain Age into Posse n/a
- Sum drain length for Watershed in Posse n/a
- Stamp Plans n/a
- Pull Source Documents for Scanning jwf

**Gasb 34 Footages for Historical Cost
Drain Length Log**

Drain-Improvement: EE BENNETT - WA YOUNG ARM

Drain Type:	Size:	Length ()	Length (DB Query)	Length Reconcile	Price:	Cost:
TILE	10"	2160'	2160'		3. ⁰⁰ / ₁₄	6480. ⁰⁰

Sum: 2160' 2160' 6480.⁰⁰

Final Report: 2160'

Comments:

Share No.	From Station No.	To Station No.	Feet Long	NAME TO WHOM APPORTIONMENT IS MADE	DESCRIPTION OF LAND BENEFITED	Section	Town	Range	ACRES BENEFITED		AMOUNT OF BENEFITS	
									Acres	Hund.	Dols.	Cts.
					<p>The undersigned drainage commissioner to whom was referred the above entitled petition for the drainage of certain lands in Fall Creek Township, Hamilton County, Indiana respectfully report that under the acts of 1907 and in accordance with an order from the County Auditor I proceeded to investigate, make the necessary survey and view the lands likely to be benefited thereby, and would respectfully report that the drainage as proposed is practicable, and that the same will improve the public health and will be of public utility, that the cost of construction and the expense of effecting said drain will be less than the benefits to be derived therefrom.</p> <p>I would further report that I have definitely determined the best and cheapest method for said lands, I have fixed the route, location and character of the proposed work and fixed by the same by meets and bounds, courses, distances and description, grades and bench marks so as to provide for the complete drainage of all lands affected by the proposed work.</p> <p>Having divided the ditch or drain in sections, each not more than 100 feet in length and have assessed the benefits to each separate tract of land and Township for public highways and have fixed the beginning and terminus and have located the line of said drain so as to secure the best results and cause the least possible injury to the lands affected.</p> <p>The description of the location being as follows: Beginning 80 rods east and 36 1/2 rods north of the southwest corner of the northwest quarter of section 24, Township 18 north, range 5 east, in Hamilton County, Indiana, run thence North 83° West, 235 feet, thence south 35° west 65 feet, thence south 23 1/2° west 105 feet, thence south 3° west 180 feet, thence south 38° west 100 feet, thence south 73° west 100 feet, thence south 89° west 208 feet, thence north 58° west 300 feet, thence south 63 1/2° west 55 feet, thence south 36 1/2° west 300 feet, thence south 11° west 200 feet, thence south 32 1/2° west 50 feet, thence south 59° west 55 feet, thence south 83 1/2° west 250 feet, thence north 88 1/2° west 35 feet, thence north 83° west 25 feet and terminating in what is known as the A. F. Kinnaman Ditch, at or near a point 5 rods south and 10 rods west of the southwest corner of the northwest quarter of said section 24 Township 18 north, range 5 east,</p>							

ORIGINAL SPECIFICATIONS

DESCRIPTION OF THE MANNER IN WHICH THE WORK SHALL BE DONE

Width at Top	Depth of Cut	Width at Bottom
--------------	--------------	-----------------

Tile.

All tile used in the construction of this drain to first class in every respect and subject to the inspection of the superintendent in charge of the work.

Laying tile, Filling Ditch, Grubbing, Deadening etc. After the trench has been dug to the proper grade ~~and~~ the tile shall be laid in the trench at the correct grade as shown on profile in a true line with the joints well matched and left uncovered until inspected and accepted by the superintendent in charge of the work, after which they shall be covered with earth to a depth of the trench by the rounding up over the line of said drain until all the earth excavated has been used.

All trees and bushes along the ditch shall be deadened back a distance of 25 feet on each side of the ditch.

Grade.

The fall of the established grade is as follows
From station 8 to station 9 is $\frac{1}{100}$ feet to each 100 feet.

"	"	9	"	"	12	"	70/100	"	"	"	100	"
"	"	12	"	"	18	"	15/100	"	"	"	100	"
"	"	18	"	"	21+60	"	10/100	"	"	"	100	"

Estimated Costs

695 Cubic Yards of excavation and fill	\$ 132.00
2160 feet of ten inch tile, laid in ditch	\$ 157.00
Total	\$ 289.00.

J. S. Shannon Surveying, Viewing and making report including self help and expenses ————— \$ 15.00

J. A. Mitchell Attorney fee ————— \$ 15.00

Estimated cost of receiving and collecting ————— \$ 20.00

Estimated cost of Legal Printing, Recording, etc. ————— \$ 18.00

Total estimated cost ————— **\$ 357.00**

Over.