



Kenton C. Ward, CFM Surveyor of Hamilton County Phone (317) 776-8495 Fax (317) 776-9628

Suite 188 One Hamilton County Square Noblesville, Indiana 46060-2230

December 15, 2007

To: Hamilton County Drainage Board

RE: George Burke Drain

SR 238, INDOT Road project STP-3229(005)

Attached is a petition and plans for the proposed reconstruction of the George Burke Drain. The reconstruction is being proposed by the Indiana Department of Transportation. The proposal is to reconstruct the George Burke drain under State Road 238.

The reconstruction of the George Burke drain shall consist of the removal of 135' of 15" RCP-tile within the existing Right of way for SR 238. The new drain will consist of 135' of 15" RCP. This will occur between Sta. 104+92 and Sta. 106+27 of the original viewers report dated August 29, 1891; (Commissioner's Record 10, pages 234 to 237). This Sta. 106+27 is the ending station for the reconstruction done by Pulte Homes per my report dated February 9th, 2005 and approved by the Board on February 14th, 2005; (Drainage Board Book 8, page 179). This is reflected on plan sheet 23, prepared by USI Consulting, Inc., dated December 20, 2006.

No additional new footage will be added to the George Burke drain, as the drain is being reconstructed in place.

The cost of the replacement is to be paid for by the Indiana Department of Transportation and is within the boundaries of the State Right of Way, who petitioned for the reconstruction. The project falls under the requirements as set out in IC 36-9-27-52.5, therefore, a hearing is not required for the petition.

The petitioner was not required to provide a performance bond since this is an Indiana Department of Transportation project. There is no new easement required for this drain as it is being reconstructed in existing easement and right of way.

I recommend approval by the Board at this time.

Sincerely,

Kenton C. Ward, CFM

Hamilton County Surveyor

KCW/mlg

Gasb 34 Asset Price & Drain Length Log

Drain-Improvement: Mud Creek - Sand Creek Drain: SR 238 Reconstruction of the George Burk Drain

					If App	licable	
Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	Price:	Cost:	
RCP	15	114	114	0	\$9.50lf	\$1,083.00	
			-			:	
	Sum:	114	114	0		\$1,083.00	
Final Report: n/a							
Comments:							


HAMILTON COUNTY DRAINAGE BOARD NOBLESVILLE, INDIANA

IN RE: George Burk SR238 Crossing-Tile Replacement
Hamilton County, Indiana

PETITION FOR RELOCATION AND RECONSTRUCTION

	Indiana Department of Transportation (hereinafter Petitioner"),
hereby	petitions the Hamilton County Drainage Board for authority to relocate and improve a
section	n of the Drain, and in support of
said p	etition advises the Board that:
1.	Petitioner owns real estate through which a portion of the George Burk Regulated
	Drain runs.
2.	Petitioner plans to develop its real estate with roads, buildings, utilities, storm drains,
	sanitary sewers and other structures.
3.	Petitioner's proposed development of its real estate will require relocation and
	reconstruction of a portion of the George Burk Regulated Drain, as
	specifically shown on engineering plans and specifications filed with the Hamilton
	County Surveyor.
4.	The work necessary for the proposed relocation and reconstruction will be undertaken at
	the sole expense of the Petitioner and such work will result in substantial improvement to
	the George Burk Regulated Drain, without cost to other property owners
	on the watershed of the George Burk Regulated Drain.
5.	Proposed relocation and reconstruction will not adversely affect other land owners within
	the drainage shed.
6.	Petitioner requests approval of the proposed relocation and reconstruction under
	IC 36-9-27-52.5.
V	WHEREFORE, Petitioner requests that an Order issued from the Hamilton County
Draina	ge Board authorizing relocation and reconstruction of the George Burk Regulated
Drain,	in conformance with applicable law and plans and specifications on file with the Hamilton
County	Surveyor,
	Signed Richard L. Phillabaum
	Richard L: Phillabaum Printed

Adobe PDF Filiable Form



Surveyor of Hamilton County Thone (317) 776-8495 Fax (317) 776-9628

One Hamilton County Square Noblesville, Indiana 46060-2230

To: Hamilton County Drainage Board

February 5, 2003

Re: Mud Creek-Sand Creek: SR 238 Reconstruction of the George Burk

Attached are plans and other information for SR 238 Reconstruction of the George Burk. An inspection of the drainage facilities for this section has been made and the facilities were found to be complete and acceptable.

During construction, changes were made to the drain, which will alter the plans submitted with my report for this drain-dated December 15, 2007. The report was approved by the Board at the hearing held February 11, 2008. (See Drainage Board Minutes Book 11, Page 41) The changes are as follows:

The existing 15" tile was replaced with 15" RCP between Sta. 105+24 to Sta. 106+38. The length of the drain due to the changes described above is now 114 feet. This project did not add any additional length to the overall length of the watershed.


A non-enforcement was not required for this project as all work was done in existing right of way and drainage easement. Sureties were not required as this project was constructed and paid for by the State of Indiana.


I recommend the Board approve the drain's construction as complete and acceptable.

Sincerely,


Kenton C. Ward, CFM Hamilton/County Surveyor

KCW/slm





	LOCATION	symmetris, attento, a ministro madalaminina seperata, a ci sentra se manta dell'assistativa productiva dell'as		Print de Marce de California de Caractería de Caractería de California de Caractería d					na na taona na manda da Maria da Anta da Maria 	RUC	TURE	DAIF	A TABL			gen 1964 - Gan Vingel Springen 27 / 10 aman management disantentalism		dimenti gilandi propinsi di sebagai di sere superi dipenti di disensi di seperi se sedimin di sebagai Mangani serengan serengan serengan sebagai sebagai sebagai sebagai sebagai sebagai sebagai sebagai sebagai seb	hadayingan kalapat kalaban kal	grade of the entire April Association Material In the contradiction	s on orange design enteres see distribution of the contract to	ne Anglindeskaldende i educade etkilor (je t. v tanksimise etkilor S	
NUMBER	STATION	EFT IGHT	SIZE	E TYPE	MANHOLE, INLET, CATCH BASIN, OR SPECIALTY STRUCTURE	LENGTH	SKEW	(i) UP	DOWN DOWN STREAM	SERVICE	SITE SIGNATION	Ha	BACKFILL METHOD	STRUCTURAL BACKFILL	REVETMENT RIPRAP	CONCRETE, ASS A, FOR TRUCTURES	SECTION		GRATED BOX END SECTION	ME E	FETY ETAL IND CTION	ONNECT TO STR. NO.	REMARKS
7			mm		SINUCIUNE	m		ELEV.	ELEV.	YR	DES		9 A	m^3	Ma	m ₃	EA.	TYPE	SLOPE E	The state of the s	n was a soon to come to so a grown province and an activity to the second	00 00	
1 1	LINE "A"			***************************************	Drive Pipe				255.65					des facilités de conseille en maier seu continue que rédenforme accesses des tournes accesses	IMG		EA.	1176	SLOPE E	A. SLOFE	E EA.		
12	1+067.0 1+072.0		375 460 X 760	3	Pipe	12	0.3	en seere le l'about dir et sous un se éranée du light commantes districted and districte se prédentation na ma Le commandée de la commandée d	255.85	50 50		7		1.3	i North North Committee Co	ar tas and A. Tallia a chalat I. Notacia intermet il Manadanica il			Commission of the Commission o	To the state of th	order-to-to-to-to-to-to-to-to-to-to-to-to-to-		
12	1+142.0		THE CONTRACTOR OF THE CONTRACT	1	Concrete Box Culvert	100	0.0	reducer de la maridia de la composition de la composition de la composition de la composition de la compositio La composition de la	255.41	50	Control November 1981 - Salar management of the control		4	0.4	1991 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		A STATE OF THE STA		ent Lindolphi (100 ph) seanna (100 ph) ent (Extend Existing Pipe 3 m
13A	1+148.2 1+540.0		The contract of the contract o		Pipe 108.248	18.8 33.0 45.0		The state of the s	249.62	50		7		29.4 30.2 5.0			1		1 100 100 100 100 100 100 100 100 100 1			15	Replace Existing 8" Tile w/12" RCP within R/W Limits (Su Ja
15	1+585.0		end of confidence is a facility of the first of the confidence of	2	Pipe Pipe Pipe Pipe Pipe	and make the common to recover the control of the c		Mara Shirar na Siria Matematem Berra Anne Mare Mare Mara mana Maranashar na dada an an an mara Mara Na Na Demandra Mara Mara Mara Mara na demana na dalah Anda melan Mara Mara Na Bersana na Angara Mara Na M	and the control of th	Market Market Commercial	To the second se	7										13.	
15A	1+863.2	etan kanta, in la sakaran kalandar kanta da kanta anta anta anta anta anta anta an	375 375 375	4	Pipe Catch Basin Pipe 기가 용약3 Pipe Catch Basin	36.0 41.1	0 1	2 818.96	249.34 818,0\ 252.08	50 50	All and a second		4	4.0 43.2		and the theory than a late who we have							Replace Existing 15" Tile w/15" RCP within R/W Limits
15A 16	1+949.2		NAME OF COMMENT ASSOCIATION OF COMMENT OF CO			29.5	1.0		the contract of the contract o				2	3.2	**************************************								
10	2+021.0		375		Pipe Catch Basin	71.5	O		252.95	50		/		7.9	a - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		anne a chair an an ann an ann an ann an an an an an					16	S. The second of
10	2+044.0	The second of th	3/3		Pipe	22.0	0	**************************************				/	2	2.4			1					1/	
19A	2+072.0 2+077.4		375 375	2 2	Inlet Type E-7" Pipe	69.0 9.5	2	3 254.39 3 255.88 3 256.61	254.09 254.70 254.39	50 50 50	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7 7	2 2	7.6 1.0			1 1		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			19	
20	2+145.0	e Baddina sasanian arabida da mara a sa	375	2	Pipe Catch Basin	74.0						7	2	8.1		The state of the s			a di ana matanatani m			19	
21	2+224.0		375		Pipe Catch Basin	79.0		3 256.74	mental at a many department of the control of the c	50		7	2	8.7	1000 Table 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				THE PERSON NAMED IN COLUMN TAXABLE IN COLUMN TAX			20	
22	2+276.0	entromente i minore de l'entre en mezer i en sonité (m. 1988). Se suite de l'entre en l'entre en l'entre en l' L'entre entre de l'entre en l'entre en l'entre en l'entre en l'entre entre en l'entre entre en l'entre en l'en	375	<u>2</u>	Pipe Catch Basin	52.0	1., www.equantumangus.com/perspectars.com/pers	3 256.90		50		7	1	5.7	AN TO BE SEED OF THE SEED OF T		k and side over the said of the control of anticles on the	The state of the s	r dolar a Survey Marie Marie (1917)		AND THE CONTRACT OF THE CONTRA	21	
23	2+298.2	entrar organisticate description of the state of the stat	375	3	Drive Pipe	15.5		6 257.49	THE CONTRACTOR STATE AND A SECURITION OF THE CONTRACTOR AND ASSESSMENT OF THE CONTRACTOR ASSESSMENT OF T	50)	7.	2	1.7	terrational receives a second of the second		2	1	eranger er e i garen ga				
24	2+354.8		375	2	Pipe Catch Basin	78.5	1.	6 257.13	256.90	50)	7	2	8.6	11 A 11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			The control of the co			22	
25	2+400.0	· · · · · · · · · · · · · · · · · · ·	375	2	Pipe	45.5	en meneral en signe (a. 1. %), in vige regions per la militar in properties de la militar in properties de la m I	5 257.27	257.13	50) N	7	2	5.0			1		Control of Martin Martin			24	
26	2+410.0		375	2	Pipe Catch Basin	50.0	0.	7 257.86	257.65	50) / N	7	2	5.5	and the second s		1	27 A. A. S.					
27	2+440.0		375	2	Pipe	31.0		0 257.89	257.86	50)	7	2	5.4			1				. The state of the	26	
28	2+498.6		375	3 	Onlive Pipe The second of the	22.3	an eritardos estambas de estam en estambas partinadas de estambas de estambas de estambas de estambas de estam La tancia de estambas de e	1 257.60	257.53	50)	7	2	2.5	and many angularity sources in which in the con-		2						
29	2+584.5 	et er eigen er tre trein fram de er en er	375	et tradit tenti det 1963 - sad man viranera i nicia a sistema cipa i I tenti i nicia materia i i inci a consiste i inci a ci i indica e sistema cipa i inci	6. 1983 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 1984 - 19 Pipe	30.5		5 258.36	258.27	50	2	7	1	64.**7	eriner et ekkelen jalek kepe komin kelek epi et temberekse, jak kelem Kalad komin Sakuluk asak kelemak kelek kelek kelek esik esik ekkelek elementakse, jak kelementakse, jak keleme			er av Arabas (1985) kaja kaja proportorina proportorina Arabas (1985) kaja kaja kaja (1985) kaja kaja proportorina Arabas (1985) kaja kaja kaja kaja kaja kaja kaja kaj					
30	2+886.1		375	3 3 - 100 -	Drive Pipe Superior of the series of the superior series of the superior of the superior of the superior of the series of the superior of the	13.0	grown as grandeniustrates to destructive to the state of	0 258.17	258.13	50) N	7.	2	1.2	a to a support supply, you and the art a supply of the sup			and the file for the state of t	The transport of the second of the transport of the trans	and the second s	A 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The street of the second secon	
31	2+894.3		375	3	Drive Pipe	13.0		6 258.38	258.35	50)	7	2	1.4	TO THE BOOK OF THE STATE OF THE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	ender an activity which are a particular apparatus for	A SECTION OF THE PROPERTY OF T			32	
32	2+902.0	The second section of the section of the second section of the section of the second section of the sect	3.75	2	Pipe Catch Basin	17.7 10.00 mm mm mm mm m m m m m m m m m m m m	n and a second s	3 258.38	258.29	50)	7	2	1.9	A CONTRACT MATTER A CONTRACT OF A CONTRACT O		1					33	
33	2+920.0		375 		Pipe Catch Basin	60.0	escalario charica e sprimerio de canada de canada de canada con cara cara en cara cara cara cara canada de can Or Canada cara de cara de cara de cara de cara canada de canada de canada de canada de canada de cara canada de car	10 1300 10 13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	257.81 2014 - 100	50)	7.0	2	6.6			2		The state of the s				
34	3+020.5		375	3	Drive Pipe	10.0	O.	6 257.46	257.36	50)	7	2	1.1			2						
35	3+245.4		375	3	Drive Pipe	9.0		4 254.91	254.82	50) . N	7	2	1.0	e og som kar i gregger erste til ette erste e		2	an garan sakanangan dari mendelengan kerangan dari sakan dari kenangan dari sakan dari sebesah dari sebesah da Bangan sakan s	Commence of the Section of Association of the Section of the Secti				
36	3+273.5		375	3	Drive Pipe	10.0	anners and a second production of months and productions and second of the second of t	6 254.95	254.91	50) N	7	2	1.1			2	Para Carama makama da para para baharan bahar	And the second of the second o				
37	3+410.0		375	2	Pipe	32.2		1 253.46	253.21	50		7	2	3.5	S. P. Saraka Raja (1,50) is a wood (1,6) is a		1					38	
38	3+440.0		375	2	Pipe Catch Basin	40.2	0.	6 253.21	252.88	50)		2	4.4			1						
39	3+456.7		375	1	Pipe	25.0	2000 - 100 a 2 a 100 a 1	0 253.20	252.97	50) N	7	1	24.9		parage,	2						
40	3+500.3		375	3	Drive Pipe	8.0	<i>O</i> .	5 252.71	252.64	50		7	2	0.9		han we were	2	-				-	
41	3+580.0		375		Pipe	40.0	1.	5 253.46	253.03	50)	7	2	4.4		A Parliage	1	The second secon	A STATE CONTRACTOR OF THE STAT		A # 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	42	
42	3+620.0	-	375	2	Pipe Catch Basin	80.0	Total Control of the	5 253.03	e de la companya de l	50) N	7	2	8.8			1		Annual Control of the				
43	<i>3+775.6</i>	•	375	3	Drive Pipe	13.0	1.	3 247.83	enter e e e e e e entre en la companie de la compa	tan anat a nagtaga a sa sta ta ta gan a ga ga a ga a ga	4.5 401.00	7	2	1.4		127 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2						
44	3+838.2	27/10 to 10	375	3	Drive Pipe	18.0		er er en er en	- State Charles and Principle 18 State 1800 S			7	2	2.0	The state of the s	The state of the s	2	The second St. C. S.			Manager Committee (1995)	1	
45	3+842.3		375	1	Pipe	23.5	the season and regular artists and pure flag of the season processing and the season processing	0 249.54	248.54			7		15.3		The state of the s	2	at mile a transition and another a state a sec-	American Administration of the second of the				
46	3+975.0		375	3	Drive Pipe	21.0		6 253.87			- Application of the Control of the		2	2.3			2						
47	3+980.0		375	2	Pipe	120.0		5 243.84						13.2	And the second s		2		The second section of the second section secti				
48	4+140.0		375	3	Drive Pipe	22.5	energian de la compania de la compa	8 253.79	253.72			7	2	2.5			7						
49	4+196.0			1	Concrete Box Culvert	31.0	0.	render bed and and an anomalie property of the state of t	th Carl Street Victoria and Carlos Street	PT 1555 PROBLEMAN TO STATE OF THE STATE OF T		7	1	48.5	- , , , , , , , , , , , , , , , , , , ,			1997)				1	
		Street (E. No.) - All seminor along the fire position of the contract of the	3000 X 7000		CONCINCE DUX CUIVE!	01.0	V.	202.00	202.00	30	/\			40.3		The second secon		to the section of the	n kana asa kana ana kana ana ana ana ana ana ana			professional and the second second second	



	CERTIFIED BY: 2 R, W	12-20-06 DATE	I
11111	DESIGNED: GRW	DRAWN: CNC	
	CHECKED: DPF	CHECKED: GRW	

TATTATA	HORIZONTAL SCALE	BRIC	BRIDGE FI		
INDIANA	N/A				
DEPARTMENT OF TRANSPORTATION	VERTICAL SCALE	DES	DESIGNATI		
DEI MUMERITO DI TIVATION	N/A	97	9706600		
STATE ROAD 238	SURVEY BOOK				
STATE RUAD 230		81	of		
STRUCTURE DATA TABLE	CONTRACT	PF	PROJECT		
	0.00070	CTO :			

This copy is from the Digital Archive of the Hamilton County Surveyor's Office; Noblesville, In 46060