
Drain: SARINGMILL STREAMS ORAIN	_ Drain #:_ <u>/3</u> 9
Improvement/Arm: SPRINGMUL STREAMS	-SECTION 3
Operator: Joh	Date: 7-16-04
Drain Classification: Urban/Rural	Year Installed: 1984

# **GIS Drain Input Checklist**

•	Pull Source Documents for Scanning	- All
•	Digitize & Attribute Tile Drains	NLA
•	Digitize & Attribute Storm Drains	Jø
•	Digitize & Attribute SSD	924
•	Digitize & Attribute Open Ditch	gm
•	Stamp Plans	<del>9</del> 10
•	Sum drain lengths & Validate	92
٠	Enter Improvements into Posse	A.M
•	Enter Drain Age into Posse	·
٠	Sum drain length for Watershed in Posse	
•	Check Database entries for errors	gn
		v



Noblesville. Ind. 46060 July 9. 108\_4

TO: Hamilton County Drainage Board

RE: Spring Mill Streams Drain Sections 2 and 3

Attached is a petition, plans and assessment rol for the drains in Spring Mill Streams Section 2 and 3. The o drainage systems will become part of the Springmill Streams Drain. I have reviewed the petition and have found it to meet requirements set out in the statutes.

I have personally reviewed the plans and inspected the site and believe that the proposed drain is practicable, will improve the public health, benefit a public highway, be of public utility and that the costs, damages and expenses of the proposed drain will probably be less than the benefits accuring to the owners of land likely to be benefited.

Attached is an assessment roll for these sections of drain. I have considered the benefits to each tract in compling the assessment roll. In doing so I believe that each tract has equal benefit on the drain. With a \$20.00 per lot assessment and \$2.00 acre on the roads, the total yearly assessment will be \$452.00.

#### 109771

The drain for section 2 will consist of <u>1079</u> feet of 6", 12" and 15" tile. Along with this approximately 350 feet of open ditch. The drain for section 3 will will consist of 709 feet of 6",15" and 18" and open swale along with 1298.51 feet of open ditch. The 350 feet <del>of tile</del> and the 1298.51 feet of open ditch will be part of extensions for the J.R. Collins Drain and Stultz and Almond Drain in the future. However, at this time these portions of the open ditch will be part of the Springmill Streams Drain.

Also 1610 feet of tile and 715.98 feet of open ditch should be included as fut This converting from the Digital Archi coffer Hamilton Converts Structure and First and Converts and Converts and First and Con which were included in Section 1. As stated above these portions will be included as Springmill Streams Drain at this time.

The total footage to be added will be 5762.49 feet.

A hearing for this drain should be set for 9:35am on August 13, 1984.

Sincerely,

ward-County Surveyor

Kenton C.

KCW/no

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

Approved by Attorney General and State Board of Accounts	<b>27</b>	BOOK8	PAGE 246
CONTRACTOR'S BO	ND FOR CO	NSTRUCTION	#97 59 303
KNOW ALL MEN BY THESE PRESENTS,	That Central En	gineering & Cor	nstruction Corp.
ofIndianapolis, Indiana	·		as principal and
Fidelity and Deposit Company	of Maryland,		
as surety, are firmly bound unto	ounty Board of	Commissioners	· · · · · · · · · · · · · · · · · · ·
Nine Thousand One Hundred & no/100 -			•
for the payment of which, well and truly to be made	e, we bind ourselves	, jointly and several	lly, and our joint and
several heirs, executors, administrators and assigns, f February 10.84.	This Instru Mary L. C	iment Recorded <u>M</u> lark, Recorder, Harn	ilton County, Ind.
THE CONDITIONS OF THE ABOVE OBLIC . Hamilton County Board of (	Commissioners	CH, That, Whereas	
has entered into a certain written contract dated			
with the principal as named herein for the erection,	construction and cc	mpletion of Stor	m Sewers in
Springmill Streams - Section	III		situated in
Hamilton County		ndiana, in accordance	e with the plans and
specifications approved and adopted by said. Hami	lton County Boa	ard of Commissi	
V	_		
NOW THEREFORE, if the saidCentral-E			
	shall well a	nd faithfully do and	perform the same in
all respects according to the plans and specifications			
Commissioners	···· ··· ··· ··· ··· ··· ···		and according to the
time, terms and conditions specified in said contract	t and in accordance	with all requireme	nts of law, and shall
promptly pay all debts incurred by him or any subcor	ntractor in the prose	cution of said work,	including labor, serv-
ice and materials furnished, then this obligation shall	l be void; otherwise	to remain in full for	ce, virtue and effect.
IN WITNESS WHEREOF, we hereunto set ou	r hands and seals th	nis 21st	ţ
day ofFebruary		4	
and the state of the	^	EERING & CONSTR	RUCTION CORP.
	BY: Ll.	Che How	(Seal)
	FIDELITY AND	DEPOSIT COMPANY	OF MARY AND Seal
	By: William E. Fr	ick, Jr.	ttorney in-fact
Approved this	narch		84 1
	Pl.	7 2/ 1	
国語る「虹源所	S-hul	Anderson On A	
	Here T	Soullelong -	>
	0 George	7 Stines	
Aitest: Darbara A pringer	· · · · · · · · · · · · · · · · · · ·	<u>сс</u>	or Board.
1 a the Charles and	Section 5-16-5-2 [53		or board.

ł

## Power of Attorney BOOK 8 PAGE 247 FIDELITY AND DEPOSIT COMPANY OF MARYLAND

HOME OFFICE BALTIMORE, MD.

KNOW ALL MEN BY THESE PRESENTS: That the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, a corporation of the State of Maryland, by C. M. PECOT, JR. , Vice-President, and C. W. ROBBINS Assistant Secretary, in pursuance of authority granted by Article VI, Section 2, of the By-Laws of said Company, which reads as follows:

SEC. 2. The President, or any Executive Vice-President, or any of the Senior Vice-Presidents or Vice-Presidents specially authorized so to do by the Board of Directors or by the Executive Committee, shall have power, by and with the concurrence of the Secre-tary or any one of the Assistant Secretaries, to appoint Resident Vice-Presidents, Assistant Vice-Presidents and Attorneys-in-Fact as the business of the Company may require, or to authorize any person or persons to execute on behalf of the Company any bodies, undertakings, recognizances, stipulations, policies, contracts, agreements, deeds, and releases and assignments of judgments, decrees, mortgages and instruments in the nature of mortgages, and also all other instruments and documents which the business of the Company may require, and to affix the seal of the Company thereto.

does hereby nominate, constitute and appoint Jan L. Jacobs, William E. Frick. Jr. and Steven E. Wolf, all of Indianapolis, Indiana, EACH.....

its true and lawful agent and Attorney-in-Fact, to make, execute, seal and deliver, for, and on its behalf as surety, and as its act and deed: any and all bonds and undertakings.....

And the execution of such bonds or undertakings in pursuance of these presents, shall be as binding upon said Company, as fully and amply, to all intents and purposes, as if they had been duly executed and acknowledged by the regularly elected officers of the Company at its office in Baltimore, Md., in their own proper persons. This power of attorney revokes that issued on behalf of Jan L. Jacobs, etal, dated. February 14, 1977.

This Instrument Recorded March 19 1984

FIDELITY AND DEPOSIT COMPANY OF MARYLAND

Mary L. Clark, Recorder, Hamilton County, Ind.

The said Assistant Secretary does hereby certify that the aforegoing is a true copy of Article VI, Section 2, of the By-Laws of said Company, and is now in force.

IN WITNESS WHEREOF, the said Vice-President and Assistant Secretary have hereunto subscribed their names and affixed the Corporate Seal of the said FIDELITY AND DEPOSIT COMPANY OF MARYLAND, this 

CW Robbins Assistant Secretary

Vice-President

STATE OF MARYLAND <u>ໂ</u>ຣຣ: CITY OF BALTIMORE

ATTEST:

On this 26th day of April , A.D. 19 82., before the subscriber, a Notary Public of the State of Maryland, in and for the City of Baltimore, duly commissioned and qualified, came the above-named Vice-President and Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARVLAND, to me personally known to be the individuals and officers described in and who executed the preceding instrument, and they each acknowledged the execution of the same, and being by me duly sworn, according to the the they are the origination of the same, and being by me duly sworn. severally and each for himself deposeth and saith, that they are the said officers of the Company aforesaid, and that the seal affixed to the preceding instrument is the Corporate Seal of said Company, and that the said Corporate Seal and their signatures as such officers were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the City of Baltimore, the day and year first above written.

Notary Public Commission Expires July 1, 1982.

#### CERTIFICATE

I, the undersigned, Assistant Secretary of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, do hereby certify that the original Power of Attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the Vice-President who executed the said Power of Attorney was one of the additional Vice-Presidents specially authorized by the Board of Directors to appoint any Attorney-in-Fact as provided in Article VI, Section 2 of the By-Laws of the Fidelity and Deposit Company of Maryland.

This Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Director of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at a meeting duly called and held on the 16th day of July, 1969. RESOLVED: "That the facsimile or mechanically reproduced signature of any Assistant Secretary of the Company, whather made heretofore or hereafter, wherever appearing upon a certified copy of any power of attorney issued by the Company, shall be valid and binding upon the Company with the same force and effect as though manually affixed."

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the said company 21st day of February 19 84 LIA This copy Ordented from the Digital Archive of the Hamilton County Surveyor's Office, One amilton Co. Square, Str. 188, Noblessille In 46060

## FOR YOUR PROTECTION LOOK FOR THE F&D WATERMARK

#### CERTIFICATE OF COMPLETION AND COMPLIANCE

TO: COUNTY SURVEYOR'S OFFICE, HAMILTON COUNTY ATTN: Mr. Kenton Ward FROM: Paul I. Cripe, Inc., Engineers

SUBJECT: Springmill Streams Subdivision - Section Three

### I hereby certify that

- 1) I am familiar with the plans and specifications for the above referenced project,
- 2) I have personally observed the completion of the above referenced project, and
- 3) To the best of my knowledge, information and belief, the above referenced project has been performed and completed in conformity with all plans and specifications, xexxxxxxxxxxxx

Signature Date November 19, 1984 Type or Printed Name Joseph A. Sharp 7172 Graham Road **Business Address** Indianapolis, IN 46250 Telephone (317) 842-6777

.

Indiana Registration Number



15179

ADM:t1 1/13/84

Seal

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060



Kenton C. Ward, CFM Surveyor of Hamilton County Phone (317) 776-8495 Fax (317) 776-9628

Suite 188 One Hamilton County Square Noblesville, Indiana 46060-2230

#### To: Hamilton County Drainage Board

December 19, 2008

Re: Springmill Streams Sec. 2 & 3– Revised Final Report

On March 7, 1985, I made a final inspection on Springmill Streams, Section 2 & 3. At this time I found the work to be complete and acceptable. Joseph Sharp of Paul I Cripe engineering, has submitted a Engineers Certificated of Completion for both sections.

The controversy surrounding these two sections has been resolved to my satisfaction between a letter from Mr. Sharp dated February 12, 1985 and a meeting I had with Mr. Sharp and Al Oak. The subdurface drains were removed from the plans prior tothe contractor receiving the plans after the County Sanitarian and a member of the staff at Paul I. Cripe met to discuss the project. This meeting was held after the Board approved the original drainage plans. Along with this is the fact that the plans were originally approved in late 1983, early 1984. This predated the requirement which went into effect in April 1984. When the drain was petitioned for regulated drain in July 1984, these items were not rechecked. Therefore, because of the communication problems between agencies, Cripe's staff and the time lag, the situation occured. I believe these problems have now been addressed.

The following will review the corrections to the problems which arose. In Section 3, the development plan did not print clearly. The open ditch was not shown as being near Lots 52 and 53. In reality, the ditch runs along the South line of both lots. I feel that the easement question was covered above and in Mr. Sharp's letter of 12 February 1985. The 4" SSD for Lot 38, althought not the minimum, now required did at the time of original approval meet requirements. This drain will be intercepted and continued on in a 6" SSD when Mr. Sweet develops the ground East of Lot 39.

The removal of the SSD for Lots 39,40,41,42,43,44,45 and 46 I feel is explained both above and in the February 12th letter of Mr. Sharp.

Because of the revisions the length of the drain has changed. Below are the new lengths:

Section 2	
4" Subsurface Drain	300ft
6" Subsurface Drain	503ft
12" RCP	45ft
15" RCP	314ft
Open Ditch	350ft
Section 3	
6" Subsurface Drain	294ft
15" RCP	26ft
18" RCP	288ft
Open Swale	95ft
Open Ditch	1618.51ft

The total revison length for both sections will be 3833.51 feet. Note should be made that the Stultz & Almond Drain will now terminate at the Southeast corner of Section 3, Lot 53.

It has been recently discovered that the above mentioned footages should be revised. Upon review of the initial reports and as-built documents, the footages for Section 2 should be as follows: 4" SSD – 300 ft, 6" SSD – 438 ft, 12" RCP – 45 ft, 15" RCP – 314', Open Ditch – 1960 ft. The open ditch begins at the north line of lot 16 of Springmill Ridge Section 1 and runs to the south line of lot 40 of Springmill Streams Section 2. Also included in the open ditch footage is the open ditch from the end of Structure 463 of Springmill Streams Section 1 to its confluence with the main open ditch outlined above. Therefore, the total length of drain for Springmill Section 2 is now <u>3,057</u> <u>feet</u>.

Upon review of the initial reports and as-built documents, the footages for Section 3 should be as follows: 6" SSD – 319 ft, 15" RCP – 26 ft, Open Ditch – 2014.49 ft. The open ditch begins just north line of lot 19 of Springmill Streams Section 1 (which is Sta. 102+75 of the Stultz and Almond Drain) and runs to the Southwest corner of lot 53 of Springmill Streams Section 3. Therefore, the total length of drain for Springmill Section 2 is now **2,742.49 feet**.

This report is a revision to my original final report dated March 8, 1985. I recommend the Board approve the drain's construction as complete and acceptable.

Sincerely/ <u>Math</u> L. huf Kenton C. Ward, CFM Hamilton County Surveyor

KCW/slm



TO: Hamilton County Drainage Board

RE: Springmill Streams, Section 2 & 3

On March 7, 1985, I made a final inspection on Springmill Streams, Section 2 & 3. At this time I found the work to be complete and acceptable. Joseph Sharp of Paul I Cripe engineering, has submitted a Engineers Certificated of Completion for both sections.

The controversy surrounding these two sections has been resolved to my satisfaction between a letter from Mr. Sharp dated February 12, 1985 and a meeting I had with Mr. Sharp and Al Oak. The subdurface drains were removed from the plans prior tothe contractor receiving the plans after the County Sanitarian and a member of the staff at Paul I. Cripe met to discuss the project. This meeting was held after the Board approved the original drainage plans. Along with this is the fact that the plans were originally approved in late 1983, early 1984. This predated the requirement which went into effect in April 1984. When the drain was petitioned for regulated drain in July 1984, these items were not rechecked. Therefore, because of the communication problems between agencies, Cripe's staff and the time lag, the situation occured. I believe these problems have now been addressed.

The following will review the corrections to the problems which arose. In Section 3, the development plan did not print clearly. The open ditch was not shown as being near Lots 52 and 53. In reality, the ditch runs along the South line of both lots.

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

I feel that the easement question was covered above and in Mr. Sharp's letter of 12 February 1985. The 4" SSD for Lot 38, although not the minimum, now required did at the time of original approval meet requirements. This drain will be intercepted and continued on in a 6" SSD when Mr. Sweet develops the ground East of Lot 39.

The removal of the SSD for Lots 39,40,41,42,43,44,45 and 46 I feel is explained both above and in the February 12th letter of Mr. Sharp.

Because of the revisions the length of the drain has changed. Below are the new lengths:

Section 2

	Section 2	
4" Subsurface Drain	300.ft	
6" Subsurface Drain	503ft	
12" RCP	45.£t	
15" RCP	314.ft	
Open Ditch	350ft	
	Section 3	e.
6" Subsurface Drain	294ft	
15" RCP	26ft	
18" RCP	288ft	
Open Swale	95ft	
Open Ditch	1618.51ft	51

The total revison length for both sections will be 3833.51 feet. Note should be made that the Stultz & Almond Drain will now terminate at the Southeast corner of Section 3, Lot 53.

Also attached are the non-enforcement of easement requests for Sections 2 and 3. I recommend both requests be approved along with acceptance of the drains in both sections.

KCW/no



HAMILTON COUNTY DRAINAGE BOARD 1 penced Bllam

This copy frinted from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

	۰۰۰ میرید. 
storm sawar (monhole std	stl. and sec.

building pad limits

000.0-pod grada

n para da

52

bearings, dimensions & easements are shown for reference only and do not necessarily depict actual recorded information, see recorded plat for exact information.

CERTIFIED BY	REVISIONS	1,000
van unne v y in w v v Koope Avaar veeder p		,
		/
		l
Ruf" V ajto Sam		1
DATE		

ъ.

