Gasb 34 Footages for Historical Cost Drain Length Log

Drain-Improvement: Johnathan Stansbury

			1		1. A Maplia biose	
Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	Price:	Cost:
open	Simp	620	620		#1955 1F	#12,121=
•						
······································		·····			,,,	
· · · · · · · · · · · · · · · · · · ·						
					<u></u>	
		· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·	·				
					······································	
			·····			
	<u></u>				· · · · · · · · · · · · · · · · · · ·	
<u> </u>					· · · · · · · · · · · · · · · · · · ·	
			· · ·			
-					<u></u>	· · · · · · · · · · · · · · · · · · ·
	Sum:	420	620	<i>\$</i>		# 12, 121 ==
Final Report: <u> </u>	16					
Comments: <u> ★ Discouere</u>	from Ha	NEDEK (D. 7	2000	1 28-05	<u>C1</u> ,	
				(

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

Johnathan Stansbury Ditch Hancock County 1882 Legal Description

By a ditch commencing, 35 Rods (577.5 feet) South of the Northeast Corner of the Southwest Quarter of Section 17, T17, R6, Running thence Northwest 40 Rods (660 feet), thence North 40 Rods (660 feet), thence West 30 Rods (495 feet), thence Northwest 116 Rods (1914 feet), thence North 40 Rods (660 feet), thence West 89 Rods (1468.5 feet), thence Southwest 72 Rods (1188 feet), thence South 70 Rods (1155 feet), thence West 120 Rods (1980 feet), thence North 48 Rods (792 feet), thence Northwest 40 Rods (660 feet), thence North 24 Rods (396 feet), thence Northwest 40 Rods (660 feet), to and ending at a point 20 Rods (330 feet) and 27 Rods (445.5 feet) North of the Southwest Corner, Section 7, T17, R7 East

Said ditch at the head of the commencement shall be four feet deep, one foot wide at the bottom and nine feet wide at the top, that it shall continue to deepen and widen gradually to the lower end so as to give a uniform face throughout upon the bottom thereof of six feet per mile, at the lower end a width at the bottom of two feet, the bank to be cut smooth and with a uniform slope, and the earth to be excavated to be deposited not nearer than two feet from the top of the bank.

State of Ondiana & Haroch Guinit-Hancoust County & Court Fall Sum 1882 In the matter of the E aport of the helition for learnage y White Stan bury & Coursenssioners The undersegned countios ioners of Drainage. to whourson refored the petition of formathan Stanbury for the drainings of the focusing described real estate in Hancoch loounly State of Andiana to wit The South & ast - go of the with East quarter D. 18 9. 17. M. C. and Her South theat gr. 07 Man lock ment & 17. J. 17. 11. 6. 6 out -Respectfully report that they have inpicted, personally all the hands the cities in said petition and are other lando, liase to be affected, by the coustinations the proposed world, and are of the opinion that the proposed cleanago, will improve the public health, of the neighbor hood when said work is located, and that the same will be of public stility in the county of Huncoold, and that the same can be 2000mplished, at un expense, less than the aggregate herefits, to the lands to be affer to thereby, and ofter coursing the meansay surveys, and examinations to be made, to letermined that the mathed, of Drawing should be as follows to with. or's Office; One Har of the Hamilton County Survey

by a ditch commencing. 35 rodo south of the both Each comer, of the South meat grow. A section 17. J. 17. R. C. Running theme with nest: 40 rodo, thenew bouth to codo, thenee. West 30 rods, thener North West 116 rods thank North 40 rods then as thest 89 rods, thenes South nesh 73 rodo, there south 70 rodo, there have 120 Lodo, there forthe 4 820 do. there both Test. 40 rods, there both 2 4 rods, thenas both yest- 40 codo to and ending at a paint - 30 rods East and 27 Ends with of the South meal concer Rection 7. 9.17. R.7 East;hist- sour dittel ditch at the hours of commence a man - shall be four feel-deep, one fool wide al-the bottom and mine ful- wide at the tok. that it share poution to deepen, and waren grodually to the lower end st as to give a uniform face through out, upour the bottom theready. of six feel-per mile, at the lower and Wich at the bottom of two fut with a uniform slope, and the earth to be exception to be deposited not-measurer than two feel-from the top of the back

s copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Sec. 18

Reel -207 ANA

