

Drain: A J MYERS **Drain #:** 182
Improvement/Arm: _____
Operator: J. LIVINGSTON **Date:** 4-28-04
Drain Classification: Urban/Rural **Year Installed:** 1894

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors

[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]
[Handwritten signature]

Gasb 34 Footages for Historical Cost
Drain Length Log

Drain-Improvement: A J MYERS

Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	Price:	Cost:
TILE	10"	1500'	1500'		3.00/lf	4500.00
	12"	1800'	1800'		4.00/lf	7200.00
	15"	3450'	3450'		5.00/lf	17,250.00

Sum: 6750' 6750' \$28950.00

Final Report: _____

Comments:

No.

IN THE MATTER OF

Oct 21, Sp. Term, 1893

*Examined and approved
and directed Constructed according
to laws*

Finley Smock

REPORT OF DITCH VIEWERS

COMMISSIONERS' COURT.

*on Record page
313 - 314 Com Record
(200)*

Filed....., 18.....

Auditor.

WM. B. BURFORD, PRINTER, INDIANAPOLIS.

To the Honorable Board of Commissioners of

Hamilton

County, Indiana:

We, the undersigned, appointed by this Court, at its August Term, 1893, to view a drain described in the certified copy of a petition and order of Court for a Ditch, by A. J. Myers and others, handed us by the Auditor, would represent that according to said order we, on the day named therein, to-wit: the 23 day of Augt, 1893, in company with J. S. Cozner, a civil engineer, made an accurate survey of the line of said proposed Ditch from its source to its outlet. A plat of said Ditch is filed herewith including the survey by the engineer, marked "Exhibit B." We caused stakes to be set along said line, each one hundred feet, numbering down stream, as shown by plat. We also made a computation of the total number of cubic yards of earth to be removed from said drain, and estimated the total cost for the construction of the work at 793⁵⁰ Dollars. We also apportioned and set apart to each parcel of land a share of said work in proportion to the benefits received, all of which will fully appear by a tabular statement in this report. We have also set out by a statement below, the names of the owners of lands benefited with a description of each tract of land, and the amount assessed against each tract. The depth of cut, the width at bottom, and width at top along said drain is also shown in a tabular statement in this report. After a full and careful view and examination, we are of the opinion that the drain as located by the survey will be of Public Utility as benefit to our Public Highway and that the cost of Construction will be less than the benefits to be derived and should be located and constructed as follows to-wit:

See Page 3

The following statement shows who are benefited, the lands thereof and assessment thereon, location, length of each share, amount of assessments, amount of benefits, amount of dirt to be removed from each share, price thereof per cubic yard, and total cost of each share:

NAMES OF OWNERS.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	A-ces Assessed.	Hths Assessed.	A-ces Benefited.	Hths Benefited.	Amount of Benefits.	Amount of Asses'ments.	From Station.	To Station.	Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.
A. L. Kelus	pt SE	SE	29	18	6	20	20	71 1/2							154	
Same	pt NE	SE	29	18	6	10	10	35 00	105 00	0	970	970				88 75
A. J. Myers	pt NE	SE	29	18	6	10	10	35 00								
Same	NE	SE	29	18	6	40	40	140 00	175 00	970	395	2065				147 75
Wm E Clark	pt NW	SE	29	18	6	13	33	13 33	47							
Same	pt NW	NW	29	18	6	3	3	10 50								
"	pt NW	NW	29	18	6	13	33	13 33	47	104 50	395	470	1335			88 32
Erman Riger	2 1/2 E 1/2	SE	29	18	6	13	33	13 33	47	47 00	40	480				39 95
Anthony Riger	1/2 NW	SE	29	18	6	20	5	17 50								
Same	1/2 NW	SE	29	18	6	20	20	70 00	87 50				680			74 38
Marcellus B Walker	pt NW	NW	29	18	6	35	30	105 00	105 00				705			89 75
Mary E Walker	pt NE NW	pt SE NW	29	18	6	13	13	47	47 00				225			39 95
Albert Wheelchel	E 1/2 NW	NE	29	18	6	40	4	14	14 00				68			11 90
Geo E Wheelchel	2 1/2 NW	NE	29	18	6	40	7	24 50	24 50				125			20 83
Abel E Jarvis	E 1/2 E 1/2	NW	29	18	6	40	7	24 50	24 50				122			20 83
Amanda Jarvis	1 1/2 E 1/2	NW	29	18	6	40	9	31 50	31 50				150			26 78
Saml Moon Est	NW	NW	29	18	6	40	5	17 50	17 50				97			14 88
Mary L Kimmaman	pt NE	SE	30	18	6	32	3	10 50	10 50				68			8 92
Geo W Sylvester	pt E 1/2 NE	NE	32	18	6	20	4	14 00	14 00				90			11 90
Edw W Collins	8 h. off NW Cor	NE NE	32	18	6	8	8	28 11	28 00				280			23 80
Fall Creek off Public Hig.	North & South		29	18	6				10 00				110			8 60
A. J. Myers	pt NE	SE	29	18	6	20	7	21	21 11	0	340	340				20 00
Wm E Clark	pt NW	SE	29	18	6	13	33	6	18 00				310	28		18 00
Erman Riger	pt NW	SE	29	18	6	13	33	4	12				200	20		12 00
Anthony Riger	1 1/2 NW	NE	29	18	6	20	5	15	15 11				250	25		15 00
Albert Wheelchel	E 1/2 NW	NE	29	18	6	40	4	12	12 00				180	20		12 00

TABULAR STATEMENT OF ASSESSMENTS, BENEFITS, ETC.

TABULAR STATEMENT OF STATIONS, WIDTH, DEPTH, LENGTH, ETC

NAMES OF OWNERS.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	Acres Assessed.	H'dths Assessed.	Acres Benefited.	H'dths Benefited.	Amount of Benefits.	Amount of Assessments.	From Station. To Station.	Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.	WIDTH AT TOP.		DEPTH OF CUT.		WIDTH AT BOTTOM.		WIDTH OF CLEARING OR TIMBER.	
																FEET.	INCHES.	FEET.	TENTHS.	FEET.	INCHES.		
	Beginning 716 feet South of the North-East Corner of the South-East quarter Section Twenty-nine (29) Township Eighteen (18) N Range 6 East. Hence West 300 ft																						
	Hence South 49 1/2 West 890 ft Hence West 750 ft Hence North 200 ft																						
	" Hence - 785 " " North 500 " Hence North 18 1/2 West 500 ft																						
	Hence North 40 West 100 " " " 287 " " West 1110 ft																						
	" South 58 West 400 ft " South 85 1/2 W 200 Hence North 72 West 200 ft																						
	" North 62 West 200 ft " South 82 West 700 Hence South 590 "																						
	" South 43 West 300 ft Hence South 20 West 187 - and summation in Sharp Creek 100 ft																						
	about 20 rods South and 40 rods West of the North-East corner of the South-East quarter Section. 20 Township 18 - range 6 East																						
	Also see map on Board																						

GENERAL SPECIFICATIONS AND SUGGESTIONS.

The length of the ditch as located is

The fall of the established grade is

feet, from Station

to Station

, is

feet.

The total fall is

feet to the


20-330 S
660 W

Subscribed and sworn to before me, this

William E Craig
 Samuel Hoising
 18 day of September 1893
 A. R. Tucker Auditor Hamilton County.

Commissioners' Court.

In the Matter of Report of
 James and Myers Ditch
 Hamilton & Madison Cos



Concurred the Survey and submit their Report in the words
 and figures following to-wit
 (True Survey)

after said description the witness further say He did fix the depth
 of Cut the width at top and bottom of said ditch at each and
 every section stake and at the outlet and also at a front 50 feet blue
 stake marked by which stake was marked 67 1/2 and from which point
 said ditch is to be an open ditch to terminus a distance of One hundred and
 fifty feet. We did make an estimate of the total number of cubic
 yards of earth to be removed from each section in the construction
 thereof at the depth and width hereafter set out together with the
 cost of removing each cubic yard of earth also the cost of each
 section the depth of cut width at top and bottom at each stake
 the number of cubic yards of earth to be removed from each section
 with estimate cost of removing the same set out in the following
 Schedule,

Sta	cut	Top width	Bot width	Angle	cu yds Cut per						
0	3.50	1 1/2 ft	1 1/2 ft			20	5.25	13	13	20 3/4	12 1/2
1	4.00			11 1/2	14 1/2	21	5.00			24 3/4	
2	3.90			9 1/2		22	5.00			24 3/4	
3	3.80			9 1/2		23	4.75			21	
4	4.20			18		24	4.65			23	
5	4.25			18		25	4.75			23 1/2	
6	4.75			18		26	4.20			19 3/4	
7	4.05			17 1/2		27	3.90			19 1/2	
8	4.00			17 1/2		28	4.80			23 1/2	
9	4.20			18		29	5.70			24 1/2	
10	4.45			19		30	5.75			22 1/2	
11	4.50			19 1/2		31	5.25			17 1/2	
12	5.10			11 3/4		32	5.30			17 3/4	
13	5.55			11 3/4		33	5.60	1 1/2	1 1/2	13	
14	5.50			11 3/4		34	3.40			18 3/4	
15	5.55	1 3/4 ft	1 3/4 ft	11 3/4		35	4.45			24 3/4	
16	5.25	"	"	25 1/2		36	4.05			22 1/2	
17	5.25	"	"	26		37	4.25			23 1/2	
18	4.80	"	"	23 3/4		38	4.30			8	
19	4.55	"	"	24 1/2		39	5.00			8	

40	6.00	1 1/2 ft	1 1/2 ft	9	12 1/2	56	5.85	1 1/2 ft	1 1/2 ft	37 1/2	12 1/2
41	5.00			9		57	4.55	"	"	25	
42	4.40			10 1/2		58	4.80	"	"	26 3/4	
43	5.35			12		59	5.40	"	"	30	
44	7.35			12		60	4.60	"	"	28 1/2	
45	5.60			12 1/2		61	5.75	"	"	29	
46	3.80			23		62	5.10	"	"	28 1/2	
47	5.85			27		63	7.40	"	"	24 1/2	
48	6.05			33		64	4.10	"	"	22 3/4	
49	4.70			26		65	3.90	"	"	21 3/4	
50	3.75			20 3/4		66	3.70	"	"	20 1/2	
51	4.80			26 3/4		67	3.65	"	"	20	
52	4.05			24 1/2		67 1/2	3.35	11.05	1	10	
53	5.45			30		68	3.45	11.05	1	48	
54	4.85			27		69	.40	12.00	1	87	
55	4.35			24							

Said above named ditch is to be constructed of good tile from source or State marked 0 to State marked 67 1/2 and from thence to terminus as an open ditch the tile used in its construction must be of good quality and of the following sizes from State 0 to State 15 to be constructed of two inch tile from State 15 to State 33 to be constructed of twelve inch tile and from State 33 to State 67 1/2 to be constructed of fifteen inch tile the tile must be laid in a good workmanlike manner all the earth removed in making the excavation must be placed back on the tile but no tile should be covered until inspected and approved by the officers whose duty it shall be to inspect and approve the construction of said ditch when completed. all trees should be deadened and all underbrush should be grubbed to a distance of 15 feet on each side of said ditch.

Commissioners' Court.

				S	D	A	sq.	acres	front	width	feet	Acres	
Nelson N.S. (1/4)	SE	SE	79	18	6	30	70	65	60	0	877	877	199 3/4
Mason H.	(1/4)	NE	79	18	6	10	10	40	00				
"	"	NE	79	18	6	40	40	160	-	877	767 1/2	1869	369 1/2
Mason Elizabeth (1/4)	SW	SW	78	18	6	40	30	48	-	787 1/2	337 1/2	481	60 1/2
Class & Nola (1/4)	NE	NE	79	18	6	76 1/2	76 1/2	96	-	337 1/2	377 1/2	605	97 1/2
Reger James (1/4)	NE	NE	79	18	6	13 1/2	13 1/2	60	-	377 1/2	77 1/2	378	77
Reger Anthony	"	NE	79	18	6	40	70	100	-	477 1/2	487 1/2	585	112 1/2
Johnson Anna (1/4)	SW	SW	78	18	6	40	40	96	-	487 1/2	337 1/2	578	131 1/2
Johnson A.A. (1/4)	NE	NE	79	18	6	40	5	4	-	337 1/2	337 1/2	77	14 1/2
Bell M.F. (1/4)	E	SW	78	18	6	80	8	9	60	337 1/2	347 1/2	57	14
Jacquet E. (1/4)	"	SW	78	18	6	80	16	17	70	347 1/2	357 1/2	50	17
Walker M. (1/4)	SW	SW	79	18	6	35	35	105	-	337 1/2	407 1/2	567	159 1/2
Walker May E.	SE	SW	79	18	6	65	70	37	-	407 1/2	477 1/2	170	36 1/2
Michael Albert	SW	NE	79	18	6	40	3	3	60	477 1/2	477 1/2	70	4 1/2
Michael J.E.	SW	NE	79	18	6	40	8	19	70	477 1/2	477 1/2	98	73 1/2
Jarvis A.S.	E	SW	79	18	6	80	18	43	70	437 1/2	467 1/2	710	51
Morris David Ed	SW	SW	79	18	6	80	8	9	60	477 1/2	467 1/2	53	11 1/2
Collins Ed.	SW	NE	79	18	6	70	7	5	60	467 1/2	467 1/2	37	6 1/2
Class & Nola	SW	SW	79	18	6	3	3	4	80	467 1/2	467 1/2	77	4 1/2
Messers May E.	NE	SE	80	18	6	37	7	16	80	477 1/2		100	33
Madison Co. Highway			78	0	77								
			78	0	33	18-6		16	00	477 1/2	477 1/2	97	33
Hamilton Co. Highway			78	0	77	19-00							
			78	0	37	18-6		70	00	477 1/2	477 1/2	200	43

all the foregoing lands are situated in Madison and Hamilton Counties Indiana and all liable to be affected by or assessed for the expense of the construction of said ditch. Estimated cost of construction of ditch 955.71 Estimated sq of low grade excavation 1619 1/2 The ditch passes through the lands of.

(Hiram Smith)

to find the entire line of said ditch of public utility and and conducive to public health and will discuss and under more production a large body of land heretofore not and unproductive that it will under the land in that locality of said ditch much more valuable and that said ditch will be of great public benefit and utility

Hiram Smith
 Curtis Mallory
 Geo W. Wheeler
 Hamilton County

Alix Ross
 Geo Rodrick
 James D. Cluff
 Madison County

State of Indiana }
Hamilton County } S. S.

Comes now the undersigned jurors and by duty sworn on their oaths say that they are the identical Jurors named and appointed jurors herein and that the foregoing report is a just correct and true report of all the proceedings had and done by us in the premises and that we have done all and singular the duties devolving upon us as such jurors to the best of our ability and judgment.

Arno Sherman

Carl Mallery

Geo St. Thuler

Alex Ross

Geo Rodwell

James D Coffey

Subscribed and sworn to before me this the 9th day of
January, 1894.

J. P. Tucker, Auditor

Proof of Pub. buy filed by J. P. Tucker Pub. Ledger notice was given by publication in the ledger three weeks before the day of hearing said proof, buy in the words and figures following to wit

Arno Sherman

And the Board having seen and examined said report of Jurors and buy sufficiently advised in the premises now approve the report and direct the Auditor to have the jurors called to make their final report and to proceed to have said debts constructed as required by statute in such cases made and provided,
Witness my hand Mar. 19th 1894 at Pendleton Indiana