

Drain: EMILY VESTAL Drain #: 8495
Improvement/Arm: _____
Operator: J. LIVINGSTON Date: 7-28-04
Drain Classification: Urban/Rural Year Installed: 1881

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors

J. Livingston

J. Livingston

J. Livingston

J. Livingston

J. Livingston

**Gasb 34 Footages for Historical Cost
Drain Length Log**

Drain-Improvement: EMILY VESTAL

Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	If Applicable	
					Price:	Cost:
OPEN DITCH	—	15,400'	12,750'	-2650'	19.55/lf	249,262. ⁴⁰
ARMED- OPEN DITCH	—	2,978'	2,978'		19.55/lf	58,219. ⁹⁰
Sum:		<u>18,378'</u>	<u>15,728'</u>	<u>-2650'</u>		<u>\$307,482.⁴⁰</u>

Final Report: _____

Comments:

2650' VACATED DURINKS WILLOW LAKE RELOCATION

Wednesday, Dec 17th 1881 24 day

In the Matter of the }
 Emily Vestal Leitch } No 5010.
 Petitioner

Come now the Remonstrant Jefferson Leitch by his attorney and files a motion and affidavit for continuance herein which motion and affidavit is in these words and figures as follows to wit (here insert) And the court being sufficiently advised does overrule the same, and this cause is now submitted to the court for trial and the court having heard all the evidence and being sufficiently advised does say and find for the Remonstrant that his assessment is twenty dollars excessive on his real estate described in said assessment. It is therefore ordered and adjudged by the court that the said assessment be modified and reduced in the sum of twenty dollars, and that the costs occasioned by said remonstrance, be collected as a part of the expenses of constructing said ditch And said drain is now established and approved in all things in accordance with the description contained in said report as amended, and that Samuel B Wells one of the commissioners of drainage is directed to proceed with the making and constructing of said ditch according to the method and specifications contained in the report of said commissioners filed on the 28th day of November 1881 which said Report is in these words and figures as follows to wit:

Report of Commissioners

To the Honorable Judge of the Hamilton Circuit Court,
 The undersigned Commissioners of Drainage, to whom was referred the petition of Emily Vestal for the drainage of the North East quarter of the ~~1st~~ of the South East quarter of section 3, Township 18 North of Range 4 East, in Hamilton County, respectfully report that they have inspected personally all the lands described in said petition and all other lands liable to be affected by the construction of the proposed work, and are of the opinion that the proposed drainage will improve the public health of the neighborhood will benefit two or more public highways and will be of public utility

Monday Dec 24 1881 24 way of view view

Continued from page 511.

in the county and that the same can be accomplished at an expense less than the aggregate benefits to the lands to be affected thereby and after causing the necessary surveys and examinations to be made they determine that the method of drainage should be as follows to wit:

- * By the construction of a ditch commencing at a stake marked O at a point $12\frac{1}{2}$ feet South of the north East corner of the South East quarter of Section 3 Township Eighteen 18 North of Range 4 East running thence South 2700 feet thence South 35° N. 1500 feet thence South 2900 feet thence S. 25° N. 1270 feet thence S 8° N. 2730 feet thence S. 3° N. 1600 feet thence S 25° N. 1100 feet thence S. 30° N. 750 feet thence South 38° N. 850 feet and terminating at a stake marked 154. 2 rods South and 28 rods West of the South east corner of the North half of the North West quarter of Section 22 township 18 North Range 4 East.
- Also by a Branch to the above described ditch commencing at a stake marked O. $12\frac{1}{2}$ rods South of the North East corner of the South West quarter of Section 3 township 18 North Range 4. East. and running the N. $75\frac{1}{2}^{\circ}$ E. 360 feet thence S. 30° E 180 feet thence S 46° E 370 feet thence S. 61° E 240 feet thence East 70 feet thence N $78\frac{1}{2}^{\circ}$ E. 350 feet thence 62° E 450 feet thence S. 84° E 900 feet thence S 45° E 78 feet and terminating at a stake 10 on the main ditch that the main branch of said ditch at the point of commencement should be four feet wide in the bottom and nine feet wide on top and that said ditch and branch thereof should be in depth and width at the top and bottom at the end of each one hundred feet as shown in the following table said table also showing the number of cubic yards of earth to be removed from each section of 100 feet the estimated cost per cubic yard of removing the same and the cost per section being marked on the ground along the line of said ditch by stakes numbered consecutively from O. at the commencement to 154 at the termination of the main ditch and from O. at the commencement

of the branch thereof to 2978 feet from the terminus the
 terminus being at stake ten on the main ditch in
 said table, all measurements of depths and widths
 are in feet and tenths of feet.

No of	Section	Length of	Width	Depth	Area	No of	Section	Length of	Width	Depth	Area
0	4.0	1.0	9	10	40	33	4.9	1.0	10.8	109	1090
1	3.8	1.0	8.6	70	32.7	34	4.9	"	10.8	107	1070
2	3.1	1.0	7.2	56	21.7	35	5.0	"	11.0	109	1090
3	3.3	1.0	7.6	50	23.1	36	5.2	"	11.4	115	1150
4	3.0	1.0	7.0	56	21.0	37	5.3	"	11.6	121	1210
5	3.6	1.0	8.2	61	21.9	38	5.4	"	11.8	126	1260
6	3.9	1.0	8.8	67	23.2	39	5.4	"	11.8	128	1280
7	4.0	1.0	9.0	73	24.0	40	5.3	"	11.6	126	1260
8	4.2	1.0	9.4	77	24.8	41	5.7	"	12.4	132	1320
9	4.3	1.0	9.6	83	25.8	42	6.0	"	13.0	165	1650
10	4.4	1.0	9.8	86	26.7	43	6.1	2.0	14.2	180	1800
11	4.7	1.0	10.4	93	28.7	44	6.2	"	14.4	186	1860
12	4.7	1.0	10.4	99	29.7	45	6.4	"	14.8	198	1980
13	4.6	1.0	10.2	97	28.9	46	6.0	"	14.0	190	1900
14	4.8	"	10.6	99	30.5	47	6.6	"	15.2	197	1970
15	4.4	"	9.8	95	28.2	48	6.6	"	15.2	215	2150
16	4.3	"	9.6	90	27.3	49	7.0	"	16.0	222	2220
17	4.3	"	9.6	85	26.5	50	7.5	"	17.0	254	2540
18	4.3	"	9.6	85	26.5	51	7.5	"	17.0	264	2640
19	4.2	"	9.4	82	25.7	52	7.3	"	16.6	257	2570
20	4.0	"	9.0	78	24.0	53	6.8	"	15.4	234	2340
21	4.1	"	9.2	77	23.6	54	5.6	"	13.2	187	1870
22	4.3	"	9.6	81	25.1	55	7.0	"	16.0	195	1950
23	4.0	"	9.0	79	23.4	56	6.6	"	13.2	222	2220
24	4.0	"	9.0	74	21.6	57	6.9	"	15.8	217	2170
25	4.1	"	9.2	77	23.2	58	6.1	"	14.2	204	2040
26	4.0	"	9.0	77	21.6	59	7.1	"	16.2	200	2000
27	4.0	"	9.0	74	21.6	60	7.0	"	16.0	204	2040
28	4.0	"	9.0	74	21.6	61	6.6	"	15.2	222	2220
29	4.1	"	9.0	74	21.6	62	6.2	"	14.4	200	2000
30	4.8	"	10.6	88	29.8	63	6.4	"	14.8	196	1960
31	4.9	"	10.8	105	30.5	64	6.4	"	14.8	200	2000
32	5.0	"	11.0	109	30.9	65	6.3	"	14.6	197	1970

Warrandaj all e 17 1881. 24 Aug,

				etc	#	etc
66	5.8	2.0	15,6	186	10	18 60
67	6.0	"	14,0	175	"	17 50
68	5.6	"	13,2	167	"	16 70
69	5.6	"	13,2	156	"	15 60
70	5.9	"	13,8	165	"	16 50
71	5.9	"	13,8	172	"	17 20
72	5.8	"	13,6	167	"	17 00
73	5.8	"	13,6	164	"	16 70
74	5.7	"	13,4	167	"	16 40
75	5.9	"	13,8	157	"	16 70
76	5.4	"	12,8	153	"	15 70
77	5.6	"	12,2	153	"	15 30
78	5.4	"	12,8	152	"	15 50
79	5.5	"	13,0	157	"	15 20
80	5.5	"	13,0	157	"	15 70
81	5.7	"	13,4	155	"	15 7
82	6.2	"	14,4	184	"	17 50
83	6.3	"	14,6	184	"	18 90
84	6.2	"	14,4	189	"	18 40
85	6.2	"	14,4	189	"	18 70
86	6.0	"	14,0	178	"	18 50
87	5.9	"	13,8	175	"	17 50
88	6.0	"	14,0	175	"	17 50
89	5.9	"	13,8	175	"	17 50
90	6.0	"	14,0	175	"	17 50
91	5.9	"	13,8	175	"	17 50
92	6.3	"	14,6	185	"	18 50
93	6.7	"	15,4	204	"	20 40
94	6.7	"	14,4	216	"	21 60
95	6.5	"	15,0	210	"	21 00
96	5.4	"	12,8	175	"	17 50
97	6.8	"	15,6	185	"	18 50
98	7.1	"	16,2	228	"	22 50
99	7.3	"	16,6	231	"	23 10
100	7.1	"	16,2	231	"	23 10
1	7.2	"	16,4	255	"	25 50
2	7.5	"	17,0	262	"	26 20
3	7.2	"	16,4	262	"	25 50
4	7.0	"	16,0	255	"	22 50

					etc	#	etc
106	6.7	2.0	14,2	218	10	21 80	
7	6.5	2.0	15,0	186	"	18 60	
8	4.8	"	11,6	147	"	14 70	
9	4.4	3.0	12,2	139	"	13 90	
110	4.7	"	12,4	136	"	13 60	
111	4.4	"	11,8	124	"	12 60	
112	4.2	"	11,4	117	"	11 70	
113	4.6	"	12,2	128	"	12 80	
114	4.4	"	11,8	124	"	12 60	
115	4.2	"	11,4	117	"	11 70	
116	4.2	"	11,4	112	"	11 20	
117	4.2	"	11,4	112	"	11 20	
118	4.5	"	12,0	117	"	11 70	
119	4.3	"	11,6	128	"	12 80	
120	5.5	"	10,0	104	"	10 40	
1	4.0	"	11,0	103	"	10 30	
2	5.5	"	14,0	57	"	5 90	
3	5.4	"	13,8	57	"	5 70	
4	5.3	"	13,6	58	"	5 90	
5	4.7	"	12,4	40	"	4 00	
6	5.0	"	13,0	40	"	4 00	
7	4.9	"	12,8	40	"	4 00	
8	4.7	"	12,4	40	"	4 00	
9	5.0	"	13,0	57	"	3 700	
130	4.6	"	12,2	57	"	5 70	
1	3.4	"	9,8	57	"	5 70	
2	4.4	"	11,8	57	"	5 70	
3	4.7	"	12,4	55	"	5 50	
4	5.8	"	14,6	35	"	5 50	
5	4.6	"	12,2	35	"	3 50	
6	5.5	"	14,0	55	"	5 5	
7	5.6	"	10,2	50	"	3 00	
8	5.4	"	13,8	30	"	3 00	
9	5.8	"	10,6	30	"	3 00	
140	4.2	"	11,4	30	"	3 00	
1	4.7	"	12,4	30	"	3 00	
2	5.3	"	13,6	30	"	3 00	
3	4.1	"	11,2	30	"	3 00	
4	3.7	"	10,4	30	"	3 00	
415	5.7	"	14,5	30	"	3 00	

146	3.0	5	0	9.0	74	10	7	40	151	3.5	6.0	13.0	154	10	15	40		
147	3.6	5.0	9.0	77			7	70	152	3.7	6.0	13.4	127	"		70		
148	4.4	6.0	14.8	104			10	40	153	4.0	6.0	14.0	150			00		
149	2.9	6.0	13.8	156			15	60	154	0.0	6.0	6.0	75			50		
150	4.5	6.0	15.0	160			16	00										
Branch of main ditch																		
0	4.5	1.0	10						15	4.5	1.0	8.0	30	10	3	00		
1	4.7	1.0	10.4	52	10	5	20		16	5.2	"	11.4	50	"	3	00		
2	6.2	"	15.4	54	9	5	4		17	3.9	"	7.8	30	"	3	00		
3	6.3	"	13.6	52	"	5	20		18	2.7	"	8.8	30	"	3	00		
4	5.6	"	12.2	52	"	5	20		19	3.4	"	8.4	30	"	3	00		
5	4.9	"	10.8	52	"	5	20		20	5.9	"	8.8	50	"	3	00		
6	4.8	"	10.0	50	"	5	00		21	3.7	"	8.0	30	"	3	00		
7	4.6	"	10.2	46	"	4	60		22	3.9	"	9.2	30	"	3	00		
8	4.5	"	10.0	44	"	4	40		23	3.5	"	7.0	50	"	3	00		
9	4.6	"	10.2	40	"	4	0		24	4.1	"	7.0	50	"	3	00		
10	4.7	"	10.4	38	"	3	80		25	3.0	"	7.0	54	"	3	00		
11	5.3	"	11.6	36	"	3	60		26	3.0	"	7.4	40	"	2	00		
12	4.7	"	10.4	36	"	3	60		27	3.0	"	7.4	44	"	2	00		
13	5.3	"	11.6	34	"	3	4		28	3.2	"	7.0	44	"	2	00		
14	4.7	"	10.4	30	"	3	00		29	3.0	"	7.0	44	"	2	00		
15									30	3.0	"	3.5			3	50		
														20119	2	011.90		
																	1157	115.70

The estimate a cost of constructing the work at Two thousand one hundred and a sixty seven & 60/100 dollars. They further report that they have estimated the benefits and injury to the several tracts of land which will be affected as follows.

Names Owners	Description	\$	Ft	R	Ac	Perch
Emily Vestal	N E 1/4 S E 1/4	3	18	4	40	128
William Deimon	N W. SW	2	18	4	40	108
William Deimon	Begin at N E cor. of SW 1/4 2, 18.4. Run S. 30 rods west 80 rods south 50 rods east 80 rods.	2	18	4	15	28
W. W. Fisher	Commence at N W cor. of SW 1/4 2, 18.4. Run E 80 rods N 50 rods W 80 rods South 50 rods	2	18	4	25	30
W. W. Deimon	N W 1/4 S E 1/4	3	18	4	40	56
"	S E 1/4 S E 1/4	3	18	4	40	158
A. H. Lacy	N E 1/4 N E 1/4	10	18	4	40	250
"	S E 1/4 N E 1/4	10	18	4	40	152
"	N W 1/4 N W 1/4	11	18	4	40	108
"	SW 1/4 N W 1/4	11	18	4	40	18

Saturday Dec 17 1881 L4 very good corn

Name	Description	3	18	4	40	\$	
Lydia Scarce	S W ¹ / ₄ S E ¹ / ₄	3	78	4	40	40	
Jefferson Leary	S E ¹ / ₄ N E ¹ / ₄	3	18	4	40	108	
"	S W ¹ / ₄ N E	3	18	4	40	35	
"	S W ¹ / ₄ S W ¹ / ₄	3	4	19	4	40	5
"	Begin 22 rods E of NW cor. of sec. 16. 4. Run E 32 rods						
"	South 85 rods N 32 rods N 85 rods.	3	18	4	17	8	
Marshall Melster	S W ¹ / ₄ N W ¹ / ₄	2	18	4	40	25	
J. B. Stephens	S E ¹ / ₄ N W ¹ / ₄	3	18	4	40	60	
"	N E ¹ / ₄ N W ¹ / ₄	3	18	4	52	12	
Horace Maker	S E ¹ / ₄ S W ¹ / ₄	3	18	4	40	6	
"	S W ¹ / ₄ S W ¹ / ₄	3	18	4	40	10	
Horace maker	Commence at N E cor. of S E ¹ / ₄ S E ¹ / ₄ 4. 18. 4						
"	S 32 rods West 50 rods N 32 rods E 80 rods.	4	18	4	16	4	
Grant McMahon	begin at S E cor. 4. 18. 4 run N 48 rods						
"	West 80 rods South 48 rods East 80 rods						
"	to place of beginning	4	18	4	24	4	
"	N ¹ / ₂ S E ¹ / ₄ N E ¹ / ₄	4	18	4	32	6	
"	N E ¹ / ₄ N E ¹ / ₄	4	18	4	20	5	
Christina Green	S ¹ / ₂ S E ¹ / ₄ N E ¹ / ₄	4	18	4	20	2	
"	Commence at NW cor. of N E ¹ / ₄ S E ¹ / ₄ 4. 18. 4						
"	E 26 2/3 rods S 60 rods West 26 2/3 rods						
"	N 60 rods to begin	4	18	4	10	1	
Christina Green	Commence at NE cor. of the N E ¹ / ₄ S E ¹ / ₄						
"	run S 30 rods West 53 1/2 rods North 30 rods						
"	East 53 1/2 rods to place of begining	4	18	4	10	3	
David Supple	Commence 30 rods South of NE cor. of N E ¹ / ₄ S E ¹ / ₄						
"	run South 30 rods N 53 1/2 N 30 rods						
"	East 53 1/2 rods to the place of begining	4	18	4	10	2	
Thomas Dawson	S ¹ / ₂ S ¹ / ₂ N E ¹ / ₄ S E ¹ / ₄	4	18	4	10	2	
"	Commence 50.52 rods N of the NW cor. of the N E ¹ / ₄ S E ¹ / ₄						
"	North 29 4/100 rods E 60 9/100 rods S 29 4/100						
"	rods N. 60 9/100 rods to begining	3	18	4	12	2	
Thomas Dawson	Commence at NW cor. of the N W ¹ / ₄ of						
"	run North 75 rods E 60 9/100 rods S 75 rods						
"	then N. 60 9/100 rods to begining	3	18	4	25	8	
Frank Stonebraker	Begin at NW cor. of N W ¹ / ₄ of the N W ¹ / ₄						
"	N. 50 5/100 rods E 60 9/100 rods S 50 5/100						
"	rods West 60 9/100 rods to begining	3	18	4	18	3	
Joel Jackson	S E ¹ / ₄ S E ¹ / ₄	3	19	4	40	2	
Davis Wichita	S W ¹ / ₄ N E ¹ / ₄	4	18	4	40	2	
"	N W ¹ / ₄ N W ¹ / ₄ E of a strip 2.0 m wide of said						
"	N W ¹ / ₄ S E ¹ / ₄	4	18	4	50	2	
J. L. Benson	S W ¹ / ₄ S E ¹ / ₄	4	18	4	40	3	
"	S W ¹ / ₄ S E ¹ / ₄	4	18	4	40	3	
J. L. Benson	N E ¹ / ₄ N E ¹ / ₄ 9-18-4 except a tract						
"	of land described as follows						
"	begin at NE cor. of said 1/4 sec West 14 1/2						
"	rods S 44 rods E 14 1/2 rods N 44						
"	rods to begining						
"	Begin at NE cor. of the North East quarter						
"	N. 14 1/2 rods S 44 rods E 14 1/2 rods N 44 rods	9	18	4	36	3	
James R...							

Wm H Roudabush	NW ¹ / ₄ NW ¹ / ₄	10	18	4	40	8
Mo A Lusk	E ¹ / ₂ SW ¹ / ₄ NE ¹ / ₄	10	18	4	20 ³ / ₄	18
" "	E ¹ / ₂ NW ¹ / ₄ NE ¹ / ₄	10	18	4	20 ³ / ₄	20
J R Burroughs	W ¹ / ₂ SW ¹ / ₄ NE ¹ / ₄	10	18	4	30 ³ / ₄	2
" "	SW ¹ / ₄ NW ¹ / ₄ NE ¹ / ₄	10	18	4	10 ³ / ₄	6
Clarra Burroughs	Begin at SE cor. of NW ¹ / ₄ sec 10, 1841. N 50 rods					
"	N 31 ¹ / ₂ rods S 50 rods E 31 ¹ / ₂ rods to begin	10	18	4	15 ³ / ₄	3
Clarra Burroughs	Commence at NE cor. NW ¹ / ₄ sec 10, 1841 N 23 ¹ / ₂ rods					
"	S 50 rods E 31 ¹ / ₂ rods N 50 rods to begin	10	18	4	15 ³ / ₄	2
J R. H. Burroughs	Commence at NE cor. of NW ¹ / ₄ sec 10, 1841 N 40 rods	10	18	4		
"	N 50 rods W 40 rods S 50 rods place of beg	10	18	4	25	3
Wm Burroughs	Commence at NE cor. of NW ¹ / ₄ sec 10, 1841 N 50 rods	10	18	4		
"	E 40 rods S 50 rods N 40 rods to begin	"	"	"	25	3
Daniel Davis	SW ¹ / ₄ , NW ¹ / ₄	10	18	4	40	3
Daniel Davis heirs	NW ¹ / ₄ SW ¹ / ₄ Except S. 1/2 NW ¹ / ₄ - 1/2 SW ¹ / ₄	10	18	4	39	7
Isaac Booth	SE ¹ / ₄ NW ¹ / ₄	10	18	4	40	6
" "	NE ¹ / ₄ NW ¹ / ₄ Except a lot out NW cor.	10	18	4	39 ¹ / ₂	19
Ellen Dryfoos et al	SW ¹ / ₄ SE ¹ / ₄	10	18	4	40	48
Miriam Dryfoos et al	NW ¹ / ₄ SE ¹ / ₄	10	18	4	40	35
Keelia Dryfoos et al	Commence at NW corner of NE ¹ / ₄ & E ¹ / ₄ 10, 1841					
John Dryfoos et al	Run East 50 rods South 50 rods					
John Dryfoos et al	West 30 rods North 50 rods	10	18	4	15	108
John Dryfoos et al						
Silas H Moffitt	SE ¹ / ₄ SE ¹ / ₄	10	18	4	40	122
Wm H Fleming	Commence at NE corner SE ¹ / ₄ S 50 rods					
"	West 50 rods N 50 rods E 50 rods to begin	10	18	4	25	56
America L Loyd	NW ¹ / ₄ NE ¹ / ₄	10	18	4	40	200
Wm Vanee	Commence at NW corner of NE ¹ / ₄ of NE ¹ / ₄ of sec 15, 1841					
"	Run East 60 rods South 50 rods West 60 rods North 50 rods to the place of beginning	15	18	4	20	56
Jane Trade	SW ¹ / ₄ NE ¹ / ₄	15	18	4	40	200
Andrew Trade	Commence at SW cor. of NE ¹ / ₄ of NE ¹ / ₄ 15, 1841 run					
"	South 26 ³ / ₄ rods E 60 rods S 26 ³ / ₄ rods N 60 rods to begin	15	18	4	10	6
Eli Lutz	begin at SE cor. of NE ¹ / ₄ sec 15, 1841 N 50 rods					
"	West 50 rods North 60 rods E 50 rods S 60 rods to begin	15	18	4	30	25
Letha Metzler						
Peter Metzler	NE ¹ / ₄ NW ¹ / ₄	15	18	4	4	25
Thomas Metzler						
J M Mearns	Commence at NW cor. of SE ¹ / ₄ of 15-1841 run E					
"	26 rods S 50 rods N 26 rods S 50 rods to begin	15	18	4	13	35
J M Mearns	begin at NE cor. of SE ¹ / ₄ 15-1841 S 26 rods					
"	West 26 rods South 50 to begin	15	18	4	13	10
John Q Mearns	Commence at SE cor. of NE ¹ / ₄ 15-1841 N 50 rods					
"	E 50 rods S 50 rods to begin	15	18	4	28	15
John Q Mearns	Part of SE ¹ / ₄	15	18	4	28	108
John Q Mearns	E ¹ / ₂ NE ¹ / ₄ SW ¹ / ₄	15	18	4	20	3
" "	E. SE SW.	15	18	4	20	2
Henry Mearns	NE ¹ / ₄ NW ¹ / ₄	22	28	4	16	10

Elyabeth Klugmann	Pat. A E 7 1/2	22	12	4	10	6
Noblesville Townshp	Public Highway on E line of A 6 1/2	3	18	4		15
Noblesville Tp.	Public Highway on S line of A E 1/2	5	18	4		10
Noblesville Tp	Public Highway, running N & S through Sec	3	18	4		25
Noblesville Tp	Public highway, running E & W through Sec.	10	18	4		20
"	Pub Highway on S line of sec	15	18	4		10
Z P Garrison	P A N 7 1/2	3	18	4		3

The following persons are entitled to fees as follows

No 1818	W L Buckwall	4 days	per man	\$5.00
No 1444	Wm Demors	2 "	"	2.50
1443	Al Vestal	1 "	"	1.25
	Wm Synchick	1 1/2 "	"	1.90
No 1420	Alfred Kellum	3 "	"	3.75
No 1442	Andrew Macd.	1 "	"	1.25
No 1441	Meitton Logd.	1 "	"	1.25

The claim fees in the matter as follows

S B Wells	a court	8 days	\$24.00
J A Mc Millan	"	7 "	21.00
James Sanders	"	3 "	9.00
"	"	Expenses	5
			25.00

All of which is respectfully submitted

State of Indiana
Hamilton County

James Sanders
James A Mc Millan
Surrey B Wells

We the undersigned Comrs of Drainage, swear that we have each personally examined each tract of land assessed for benefits & damages and the whole cost of the proposed work & that such drain is of sufficient capacity to carry without overflow all water which flows or should flow along such route that no other lands than those described in this report will be either benefited or damaged by the construction of the proposed work and that all the statements therein are true & correct and that all assessments of benefits & damages set forth therein are correct just fair and equitable to all parties concerned, as by our belief

James Sanders, James A Mc Millan, Surrey B Wells, Commissions
Subscribed and sworn to before me on this 28 day of Nov 1889 J N Chapman, Clerk