
Drain: J. M. WAGNER	Drain #:13	
Improvement/Arm: DIAVID LEAN	milly	_
Operator: J. LIVING STal	Date: 7.2-	
Drain Classification: Urban/RuraD	Year Installed: 1882	

## **GIS Drain Input Checklist**

• Pull Source Documents for Scanning

- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors



## <u>Gasb 34 Footages for Historical Cost</u> <u>Drain Length Log</u>

Drain-Improvement: JM HAGNER - DAVID LEAMING

Drain Type:       Size:       (DB Query)       Reconcile       Price: $OPEAL DITCH$ —       13,900' $42xo'$ -97xo' $19.55/W$ $OPEAL DITCH$ —       —       —       —       —       — $OPEAL DITCH       —       13,900'       42xo'       -97xo'       3.5/W OPEAL DITCH       —       —       —       —       —       —         OPEAL DITCH       —       —       —       —       —       —         OPEAL DITCH       —       —       —       —       —       —       —         OPEAL DITCH       —       —       —       —       —       —       —       —         OPEAL DITCH       —       —       —       —       —       —       —       —       —       —       —       —       —       …       …       … $	Cable Mark	in a start a st		1.00	I on with		
ОРБЛ ДЛТСН       —       13,900'       4200'       - 970'       19:35///			Length	Length (DB Query)	Length	Size:	Drain Type:
	Cost:	Price:	Reconcile	(DB Query)			
OMMENTS: 9700' OF DIAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI	82,110	19:55/14	- 97co'	4200'	13,900'		OPEN BITCH
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI							
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI							
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI				<u></u>			
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI							
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI	<u> </u>					<u> </u>	
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR R			<u></u>				
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI							. <u> </u>
9700' OF DIAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI	<u> </u>				······		
9700' OF DIAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI							
9700' OF DIAVID LEAMING DRAIN RECONSTRUCTED AND/OR RI	<u></u>						
9700' OF BAVID LEAMING BRAIN RECONSTRUCTED AND / OR RI							· · · · · · · · · · · · · · · · · · ·
Omments: 9700' OF BAVID LEAMING BRAIN RECONSTRUCTED AND / OR RI	182,110	4	-9.700	4200	13,900'	Sum:	
9700' OF DAVID LEAMING DRAW RECONSTRUCTED AND/OR RI							inal Report
9700' OF DAVID LEARING DRAW RECONSTRUCTED AND LOR RI							
9700' OF DAVID LEAMING DRAIN RECONSTRUCTED AND /OR RI				· · · · · · · · · · · · · · · · · · ·		·····	
TTS IM LIATED ? A FILE WAS PULLED SO IN ALLS	ELICATE	NO for Re	NCTED A	RECONSTR	AELE ME	AVID LEAM	9700' OF DA
# LENGTH OF DITCH MEASURED W GIS							

W GIS

DR 3 PG 27

suesday Deptember 1001 8 Pay. Pamilton Gircuit Gourt, September. **Term, 18**87 he the matter of the gue decidence of the Davia Leaning 1, 105230. Drainage. Come now the Commissioners and file there present this report heim in the words and fignis føllnong. To the Nonosable fudge of the Hamilton Circuit The undersigned Commissioness of Drainage to Whom was referred the petition of David Leaning for the draincage of the booth West quarter of the South East quarter of Declin 8. Formship 19 Range 5. East in Hodmitton leound, acspectfully report chiat they have inspected personally all the lands described in Acia petition, and all other lanas liable the offection by the construction of the proposed work and are of the opining that the proposed drainage will improve the public furth of the neighburless a will legenfit one or have hubbic hypoways and will be of public white in the county also that this same can be accomplished at an expense less them the aggregate herefits to the meening Du lancos to be bushefition clicity and After causing the necessary Durbergs and examinations to be made they delemmed that the method of drainage thould be as follows to wit : By the construction of a citch comme ۲eneing 23 roch East of the South West comer of the A Win of the SEG See The 19 R. 5 eart, and niming South 700ft. there & 20°6 600 feture 120°h 500 ft. there \$ 50°6. 210 fut. & 71°6 390 ft. \$ 5°6 300 ft. West, 200 fct. South 500 fut - \$1200 500 fut D2047-200 fut, then a \$ 390 M.380 ft Church 162 h. 820 fut, thener \$ 35 th. 400. Jet. thin a \$ 142 8250 feet there 36 26 430. Uniner Sleb & 160 feet, there south 11 of ut there \$ 40 M. yod feet Une a uniform course from \$ 40° n to A 84° & 300 feel, Chiever A840 5 200 put chiena A 780 6 000 feed themen A. 6308 600 feet theme to 7' is 700 fut chiner 260 feel thener \$.19° 8 340, them South 300 feel then a \$25° N. 300 chine \$ 1897. 1000 fut, thenen \$ 600 E. 120 fut thise & So fuit, then A 32° h. 200. fut diener &. 19° h. 500 fut this \$ 50° M. 400 feet and termates 1070, feet East of the South enco This copy printed for the Digits Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

Vaudy Vept 12" Dr. 8 **Pay. Pamilton Gircuit Gourt.** Soft

DR 6 PG 28

180%

**Ťerm, 18**67

			•
hultan Landa Cart Cart Cart Cart Cart Cart Cart Car	to set the set the set the set the set the set the set of the set		the set of the the the
0 40 10 90	38 6,6 10 14214012		8 20 11.6 84 22 10 50
1 46 10 102 74 122 9 25	29 64 10 188 156 "	1700 77 5	7 20 12.286 - 10 45
2 45-10 100 74 11 9 25	4062 10 184 170 11	21 25- 78 5	7 2012.688 " 11 00
3 87 10 8.9 66 11 8 25	41 76 10 162 202 0	2825-794	19 20 11. 8 86 11 10 75
4 39 10 88 40 - 7 50	42,66 10 142212 11	2650 80 5	0 20 120 86 " 10 75
537 10 8460 11 7 50	4347 10 194148 "	1850 515	2 2012.4 88 11 11 00
640 10 90 64 11 8 00			
437 1084 64 11 800	4561.10 13.2 116 "	14 50 836	2 20 146 94 " 11 75-
8 52 10 114 74 . 925	4647: 10 10.4 106 0	15 25- 84 6.	8 20 13.6 9F + 12 21-
941 10 9.2 74 11 975-	4756 10 12,2101 "	12 75 85 8	9 20 98 90 " 11 25
1056 10 12,2 76 " 9,50			
11 62 10 124 98 11 1225			
127010150116 11410			
10 6.2 10 134 116 " 1450			
			4 20 88 80 10 00
		the second se	4 20 88 74 11 921-
16 62 10 124 108 11 13 50	5457 10 142 108 "	13,50 923	5 20 90 74 11 9 25
17.03 10 13.6 11.8 11 14.75	55.44 10 9.8 94 11	11 75 90 30	6 20 92 74 " 9 25
1807 10124 118 11 14 75	5652 10 11.4.94 "	1175-9456	20 92 76 " 900
19 52 1.0 11.4 116 " 14.10	575.8 1.0 \$1.0 106 1	15 75-95-2	0 94,80 80 10 00
2072 10 15.4130 " 1625	5850,10 11.0102 u	12 75 962	0.9074 " " 925
1105 10 140 144 11 18.00	59.4.0 10 9.0.84 "	10 10 9783	- 20.90 74 ". 921-
265 10 10.0 138 11 17.25			
8 57 10 124128 # 16,00			1 20 94 72 " 9 00
478 1016.6142 11 17.75		1050 1003	1 20 8.2 90 " 8 75-
583 10176 176 " 2200		10 75 1012;	1 20 74 56 11 700
677 10 164 176 11 22.00			7 20 78 54 " 671-
781 101/4 170 11 It 15	1 ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (		120 78 58 11 721
8.78 10 16,6.170 " 21.25.			IO 7454 11 6 41-
975.10 16.0 168. 11 100			20 82 58 " 725
8074 10 15.8 160 2000			20 88 52 . 700
168.1014,6.156. 11.1450			20 92 64 11 8 25-
2 74 10 158 156 . 14 07			20 96 70 4 8 75-
367 10 14.4100 11 1900			20826611 020-
46616142142 11 17 95			20 86 58 " 700
53,10,11.6 12,8, 11,16 00 667 10 156 110 - 1551			20 96 64 11 8-00
6 6 3 10 156 150 × 1871- 7 98 10 196 146 18-25			209468 11 850
7 95 10 19.6 146 18 25	18 40 20 200 00 1	1000 11329	20 78 08 " 7 217

DR 6 PG 29

Durany depi 12

18012 8 Pay. Pamilton Çircuit Çourt, AA **Term, 18**87 5-00 119 35 20 90 44 12 5 50 124 05 20 90 44126 550 114 21 20 62 40 12 5 00 120 36 20 92 44 11 5- 20125 34 20 38 444 11 115 80 20 80 40 11 5-50 116 31 20 8.7 40 11 5 00 1213.3 20 8.8 444 1 5 00 124 30 20 8047 11 3-75-11402 20 84 44 11 8- 50 122 3.4 20 8.8 444 11 5 50 124 31 20 82 40 11 5-00 5 10 123 84 20 88 44 11 5 58 128 57 20 92 44 11 118 35720 9.0 44 " 0-50 6 75 133 9.120 20.2120 11 15 00 137 2.4 20 68 56 1294.7.20 11.4 54 " 410 1. 30 9.4.20 20.8 114 11 14 25 18442 20 144 96 11 12 00 13519 20 68 24 11 200 1.3 1.96 20 21.2 140 11 19 00 12532 20 84 48 11 600 13900 20. 24 501 10 00 1202720. 7.446 . 5 75 12282 20 784 120 11 11556 \$ 1419.50 The estimate cher total cent of constructing church at fifter hundred + turity dig + Fro They furthe report that they have estimate a the lengths and input 6 lands a follows, John Onward Strig Min + Min Min 16. 19. 5. 80 lengths In phys 10 paceb Kopen HAM. AN 16 19 5 40 40 HangKuper DE N. C. 17 19 5 40 15 A Wagner NE M. 19 19 5 40 30 11 pm DE 8 19 5 41 180 11 11 86 Mr 17 19 5- 40 30 8 19 5 40 20 - Peter Bluger 18 18 20 19 5 40 18 06 75 W Waynen NE. NE 1714 5-40 30 " " M. NE 2019 5- 41 75 · DE. NE 20 19 5- 40 M. NE 7.195-0070 11 50 mut min My DW. 9 19 5 40 5 M Roberts NE ON. 17 19 5 40 50 MiAN. D. & Alr 17 14 5 40 91954010 11 11 20 1 Lepuch NG. AE 8 19 5 40 100 ,, " HAE M. 2019 4 30 90 8 19 5 40120 G K Down HARSM. 20 19 5- 10 granny Mr. NG <u>45</u> 81954040 11 Franchin Septen DE M 16 M. 2019 5 44 UJ D'Leanny Mr. D'a 5 19 5 40285 Johnto Pourth. Pul Highny 8 19 5-10 of itplejan NE Dr. 8-19 5-41 50 Antulu of 11 11 17 19 5n n Mr. De 1 170 20 19. 57 17 19 5 40 40 1, 41 × 27 15 17 19 5 40 60 Homles Frels R. at Linis 1 Ar. DE 75 7 Reprin A6. Atr. 5 19 5 40 40 Jamis Sanders n in Mr.Mo 17 19 1- 40.30 famul B Duch SK Mirro No. HB leon 17 19 5 40 20 Jam Ano Million 11 a Ala De 17 19 5 40 80 & Kepm Mr. Mr. 161954010 and the court hangseen and examile Dan to shall and establishes the serve and now appres and Grange Commis gime Me Mulin is ordered to construct Dai a det the acording to the operfraction reputed by David Commund. This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 4606