







Drain: ELIZABETH WARNER **Drain #:** 117
Improvement/Arm: GEORGE WARNER
Operator: J. LIVINGSTON **Date:** 8-13-04
Drain Classification: Urban/Rural **Year Installed:** 1895

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors



No.

IN THE MATTER OF

Geo Warner Ditch

James W. Warner
Beard E. Warner and
subscribed

James W. Warner

REPORT OF DITCH VIEWERS

COMMISSIONERS' COURT.

Filed., 18.

Auditor.

W. M. B. BURFORD, PRINTER, INDIANAPOLIS.

EOB-9-418 to 420

Viewer's Report of

Geo Warner (old Geo Dawson) Ditch.

To the Honorable Board of Commissioners of

Hamilton

County, Indiana:

We, the undersigned, appointed by this Court, at its Term, 18 95, to view a drain described in the certified copy of a petition and order of Court for a Ditch, by Geo Warner and others, handed us by the Auditor, would represent that according to said order we, on the day named therein, to-wit: the 13th day of May, 18 95, in company with W. J. Cottingham, a civil engineer, made an accurate survey of the line of said proposed Ditch from its source to its outlet. A plat of said Ditch is filed herewith including the survey by the engineer, marked "Exhibit A." We caused stakes to be set along said line, each one hundred feet, numbering down stream, as shown by plat. We also made a computation of the total number of cubic yards of earth to be removed from said drain, and estimated the total cost for the construction of the work at \$885.02 Dollars. We also apportioned and set apart to each parcel of land a share of said work in proportion to the benefits received, all of which will fully appear by a tabular statement in this report. We have also set out by a statement below, the names of the owners of lands benefited with a description of each tract of land, and the amount assessed against each tract. The depth of cut, the width at bottom, and width at top along said drain is also shown in a tabular statement in this report. After a full and careful view and examination, we are of the opinion that the drain as located by the survey will be of Public Utility will be a benefit to a Public Highway, will be a benefit to the health of the Community, and that the cost of construction will not exceed the aggregate of benefits derived therefrom. And that the proposed drain may best be accomplished by a tile ditch constructed as follows to-wit:

(See page 3)

The following statement shows who are benefited, the lands thereof and assessment thereon, location, length of each share, amount of assessments, amount of benefits, amount of dirt to be removed from each share, price thereof per cubic yard, and total cost of each share:

NAMES OF OWNERS.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	Acres Assessed.	Ft this Assessed.	Acres Benefited.	Ft this Benefited.	Amount of Benefits.	Amount of Asses'ments.	From Station.		Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.
											To Station.	To Station.				
1 Noblesville Sp.	Public Highway between	14	18	4					25 00	25 00	57 27	57 28	3	1	152 20	68
2 Delaware Sp.	" " "	14	18	4					25 00	25 00	56 38	57 22	84	6	"	20 68
3 Mary E Dawson	NR	23	18	4	40	40			118 75							
	E W	23	18	4	40	20			42 75	161 50	51 26	56 38	532	54	"	133 64
4 A. G. Moffitt.	NE & E	27	18	4	33	30			89 06							
	" SE	27	18	4	33	10			14 25							
	NR	26	18	4	20	15			21 38	124 69	45 25	51 26	581	80	"	103 18
5 Matilda Haverstick.	NE & E	22	18	4	40	30			58 19							
	SE	22	18	4	40	40			118 75	176 94	33 20	45 25	1175	62	"	146 41
6 Elyah Wrenn Est.	NR	14	18	4	22	10			14 25	14 25	32 23	33 30	127	5	"	11 79
7 N. P. Wrennan	NR	14	18	4	18	8			11 40							
	NR	14	18	4	40	40			57 00							
	E & SE	15	18	4	20	8			11 40	79 80	24 23	32 23	730	29	"	66 03
8 Peter Cassel	SE	14	18	4	40	5			14 84	14 84	23 37	24 43	136	4	"	12 28
9 Theresa Smith	NE	14	18	4	40	5			14 84	14 84	22 21	23 37	136	4	"	12 28
10 J. B. Metaker	NR	22	18	4	40	1			1 43	1 43	22 28	22 21	13	1	"	1 19
11 Stella Klugersmith	NR	22	18	4	20	8			11 40							
	NR	22	18	4	8	2			2 85	14 25	22 21	22 28	131	4	"	11 79

Viewer's Report of

Ditch.

Viewer's Report of

Geo Warner

Ditch.

TABULAR STATEMENT OF ASSESSMENTS, BENEFITS, ETC.

TABULAR STATEMENT OF STATIONS, WIDTH, DEPTH, LENGTH, ETC

NAMES OF OWNERS.	DESCRIPTION OF LANDS.		Section.	Township.	Range.	Acres Assessed.	Widths Assessed.	Acres Benefited.	Widths Benefited.	Amount of Benefits.	Amount of Assessments.	From Station.	To Station.	Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.	WIDTH AT TOP.		DEPTH OF CUT.		WIDTH AT BOTTOM.		WIDTH OF CLEARING OR TIMBER.	
																		FEET.	INCHES.	FEET.	TENTHS.	FEET.	INCHES.		
Geo Warner	NE	NE	27	18	4	40	30	42	75																
"	SE	NE	27	18	4	40	10	29	69																
"	NW	NW	23	18	4	40	13	38	31																
"	N. A.	NW	23	18	4	40	20	74	23																
"	S. A.	NW	23	18	4	40	16	57	50	232	48	0	27	2077	62		192	40							
										385 07															

Beginning 46 rods South ^{and} 27 rods 6 ft East of the NW corner Sec 23 Township 18 Range 4 E.

Thence from Station 0 to Station 17+20 South 9° 14' at
 " " " 17+20 " " 23+80 " " 12 1/2 " "
 " " " 23+80 " " 45+30 " " " "
 " " " 45+30 " " 57+50 East
 " " " 57+50 " " 55 North 50° East
 " " " 55 " " 57+25 " " 73 " " *The terminus of ditch*

From Station 0 to Station 39 there shall be laid one row of 12" tile
 " " " 39 " " 57+25 " " " " " " 15" "

All tile shall be of good sound well burned quality shall be well watched together when laid in a true line at the proper grade and shall be inspected by the engineer after being laid in the ditch and before being covered. After which they shall be thoroughly covered by drawing in the dirt from the banks of the old open ditch.

From Station 50+50 to 57+25 there shall be scraped up from either banks of said old open ditch a sufficient quantity of dirt to properly cover the tile to a depth of not less than 20 inches.


The right to use said dirt is hereby granted any or all contractor (by consent of John Dawson the owner of the land.)

All timber shall be deadened and all undergrowth removed on either side of the line of said ditch to a distance of 20 feet.


GENERAL SPECIFICATIONS AND SUGGESTIONS.

The length of the ditch as located is 57.25 feet
 The fall of the established grade is feet, from Station 0 to Station 50 is 7/100 feet per 100 ft
 " " " " " " " " " " " " 50 to Station 57+25 is 7/100 " " " "

The total fall is 10 13/100 feet to the
 At Station 0 there shall be constructed of brick or cement a wedge shaped construction of sufficient dimensions to receive the tile from the upper end of the ditch now constructed and closely connect with the 12" tile to be laid there after



At Station 57+25 there shall be constructed of stone or cement a rip rap wall the base of which shall not be less than 12 feet. The height not less than four feet and the width at the top not less than 8 feet nor shall any part thereof be less than 2 feet in thickness.
 Containing in all not less than 80 cubic feet.



Beginning at Station 57+25 the open ditch shall be closed out and deepened a distance of 100 feet, sufficiently to afford a good outlet for the tile. This shall be a part of allotment No. 11 for construction only and shall not be in allotment for repairs.

W. C. Vance
 J. H. Lacy
 Hamilton, Indiana

Subscribed and sworn to before me, this

7.5 day of May
 A. R. Lucker

. 1895
 Auditor Hamilton County.