



**Drain:** CHARLES OSBORN: JR COLLINS #2 **Drain #:** 8495  
**Improvement/Arm:** CHARLES OSBORN  
**Operator:** J. LIVING STON **Date:** 5-12-04  
**Drain Classification:** Urban/Rural **Year Installed:** 1882

### GIS Drain Input Checklist


- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains
- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors


---


---


---

Gasb 34 Footages for Historical Cost  
Drain Length Log

Drain-Improvement: OSBORN & COLLINS #2 - CHARLES OSBORN

Drain Type:	Size:	Length	Length (DB Query)	Length Reconcile	Price:	Cost:
OPEN DITCH	-	10,190'	5,632'	-4,558'	19.55/lf	110,105. <sup>60</sup>
TILE - ARM 1	4"	1,320'	0'	-1,320'	n/a	n/a
TILE - ARM 2	4"	1,400'	1,400'	0	1.22/lf	1,400.22
TILE - ARM 3	4"	2,775'	2,775'	0	1.22/lf	2,775.22
OPEN DITCH - ARM 3	-	725'	235'	-490'	19.55/lf	4,594. <sup>25</sup>
TILE - ARM 4	4"	2,200'	500'	-1,800'	1.22/lf	500.22
	7"	1,650'	0'	-1,650'	n/a	n/a
TILE - ARM 5	7"	2,200'	140'	-2,060'	2.22/lf	200.22
Sum:		<u>22,560'</u>	<u>10,682'</u>	<u>-11,878'</u>		<u>\$ 119,654.<sup>85</sup></u>

Final Report: \_\_\_\_\_

Comments:

PORTIONS OF CHARLES OSBORN VACATED OR RELOCATED FOR CENTENNIAL & MERIDIAN SUBDIVISIONS. SEE MAP CHANGES TAB IN POSSE UNDER THIS DRAIN FOR COMPLETE BREAKDOWN.

Allowed

11 975

D. M. Brock and Noah Miller two dollars each for the Scaep as per the statute in this behalf made and provided

Charles Ostom } Ditch Case, Application for Summs

Transcript taken

Comes now Charles Ostom and prays the Board to establish cause to be constructed and there after to be maintained, the ditch drain and water course in said petition described and it appearing to the Board from the evidence adduced that the said petition filed herein on the 13 day of April 1880 and which is in the words and figures following to wit (hereinsert) is signed by me said owner whose land will be effected by or be assessed for the expense of the construction of said ditch. And a description of the proposed work is as follows to wit (hereinsert) the description of the land to be effected is as follows to wit (hereinsert)

It is therefore ordered by the Board that Joshua ~~Bottlingham~~ John Beale, Noah Tomlinson and Joshua Curisho three disinterested resident freeholders of said county, and not of kin to any of the parties interested therein be and they are hereby appointed surveyors to view said ditch drain and water course

Such appraisers or any two of them at the time mentioned in said notice shall meet at the point of beginning of said work and shall examine all lands in any way liable to be effected by said work and shall make out a list of the same and shall assess the amounts of benefits or injury to each tract of land taking into consideration in making such assessment if benefits are assessed, the cost of construction and shall make out a schedule thereof with their assessments aforesaid and shall appear thereto their affidavits that the same is in all respects a true assessment to the best of their judgment and belief and cause the same to be filed in the records office of the county in which

is  
now  
up  
is  
not  
here  
word  
  
and  
d  
that  
  
of  
do  
the  
val  
i  
17  
583  
179  
404  
and  
and  
a  
w



SURVEYOR'S OFFICE

# Hamilton County

Kenton C. Ward, Surveyor  
 Phone (317) 776-8495  
 Fax (317) 776-9628

Suite 188  
 One Hamilton County Square  
 Noblesville, Indiana 46060-2230

### Charles Osborn & JR Collins # 2

**Charles Osborn Drain – Constructed December 6, 1882 (MR P, Page 540)**

Main Drain	101+90	(open ditch was extended at some point to meet the Collins)
Arm 1	13+20	
Arm 2	14+00	
Arm 3	35+00	
Arm 4	39+50	
Arm 5	22+00	
<u>Total</u>	<u>225+60</u>	

November 10, 1997	Arm #1 Vacated for Crosswind Commons (-1320)
July 24, 2000	Main Ditch Vacated from Sta 12+00 to 12+77, 23+38 to 29+35, 39+95 to 41+00 (779)
September 25, 2000	Arm #5 Vacated from Sta 11+50 to 22+00(-1050) (DR Book 5, Pages 470-471)
September 25, 2000	Arm #4 Vacated from Sta 19+50 to 39+50 (-2000) (DR Book 5, Pages 470-471)
August 27, 2001	Arm #5 Vacated from Sta 1+40 to 11+50 (-1010)
<u>Net Loss</u>	<u>(6159)</u>


**Charles Osborn Drain - Length: 16,401**


**JR Collins # 2 Drain –Constructed 1902 (Viewers Report)**

<u>Main Drain</u>	<u>94+00 (open ditch)</u>
<u>Total</u>	<u>94+00</u>

**JR Collins # 2 Drain - Length: 9,400**

**Osborn & Collins #2 Watershed – Total Length: 25,801**

  
 Suzanne Mills  
 GIS Specialist  
 October 22, 2002



SURVEYOR'S OFFICE

# Hamilton County

Kenton C. Ward, Surveyor  
 Phone (317) 776-8495  
 Fax (317) 776-9628

Suite 188  
 One Hamilton County Square  
 Noblesville, Indiana 46060-2230

### Charles Osborn & JR Collins # 2

**Charles Osborn Drain – Constructed December 6, 1882 (MR P, Page 540)**

Main Drain	101+90	(open ditch was extended at some point to meet the Collins)
Arm 1	13+20	
Arm 2	14+00	
Arm 3	35+00	
Arm 4	39+50	
<u>Arm 5</u>	<u>22+00</u>	
<b>Total</b>	<b>225+60</b>	

November 10, 1997	Arm #1 Vacated for Crosswind Commons (-1320)
July 24, 2000	Main Ditch Vacated from Sta 12+00 to 12+77, 23+38 to 29+35, 39+95 to 41+00 (779)
September 25, 2000	Arm #5 Vacated from Sta 11+50 to 22+00(-1050) (DR Book 5, Pages 470-471)
September 25, 2000	Arm #4 Vacated from Sta 19+50 to 39+50 (-2000) (DR Book 5, Pages 470-471)
<u>August 27, 2001</u>	<u>Arm #5 Vacated from Sta 1+40 to 11+50 (-1010)</u>
<b>Net Loss</b>	<b>(6159)</b>

**Charles Osborn Drain - Length: 16,401**

*June 3,*

**JR Collins # 2 Drain –Constructed 1902 (Viewers Report)**

<u>Main Drain</u>	<u>94+00 (open ditch)</u>
<b>Total</b>	<b>94+00</b>

**JR Collins # 2 Drain - Length: 9,400**

**Osborn & Collins #2 Watershed – Total Length: 25,801**

*Suzanne L. Mills*

**Suzanne Mills**  
**GIS Specialist**  
**October 22, 2002**



SURVEYOR'S OFFICE  
**Hamilton County**

Kenton C. Ward, Surveyor

Phone (317) 776-8495

Fax (317) 776-9628

Suite 146

One Hamilton County Square

Noblesville, Indiana 46060-2230


TO: Hamilton County Drainage Board


RE: Osborn-Collins Drain-Arm #1 VACATION

Attached is a Letter of Request for the vacation of the Arm 1 of Osborn-Collins Drain. This request is due to the development of Crosswinds Commons, Sections 1 and 2 in the same location. The Vacation would affect approximately 1,320 feet of four (4") inch tile drain.

Upon review of the request, I believe that the vacation will not adversely affect the drainage area. Therefore, I recommend that the Board approve the request.

*approved*  
*11/10*

  
Kenton C. Ward  
Hamilton County Surveyor  
KCW/no



SURVEYOR'S OFFICE  
**Hamilton County**

*Kenton C. Ward, Surveyor*

*Phone (317) 776-8495*

*Fax (317) 776-9628*

*Suite 146*

*One Hamilton County Square*

*Noblesville, Indiana 46060-2230*

To: Hamilton County Drainage Board


August 24, 2000

Re: Collins-Osborn #2 Drain, Arms 4 and 5


With the development of Centennial Section 3, a portion of Arms 4 and 5 of the Collins-Osborn #2 Drain will be replaced. Therefore, I am recommending partial vacation of these arms.

Arms 4 and 5 are set out in the original description (MR P, page 540). Arm 4 is to be vacated between Sta. 19+50 and Sta. 39+50. Arm 5 is to be vacated between Sta. 11+50 and Sta. 22. In both cases the portions to be vacated will be replaced by the Centennial Drain, Section 3 Arm. The portion of the arms upstream of the vacated portions shall be connected to the drainage system for the Centennial Drain.

I recommend the Board set a hearing for this partial vacation for October 23, 2000.

  
\_\_\_\_\_  
Kenton C. Ward  
Hamilton County Surveyor

KCW/kkw



SURVEYOR'S OFFICE  
**Hamilton County**

*Kenton C. Ward, Surveyor*

*Phone (317) 776-8495*

*Fax (317) 776-9628*

*Suite 188*

*One Hamilton County Square  
Noblesville, Indiana 46060-2230*

July 10, 2001


To: Hamilton County Drainage Board

Re: Collins Osborne #2, Arm 5

With the development of Centennial Section 5, a portion of Arm 5 of the Collins-Osborne #2 Drain will be replaced. Therefore, I am recommending partial vacation of this Arm.

Arm 5 is set out in the original description (MR P, Page 540). Arm 5 is to be vacated between Sta. 1+40 to Sta. 11+50. The portion of Arm 5 being vacated will be replaced by the Centennial Drain, Section 5 Arm. The portion of Arm 5 upstream of the vacated portion across Centennial Section 5 shall be connected to the drainage system for Centennial. The portion of Arm 5 between Sta. 11+50 and Sta. 22 was vacated per my report dated August 24, 2000 at a hearing on September 25, 2000. (Drainage Board Minutes Book 5, Page 470 to 471)

I recommend the Board set a hearing for this partial vacation for August 27, 2001.

  
\_\_\_\_\_  
Kenton C. Ward  
Hamilton County Surveyor

KCW/llm



To: Hamilton County Drainage Board

October 22, 2002

Re: Centennial Drain: Sec 2 Arm

Attached are as-builts, certificate of completion & compliance, and other information for Centennial Sec 2. An inspection of the drainage facilities for this section has been made and the facilities were found to be complete and acceptable.

During construction, changes were made to the drain, which will alter the plans submitted with my report for this drain-dated June 20, 2000. The report was approved by the Board at the hearing held July 24, 2000. (See Drainage Board Minutes Book 5, Pages 398-399)  
The changes are as follows:

Structure:	T.C.:	I.E.:	Pipe:	Length:	Original Plans:
317	902.71	898.86			
317B	904.66	898.46	15	126.4	127
317B	904.66	898.4			
317A	897.97	897.97	15	176.3	179
358	904.64	900.14			
357	904.69	899.96	12	24.1	24
357	904.69	899.91			
356		893.99	12	42.9	45
375	899.79	894.29			
374		893	48	105.6	115
322	903.6	900.2			
321	904.54	899.74	12	100	
321	904.54	899.74			
320	903.96	899.46	12	48	
320	903.96	899.46			
319	903.77	899.33	12	24.3	24
319	903.77	899.33			
318		894.16	12	158.4	159
291	906.64	901.47			
292	907.48	901.69	15	154.1	153
292	907.48	901.69			
293	907.38	901.78	15	23.8	24

293	907.38	901.78			
294	906.29	902.14	15	146.3	148
294	906.29	902.59			
295	905.91	902.71	12	48.2	48
295	905.91	902.71			
296	905.86	902.76	12	24.3	24
210	905.33	902.57			
209	905.59	902.49	12	25.3	24
209	905.59	902.44			
209A	904.22	901.82	12	141.8	141
284	904.81	901.73			
283	905.21	901.5	12	119.5	120
283	905.21	901.45			
282	905.21	901.35	12	24.9	24
282	905.21	901.35			
281	905.3	901.2	12	16.8	18
281	905.3	901.07			
280	905.69	900.79	12	82.8	82
280	905.69	900.79			
285	904.9	899.04	12	125.7	126
313	905	902.07			
312	905	901.97	12	24.3	24
312	905	901.95			
311	903.82	900.52	12	147.5	147
311	903.82	900.47			
310		899.09	12	88	94
288	907.58	903.58			
287	906	903.05	12	55.9	54
287	906	902.95			
286	905.93	902.7	12	28.3	28
286	905.93	902.65			
285	904.9	900.48	12	160.6	160
299A	908.56	905.76			
299	908.77	904.28	12	80.12	95
299	908.77	903.13			
298	908.47	902.89	18	44.7	30
298	908.47	902.82			
297	908.53	902.51	18	28.5	28
297	908.53	902.27			
291	906.64	901.42	18	160.2	161
291	906.64	901.28			
290	907.52	900.65	18	41.3	43
290	907.52	900.6			
289	907.66	900.24	18	24	
289	907.66	900.01			
285	904.9	899.07	24	366.5	365
285	904.9	899.04			
280C		898.64	24	28.8	30

316	903.39	899.81			
315	903.32	899.62	12	24.3	24
315	903.32	899.59			
314		898.89	12	161	160
371	907.85	904.55			
370	907.44	904.39	12	44.9	45
370	907.44	904.34			
369	907.37	904.27	12	28	
369	907.37	904.17			
368		902.99	12	78.3	80
377	903.93	898.78			
376		898	48	596.8	600
363	905.59	903.37			
362	905.12	901.92	12	81.8	80
362	905.12	901.87			
361	904.85	901.6	12	23.6	26
361	904.85	901.6			
360	904.76	901.19	12	28	
360	904.76	901.19			
359		899.98	12	24.5	24
340	908.39	905.89			
336	908.95	905.55	12	129.2	130
336	908.95	905.55			
333	908.12	904.47	12	131.8	132
339	908.1	905.8			
338	908.89	905.39	12	78.2	83
338	908.89	905.39			
337	908.89	905.24	12	28	
337	908.89	905.24			
337A	910.08	904.83	15	80.9	79
337A	910.08	904.79			
333	908.12	904.47	15	98.3	102
333	908.12	904.22			
332	907.84	903.94	15	21.7	23
332	907.84	903.94			
331	907.9	903.8	15	24.2	24
331	907.9	903.7			
324	907.22	902.92	18	274.6	272
324	907.22	902.92			
323		902.55	24	103.2	106
367	905.66	903.16			
366	906.16	902.86	12	80.3	80
366	906.16	902.86			
365	906.17	902.67	12	27.9	28
365	906.17	902.67			
364		902.46	12	83	
345	908.76	905.41			
346	909.05	905.95	12	191.5	194

346	909.05	905.95			
347	908.55	906.2	12	94.3	92
335	909.09	905.34			
334	908.99	905.14	12	24.1	24
334	908.99	905.14			
333	908.12	904.47	12	129.3	128
330	908.17	905.07			
329	908.13	904.83	12	24	
329	908.13	904.73			
324	907.22	903.02	15	155.2	153
327A		906.72			
327	907.52	905.12	12	122.9	138
327	907.52	905.12			
326	908.08	904.78	12	42.5	41
326	908.08	904.78			
325	908.04	904.39	12	28.1	28
325	908.04	904.29			
324	907.22	903.12	12	135.7	136
352	909.14	906.64			
351	909.07	906.37	12	125.5	125
351	909.07	906.37			
350	909.64	905.94	12	122.3	125
350	909.64	905.94			
349	909.67	905.87	12	24	
349	909.67	905.57			
348	910.5	905.5	15	47.9	46
348	910.5	905.5			
345	908.76	905.36	15	82.5	85
345	908.76	905.31			
344	910.26	904.86	15	74.8	77
344	910.26	904.86			
343	909.04	904.64	15	57.5	54
343	909.04	904.64			
342	909.09	904.49	15	24	
342	909.09	904.49			
341		903.03	15	155.1	155
373	907.49	902.77			
372		902.34	36	191.7	192
379		904.42			
378		902.52	12	16.4	16
299	908.77				
EX STR			18	365	
280A-280B			12	25	
359A-359B			12	20	
341A-341B			12	25	
368A-368B			12	25	
353A-353B			12	20	
310A-310B			12	20	

318A-318B			12	30	
323A-323B			15	20	
355	904.46	901.51			
354	904.42	901.36	12	24.5	24
354	904.42	901.36			
353		894.19	12	83.2	85

**RCP Pipe  
Totals:**

12	4017.82
15	1469
18	938.3
24	498.5
36	191.7
48	702.4

<b>Other Drain:</b>	
OPEN DITCH	960
6" SSD	2144


The length of the drain due to the changes described above is now **10,921 feet**.

The Osborn & Collins#2 was slightly realigned and runs through the lakes constructed for this subdivision. There were some portions of the open ditch vacated and replaced with the storm sewer constructed with this section. The vacated portions of the open ditch are as follows: Sta 12+00 to 12+77, Sta 23+38 to 29+35, and Sta 39+95 to 41+00. Therefore, the Osborn & Collins # 2 is now **25,801 feet**.


The non-enforcement was approved by the Board at its meeting on July 24, 2000 and recorded under instrument #20000039010 & 20000039012.

The bond or letter of credit from Frontier Insurance Co, number 152887, 152888, 152889; dated February 3, 2000; in the amount of \$55,000 for Erosion Control, \$60,000 for Sub-surface drains, and \$256,000 for Storm Sewers; was released April 23, 2001.

I recommend the Board approve the drain's construction as complete and acceptable.

Sincerely,  
  
 \_\_\_\_\_  
 Kenton C. Ward,  
 Hamilton County Surveyor

KCW/slm



SURVEYOR'S OFFICE  
**Hamilton County**

*Kenton C. Ward, Surveyor*

*Phone (317) 776-8495*

*Fax (317) 776-9628*

*Suite 188*

*One Hamilton County Square  
Noblesville, Indiana 46060-2230*

October 23, 2003

To: Hamilton County Drainage Board

Re: Collins-Osborn #2, Arm 4

With the development of Centennial Section 9, a portion of Arm 4 of the Collins-Osborn #2 Drain will be replaced. Therefore, I am recommending partial vacation of this Arm.

Arm 4 is set out in the original description (MR P, Page 540). Arm 4 is to be vacated between STA. 5+00 to STA. 19+50. The portion of Arm 4 being vacated will be replaced by the Centennial Drain, Section 9 shall be connected to the drainage system for Centennial at Structure 852. The portion of Arm 4 between STA. 19+50 and STA. 39+50 was vacated per my report dated August 24, 2000 at a hearing on September 25, 2000. (Drainage Board Minutes Book 5, Page 470 to 471).

I recommend the Board set a hearing for this partial vacation for November 24, 2003.

---

Kenton C. Ward  
Hamilton County Surveyor

KCW/pll

No. 2892

Est oru Ditch Assessment

Report of Appraisers

We John Beals Noah Tomlinson and Joshua Parsho  
 the appraisers appointed by the Board of Commissioners  
 of Hamilton County Indiana to assess the amount  
 of benefits or injuries to the lands liable to be  
 affected by the construction of a proposed ditch  
 petitioned for by Charles Estorn Commencing  
 1 Rod North of the South East Corner of the South  
 West 1/4 of the South East 1/4 of Sec 10 T. 18 Range 3  
 east on the line between the lands of Thomas J  
 Morgan and Charles Estorn and ending 9 1/2 Rods South  
 and 25 Rods East of the North West Corner of the  
 West 1/2 of the North East 1/4 of Sec 22 T. 18 R. 3  
 and more fully described in the petition filed by  
 said Estorn before the Board of Commissioners of  
 said County & State on the 12th day of April 1880  
 having met pursuant to the order of said petitioners  
 at the point of beginning of said proposed work  
 and having examined all the lands liable to be

affected by said proposed work on the 5th day of May  
 1880 we find that said ditch as surveyed does not  
 give all the parties named in the petition affected a  
 sufficient outlet or facilities for draining their lands  
 and as provided in Sec 4 of the 1879 Law we make the  
 following suggestion or addition to said ditch to the  
 better enable the owners of the lands described in the  
 petition to drain and reclaim their lands that is that  
 an arm be constructed commencing at the SW corner

of E 1/2 of NE 1/4 of SE 1/4 of Sec 10 T. 18 R. Range 3 E  
 and at SE corner of W 1/2 of NE 1/4 of SE 1/4 of Sec 10  
 T. 18 Range 3 running a SW direction through the land  
 of Charles Estorn emptying into main ditch at Stake 0  
 benefiting and reclaiming the above described land by  
 Charles Estorn laying a 4 inch tile in said ditch at  
 least 30 inches deep. We also suggest that an arm  
 of said ditch start at the line between J. Stanley  
 and J. J. Morgan at the lowest ground and run  
 through the land of J. J. Morgan in a Southwesterly  
 direction connecting with main ditch at Stake No 12  
 said Morgan to lay a string of 4 inch tile to the land

The ditch petitioned for by Charles Estorn has been completed and assessments fully paid  
 and thereby release the same from record this 6th day of Dec 1882  
 Charles Estorn  
 J. P. Wheeler  
 J. J. Morgan



No.

of J. Stanley to the depth of 20 inches giving him a Sufficient out let  
 We also suggest that an <sup>arm</sup> of said Ditch start  
 2 rods South of the N.W. corner of the SW 1/4 of the SW 1/4  
 of Sec 10 Tp 18 R 3. E. thence East across the  
 said Sands Alexander Wilmington to lay a 4 inch tile  
 at least 20 inches deep thereby giving John Harold and  
 Herman Harold Sufficient out let and from said  
 Wilmingtons east line an open ditch 3 feet deep and  
 4 feet wide on top running a S.E. direction across  
 the Sands of John Clayton Lucy Gilpin and Mordicia  
 White and entering the main ditch at Stake marked  
 18 and we also suggest that an <sup>arm</sup> or branch be  
 constructed commencing one rod W of the S.E. corner  
 of S.E. 1/4 of S.E. 1/4 of Sec 9 Township and range aforesaid  
 running thence E across the Public highway thence S  
 along said Highway in an artificial channel connecting  
 with a tile ditch of Isaac Stanleys at his W line  
 and to have a 4 inch tile laid at least 30 inches  
 deep from above joint to said Stanleys ditch thence  
 E across Isaac Stanleys 80 A Tract of Sand to his  
 E line having a 7 inch tile laid at least 30 inches  
 deep thence in a S. Easterly direction through the Sand  
 of Mordacia White to Stake No 39 on the main ditch  
 and to have a seven inch tile laid at least 30 inches  
 deep by said White to Stanleys E. line and we further  
 suggest that an <sup>arm</sup> or branch be constructed  
 commencing 40 rods N. of the S.E. corner of S.E. 1/4  
 of N.E. 1/4 of Sec 16 Tp 18 R 3. running thence E. across  
 Isaac Stanleys Sand having a 5 inch tile laid to said  
 Stanleys W line and continuing in an Easterly  
 direction across the Sand of Mordacia White to near  
 Stake No 39 at main ditch said White to lay a 7 inch  
 tile at least 30 inches deep to his west line  
 connecting with tile ditches already constructed by  
 Isaac Stanley and if the said White fails or in any  
 way neglects to construct said ditch that the petitioners do  
 the work at Whites Expense  
 and we also suggest and order that said main  
 ditch be changed to run on a direct line from Stake 12



# CHAS OSBORN & J.R. COLLINS<sup>2</sup> DRAIN

SCALE 1"=660'

SHEET 1 OF 2


R 3 E

T 18 N

WASHINGTON TWP

WASHINGTON TWP

CLAY TWP



## SMALL TRACTS

- 09-10-019 SIMMERMAN, GLEN & LAURNA 0.68 ac
- 020 ASKREN, CLYDE T. & MARILYN J. 1.5 ac
- 028.001 WILDS, TERRY L. & SANDRA K. 2.4 ac
- 028.002 TURNER, DONALD LEE & DONNA KAY 2.4 ac
- 028.003 RICHARDSON, ROBERT C. & HARRIET L. 2.0 ac
- 028.004 " " " " 3.0 ac
- 028.005 SMITH, RONALD LEE & SANDRA RENEE 2.428 ac
- 028.006 WRIGHT, W. TIMOTHY & G. DIANNE 1.469 ac
- 028.007 MACDOUGALL, & PIERCE CONST., INC. 0.764 ac
- 028.008 " " " " 0.967 ac
- 028.009 " " " " 1.469 ac
- 028.010 WRIGHT, C. THOMAS & CHRISTY M. 5.0 ac
- 09-15-013 PETTIGORN & BANKS, INC. 4.0 ac
- 09-16-003 ESSEX, KAY E. & MARLENE A. 1.0 ac
- 004 ESSEX, KENT T. & BILLIE A. 1.0 ac
- 009.001 ESSEX, KURT C. & JAMIS KAY 1.0 ac
- 09-22-002 MONTGOMERY, BRUCE K. 3.0 ac
- 002.001 DAVIS HOMES 2.0 ac
- 002.002 GUTTON, WILLIAM D. & PAMELA M. 2.0 ac
- 004 HARRISON, M. FERRELL & JUDITH W. 3.6 ac
- 010 BUCK, ELISABETH W. & MALCOLM 3.5 ac
- 014 MITCHEAL, DAVID PATRICK & BARBARA RUTH 1.9 ac

## INDEX


- ROAD
- RAILROAD
- PROPERTY LINE
- OPEN DRAIN
- TILE DRAIN
- NATURAL DRAIN
- PRIVATE DRAIN
- APPROXIMATE LOCATION
- CATCH BASIN
- HEADWALL
- AERIAL PHOTOGRAPHS USED - I24, I26

PREPARED BY  
GREG T. HINSHAW  
APRIL 15, 1981

APPROVED BY  
*Walter C. Ward*  
HAMILTON COUNTY SURVEYOR

WASHINGTON TWP

CLAY TWP



This information was gathered for input into the Hamilton County Geographical Information System. This document is considered an official record of the GIS.

Entry Date: 5-12-04  
Entered by: *[Signature]*