Drain: ELLOOD WILSON	Drain #:
Improvement/Arm: ELIAS GASCIT	
Operator: J. Livial Steal	Date: 8-30-oct
Drain Classification: Urban/Rural	Year Installed: 1894

GIS Drain Input Checklist

- Pull Source Documents for Scanning
- Digitize & Attribute Tile Drains

- Digitize & Attribute Storm Drains
- Digitize & Attribute SSD
- Digitize & Attribute Open Ditch
- Stamp Plans
- Sum drain lengths & Validate
- Enter Improvements into Posse
- Enter Drain Age into Posse
- Sum drain length for Watershed in Posse
- Check Database entries for errors



Gasb 34 Footages for Historical Cost Drain Length Log

Drain-Improvement:	ELLICON	KILSoul	- (ELLAS	GASENTO
--------------------	---------	---------	-----	-------	---------

٢

		Length	Length	Length	UA);	licable
Drain Type:	Size:		(DB Query)	Reconcile	Price:	Cost:
·····						
OPEN DITCH		4968'	4335'	-633'	19:55/1	84,749
					. <u></u>	
·						
					<u></u>	
					<u></u>	
	-					
						1
`	Sum:	49108'	<u>4335'</u>	-(-33'		504749
	-u				4	
nal Report:						
omments:						
FINAL 633	3' SAMA	e as sta	0-1-+32	OVE FUL	eon Llu	Sail (129

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

CR 9 PG 199

Commissioners' Court.

Grans rosuen for final depart 6ach 13 In the Matter of the issued Wet 3 1894 Vieners Report of Vieners Report Elias Gascho Drain To the Hamorable Board of Cammissioners Hamilton County chains We the undersigned affanited by this Court at it's fime term 1894 to then a Dorain described in the Certified Copy of a Polition and arden of Court for a Ditch by Elias Gascho and athers handled us by the maitor sound represent that according to said order are and the day named there in ton't the He day of July 1894 in Campany with & Cayner a civil Engineer made an accurate Survey of the line of Daid proposed Ditch from ito Danne to it's outlet a plan of said witch is filed heremith michaning the Survey by the Engineer morsed Exhibit A. We Coused Status to Set along baid line dach are hundred feet anulering down stream as shoron by plat We also made a Computation of the total anumber of Cubic Jords of earth to be sensaved from Said drain and estimated the total Cost for the Construction of the work at 234 too Dullors We also affortuned and bet apart to each funcel of land a shore of said work in proportion to the hendfets received all of which will fully by a tahulor Statement in this report. He have also set aut a statement helaw the names of the annew of lands herefited with a discription of each toch of land and the amount assessed against each Tych of land The death of Cut midth at bottom and the sinceth at top along said Prain is also shows in a tatulor Statime in this report after a full and Carefull View we are of the Opinion that the Drain as located by the surry will be of Public setility and herefit to the Health and the Cost aviel not exceed the herefits derined Thereform and should he are aprir Ditch located as follows The following Statement shows who are hengitic the lands there of and assessments There on lo cotion length of each Share amount of assessment amount of Benefits amount of dink to be removed for each Shore price thereof fier Cubic good and that Gash of each Shore

September Special Term, Finst Witch or Amain Viennes Papa Day, 1894 Cr2 9 PG 2 Elias Gascho Names of Onners Letion Discuption Z Lando Baker AR Sho NE X X 29 19 5 4040 280 280 Ò 21 Bravoro Horace SE. Sw 33 19 6 280 4040 - Some NG SN 6 40 402 80 4 barne S E AW 11 49 11 11 40 2 Same 0 X.J NE \$ 87 AW 40 μð 2 80 11 11 Carig Samuel NE NE 32 3.80 440 71 4 Same NW NG 1, 40 2 6 . 80 47 Same 86 NE × 2 92 40 2 80 840 " 40 ... 4 Carry & B Same NE AW. 32 2 80 1,40 n. 16 NE SW . 40 ." 2 !+ 11 Same AW M 2 80 ... " 40 .. " 61/2 SE M Same 1 40 9 80 20 37 40 11 4 Campy Farm 86 NG 31 280 " ., 40 10 AE Same NE 40 " 2,80 .. 61 *1 Same 8m NW 32 'n 2 80 210 4 " Same 40 9 80 37 60103 WYZSE M 20 4 54 12 45 Gascho Edias M M 18 5 5 4040 150 00 Same NE AW l, ŧŧ 11 40 420 Same NY2N/2 DEM 100/5325 2 ×40340 370 4 10 14 •• " Gascho Henry Elel 66 8E 31 19 5-40 40 280 Same NE 18 u 1. 1. 4040 2 80 Joane MW NE 5 18 5 4040 280 Same SE SW 32 19 5-40 40 2 1-6 Some SW 2 80 " *i*i 1. 40 40 77 14 77 60 13 13 67 , 10 Spr.SN SE Same " 11/11 " Gascho Johias NON SN SE 1. 29 29 6 203 4 NN SE Same 16 41 1. 40 40 280 88 88 Same ,4040 2 60 4 10 NO 2 80 10 43 18 ×22 109 418 88 Same 40 40 Gascho Marguet 86 SN 29 19 280 5 40 40 N-6 bune SK 280 " 1. 4 4040 8 40 22 71 89 37 Some W 1/2 N/2 166 280 •• 4 4040 .. Gascho & B Some SN SN 40402000 32 11 11 40 00 11 25 524 184 ANT Sw 40 40 20 \overline{u} 4 11 Granger Mahuda SW SW 3 .. 2 1, Flo 40 Same AN SW 280 1. 1. 40 28 26 Same OF M M

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

CR99 PG201

Commissioners' Court.

						(<u> </u>							
	Owner James	Description of Sands	better	Temeli	Renge	acres	Geno.	and a	Benefico	anto	adecomme	frain	To here	fret	Jernery	Price .	Course	the second
	Heiney Chris	1				40			1								<u> </u>	
		16 18																
	barne	AE SE				40 40	40	4	80	5	100	28	30 Xno	200	50			
		SN NE	33	4		40	40	2	80		120		~9	200				0
		NOV NO		ſ	F	10		1	f I	5	60	30 ×28	3/	124	21			F 7
	Same			:		1												
	Hamble Anthony Hamble Anthony Mallery Calvin Mallery Melissa	MA2 Shim	33		4	20	20		40	,	40	3/ ×.3	31 × 77	رزق			5	27
	Hamble anthony	SN M	33	16	~	40	40	2	50	2	80	31 ×97	32 ×		13	"	19	1
	Mallery Calvin	SW M	34	n.	4	40	40	2	80	2	80	32	33 X	26	1.5		19	
	Mallery Melissa	Sho No	33	4	4	40	40	Q	80	2	80	33 ×40	34 × 20	80	/3		1 5.	
	Rouchush Jessie	24 SE 16	29		"	4	4		28					_			ſ	
	4	Ph IN MU	28	R		4	4		28									
		Ph SE IN	~	1	"	18	18		26		82	34	34 X 70	50	8		13	6
	Smelster Mases	EPH M IN	28	1.	4	25	25		-25									
	Same 6	oon on	<i>i</i> e ,	44	n	25 15	25	/	75	Ŧ	50	34 70	35 ⁻ 82	112	16		84	2
	Richmonthe G	H SE M	29	10	ü	15-	15-	/	<i>05</i> -	/	05-	35 82	34 ×,5	33	-ى			6
C	Rouelehush George	4 In On	27	ų	14	18	18	1	26	/	26	36 	34 × 40	45-	6		F	2
	Sapper Jacoh	M SN	25	11		40												
		Shi the			"	40	¥0	2	80			01	10					
		6/26/2 86	30	4	11	40	40	2	80	8	40	56 X 60	07 X 40	280	39		58	0
	10	8N - 56	18			100	110		0						- 1	1		
		AWSE.	4	<i>.</i>	· · · · m t	40	40	2	80	5	60	× 40	25	185-	æ	4	3 8,	>
	Stearn Jessie	66 86				1.0	110	2	00			•						
۲	Same .	FE SE	62	ci.	~1	40	60	2	80	5	60	Ž5-	Х ДС	200	25		38	6
	erubus of p	NE NE	33	9	11	26.0	40	2	80			43	14.5-					
	Same :	Mar Mu	34	"	4	140	40	2	80	5	60	25	- স্ট্রিড	210	25		38	26
•	Trice John a	Sho Mi	33.	1.	".	20	20	. /	40		40	-75 35-	46	45	6		2,	,,
•	Wheeler Pol	re re	سى	18	4	28	28	1	96				48					
	Same .	on se re		*	••	22	22	1	54	3	40	46 48	×17 49	2/7	24		33	5
*	Wheeler & A Of	Th BE	33	19	5.	39	39	2	73	2	73	7/2	×68	<u>, 75</u> 2	/2		-	7
	Beginning at a	2 Junto		-	d S	e a	zh	4	M	e7	20	20	£ (m	4	4	ran	en
	of the bosth a	H 2.2	un contraction of the second	re	Ŧ	dec	e 0	0	0.	in	- ^	r 1	~	A C	Te.	ng		
•	and to and	, man of all	~ /u	car	6	00	cer	. th	kn	e	m	eaby	00	o fi	01	A	in	ee.
	A 70 W, 450 feet 1 A 50 W 200 leet 1to.	non te UT HU	p		20 A	"Je		nen	a l		80	N J	50	leet		ne	Z	
	N 50 W 200 feet then then consucre 200 los	the set	que No		ner	~ ee	A .	40 A	8	20	re		ren	ee A	1	00	A.	2
	Then ce sweat 200 feel 350 leek Thinks An	with but a.	h		00) 5	ccen	The second	n c	e no	res	~2	00	ah	the 0	n	u.G	35	x
	350 feet Think on	of the Hamilton County	Surve	er's Q	office;	One Ha	milton	Co. S		Ste.	188,	<i>J</i> G Noblesy	ville, Ir	46060				
	Disconvertited from the Digital Archive		-1	1- <i>U</i>			1.10	1	1-01	er (rap	1	0	0-0	FØ	y and the		
																		1 1

Schember Steciae 'I'erm. Elias Gascho Ditch Tinat Day, 1894 CR9 PG ZO2 of the North west quarter of Section 16 Tomship 18 Nof Row me (5) East The lingth of the ditch as located is forty to a Hundred and Sight Eight feet (4968 feet) the fall of Estophis hed grade is fict from Stat @ to 13 19 100 to 100 feet 131.38 . 49×68 23/00 The Satur fall is 8 35 feet Hamilton Mitzle · A S Cher Viero diff Cut mich Ich Car the Bitte 0 400 950 18 33 95 318 1.3 4 8/18410 H lle m 430 DW Co 276 702 9 18 61 26 552 1252 15 18 23 3 15 43 2 265680 42 6 30 27 23 492 11 34 18 3 45 23/612 5 53 2.8- 529 1200 3 37 4 2 85 19 238 726 33 4 495 29 285 483 1114 19 5 237 624 4 34 5 30 280 533 1216 10 19 271695 4 38 5 6 120 415 980 19 2 85 31 7 300 750 46 6 32 2 85 20 5749 12.48 15 19 8 339 828 56 8 33 4 40 477 2 85 1104 9 9 328 806 60 16 240 34 454 1050 308 7.66 18 53 8 35-14 240 23 525 1447 1044 39 585 210 36 248 646 14 5/10711. Fre NOC 37 375-900 210 14 12 390 930 34 5 85 38 308 256 14 2 10 13 402954 39 5-85-13750 15-1525 862 874 35 2 ٠, 14 10 124 402 954 33 495 Quick Dan 14 40 310 270 2 10 33 4751100 16 323 796 ĸ 4 5 1800 feet fumber ş 210 14 37 16 431 55 at 120 \$ 21.60 1012 /\$ 42 411 972 1 73 682 1514 17 6 ¥, 40 43 414 978 98 /3 632 1414 18 6 50 12 46 180 η, 44 402 952 19 611 1372 ノシ 80 1 44 6 60 43 10 34 442 20 645 1440 6 60 44 46 14 2 10 Ċ, 487 1121 21 683 1516 6 44 60 H. 47 409 9 let 210 23 625 1400 8 ٠., 40 6 48 339 828 00 120 2.8 664 14 78 8. 6 vo 48 49 ふしょ 20 25464444 92 33 495 *1*.

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060