



Kenton C. Ward, Surveyor

Phone (317) 776-8495

Fax (317) 776-9628

Suite 188

One Hamilton County Square

Noblesville, Indiana 46060-2230

August 22, 2005

TO: Hamilton County Drainage Board

RE: Harmon Clark Drain, Kensington Carriage Homes at Oak Trace Arm

Attached is a petition filed by C and R Custom Homes along with a non-enforcement request, plans, calculations, quantity summary and assessment roll for the Kensington Carriage Homes at Oak Trace Arm, Harmon Clark Drain to be located in Washington Township. I have reviewed the submittals and petition and have found each to be in proper form.

I have made a personal inspection of the land described in the petition. Upon doing so, I believe that the drain is practicable, will improve the public health, benefit a public highway, and be of public utility and that the costs, damages and expenses of the proposed drain will probably be less than the benefits accruing to the owners of land likely to be benefited. The drain will consist of the following:

12" RCP	823 feet	18" RCP	135 feet	24" RCP	363 feet
15" RCP	719 feet	21" RCP	775 feet	30" RCP	827 feet

The total length of the drain will be 3,642 feet.

The retention pond (lake) located in the Common Area is to be considered part of the regulated drain. Pond maintenance shall include the inlet and outlet, sediment removal and erosion control along the banks as part of the regulated drain. The maintenance of the pond, such as mowing and aquatic vegetation control will be the responsibility of the Homeowners Association. The Board will however retain jurisdiction for ensuring the storage volume for which the lake was designed will be retained. Thereby, allowing no fill or easement encroachments.

I have reviewed the plans and believe the drain will benefit each lot equally. Therefore, I recommend each lot be assessed equally. I also believe that no damages will result to landowners by the construction of this drain. I recommend a maintenance assessment of \$15.00 per acre for common areas and platted lots, with a \$50.00 minimum, \$10.00 per acre for roadways. With this assessment the total annual assessment for this drain/this section will be \$4,596.30.

The petitioner has submitted surety for the proposed drain at this time. The sureties which are in the form of a Performance Bond are as follows:

Agent: Bond Safeguard Insurance Company
Date: March 28, 2005
Number: 5014592
For: Storm Sewers
Amount: \$206,202.00

Agent: Bond Safeguard Insurance Company
Date: March 28, 2005
Number: 5014594
For: Erosion Control
Amount: \$11,428.80


Parcels assessed for this drain may be assessed for the H.G. Kenyon or Cool Creek Drain at sometime in the future.

I believe this proposed drain meets the requirements for Urban Drain Classification as set out in IC 36-9-27-67 to 69. Therefore, this drain shall be designated as an Urban Drain.

The offsite outlet pipe will run through Lot 6 of South Oak Industrial Park, parcel number 09-09-12-00-00-002.101, which is owned by Sandra L. Gooding. The pipe will intersect the open ditch at the east property line of the Gooding Parcel, which is approximately Sta. 3+40 of the open ditch between Str. 717 and the detention pond for South Oak Industrial Park. The offsite pipe will be located in a Utility Easement recorded in the office of the Hamilton County Recorder as instrument #200100032168.

I recommend that upon approval of the above proposed drain that the Board also approve the attached non-enforcement request. The request is for the reduction of the regulated drain easement to those easement widths as shown on the secondary plat for Kensington Carriage Homes at Oak Trace as recorded in the office of the Hamilton County Recorder.

I recommend the Board set a hearing for this proposed drain for January 23, 2006.



Kenton C. Ward
Hamilton County Surveyor

KCW/pll

STATE OF INDIANA)
)
COUNTY OF HAMILTON)

(Revised 06/08/04)

TO: HAMILTON COUNTY DRAINAGE BOARD
c/o Hamilton County Surveyor
One Hamilton County Square, Suite 188
Noblesville, IN 46060-2230

In the matter of Kensington Carriage Homes at Oak Trace Subdivision, Section
Harmon Clark regulated Drain Petition.

Petitioner is the owner of all lots in the land affected by the proposed new regulated drain. The drainage will affect various lots in Kensington Carriage Homes at Oak Trace, a subdivision in Hamilton County, Indiana. The general route of such drainage shall be in existing easements and along public roads as shown in the plans on file in the Surveyor's Office.

Petitioner believes that the cost, damages and expenses of the proposed improvement will be less than the benefits, which will result to the owners of the land likely to be benefited thereby. Petitioner believes the proposed improvements will:

- (a) improve public health
- (b) benefit a public street
- (c) be of public utility

Petitioner agrees to pay the cost of construction of the drainage system and requests periodic maintenance assessments by the Board thereafter.

The Petitioner also agrees to the following:

1. To provide the Drainage Board a Performance Bond or Non-Revocable Letter of Credit for the portion of the drainage system which will be made a regulated drain. The bond will be in the amount of 120% of the Engineer's estimate. The bond will be in effect until construction of 100% of the system is completed and so certified by the Engineer.
2. The Petitioner shall retain an Engineer throughout the construction phase. At completion of the project the Petitioner's Engineer shall certify that the drainage system which is to be maintained as a regulated drain has been constructed as per construction plans.
3. The Petitioner agrees to request in writing to the County Surveyor any changes from the approved plan and must receive written authorization from the County Surveyor prior to implementation of the change. All changes shall be documented and given to the Surveyor to be placed in the Drain file.
4. The Petitioner shall instruct his Engineer to provide a reproducible print on a 24" x 36" Mylar of the final design of the Drainage System. This shall be submitted to the County Surveyor prior to the release of the Performance Bond.
5. The Petitioner shall comply with the Erosion Control Plan as specified on the construction plans. Failure to comply with the Erosion Control Plan shall be determined by the Board as being an obstruction to the drainage system. The County Surveyor shall immediately install or repair the needed measures at Petitioner's cost as per IC-36-9-27-46.

The Petitioner further requests that the Drain be classified as an Urban Drain as per IC 36-9-27-69(d).

RECORDED OWNER(S) OF LAND INVOLVED

Signed

Larry Cowell

Printed Name

11.16.04

Date

Signed

Printed Name

Date

Signed

Printed Name

Date

Signed

Printed Name

Date

FINDINGS AND ORDER

CONCERNING THE MAINTENANCE OF THE

Harmon Clark Drain, Kensington Carriage Homes at Oak Trace Arm

On this **23rd day of January 2006**, the Hamilton County Drainage Board has held a hearing on the Maintenance Report and Schedule of Assessments of the **Harmon Clark Drain, Kensington Carriage Homes at Oak Trace**.

Evidence has been heard. Objections were presented and considered. The Board then adopted the original/amended Schedule of Assessments. The Board now finds that the annual maintenance assessment will be less than the benefits to the landowners and issues this order declaring that this Maintenance Fund be established.

HAMILTON COUNTY DRAINAGE BOARD

K. C. Willinger
President

Dan A. Ober
Member

M. R.
Member

Attest:

Joyette Masbaugh

FINDINGS AND ORDER

CONCERNING THE PARTIAL VACATION OF THE


Harmon Clark Drain

**Original Southoak Industrial Park Arm - Str. 717 to Str. 925
Kensington Carriage Homes at Oak Trace Arm - 49' of 21" RCP**

On this **22nd day of January 2007**, the Hamilton County Drainage Board has held a hearing on the Maintenance Report and Schedule of Assessments of the **Harmon Clark Drain: Str. 717 to Str. 925 of Original Southoak Industrial Park Arm; and 49' of 21" RCP of Kensington Carriage Homes at Oak Trace Arm.**

Evidence has been heard. Objections were presented and considered. The Board then adopted an order of action. The Board now finds that the costs of continued maintenance to the portion of the above drain exceed the benefits to the real estate benefited by the portion of the drain to be abandoned and issues this order vacating the above section of the **Harmon Clark Drain**.


HAMILTON COUNTY DRAINAGE BOARD



President



Member



Member

Attest:



CERTIFICATE OF COMPLETION AND COMPLIANCE

To: Hamilton County Surveyor

Re: Kensington Carriage Homes at Oak Trace

I hereby certify that:

1. I am a Registered Land Surveyor or Engineer in the State of Indiana.
2. I am familiar with the plans and specifications for the above referenced subdivision.
3. I have personally observed and supervised the completion of the drainage facilities for the above referenced subdivision.
4. The drainage facilities within the above referenced subdivision to the best of my knowledge, information and belief have been installed and completed in conformity with all plans and specifications.
5. The drainage facilities within the above referenced subdivision to the best of my knowledge, information and belief have been correctly represented on the Record Drawings, Digital Record Drawings and the Structure Data Spreadsheet.


Signature: James K. Shinneman Date: 12/9/05

Type or Print Name: James K. Shinneman

Business Address: 10505 N. College Ave
Indianapolis, IN 46280

Telephone Number: (317) 846 - 6611

SEAL



INDIANA REGISTRATION NUMBER

10200392



Kenton C. Ward, CFM

Surveyor of Hamilton County

Phone (317) 776-8495

Fax (317) 776-9628

Suite 188

One Hamilton County Square

Noblesville, Indiana 46060-2230

To: Hamilton County Drainage Board

March 20, 2009

Re: Harmon Clark Drain: Kensington Carriage at Oak Trace Arm

Attached are as-builts, certificate of completion & compliance, and other information for Kensington Carriage at Oak Trace Arm. An inspection of the drainage facilities for this section has been made and the facilities were found to be complete and acceptable.

During construction, changes were made to the drain, which will alter the plans submitted with my report for this drain-dated August 22, 2005. The report was approved by the Board at the hearing held January 23, 2006. (See Drainage Board Minutes Book 9, Pages 42-43)

The changes are as follows:

Structure:	Length:	Size	Material:	Up Invert:	Dn. Invert	Grade:	Changes:
202-201	400	21	RCP	886.9	884.18	0.27	
201-200	22	12	RCP	887	887	0	
203-202	74	21	RCP	887	886.9	0.14	
201-200	89	21	RCP	885.83	885.78	0.06	-36
208-207	61	12	RCP	887.28	886.94	0.56	
217-216	58	12	RCP	894.79	893.03	1.48	
216-215	112	15	RCP	893.77	893.24	0.47	
215-214	138	30	RCP	891.84	891.58	0.19	
214-213	153	30	RCP	891.58	891.21	0.24	
213-212	116	30	RCP	891.21	890.7	0.44	
212-211	133	30	RCP	890.7	890.46	0.18	
211-210	147	30	RCP	890.46	889.84	0.42	
210-209	44	30	RCP	889.04	886.99	4.66	
218-213	54	12	RCP	893.14	891.21	1.94	
220-219	103	12	RCP	894.33	893.99	0.33	
219-214	113	12	RCP	893.99	893.11	0.78	
221-216	223	15	RCP	894.43	893.93	0.3	
231-223	67	12	RCP	895.68	894.45	1.84	
223-222	212	15	RCP	894.45	892.8	0.78	
222-215	96	30	RCP	892.22	893.24	0.4	

227-226	158	12	RCP	896	894.45	0.98
226-225	176	21	RCP	893.8	893.42	0.21
225-224	239	24	RCP	893.1	892.34	0.32
224-222	124	24	RCP	892.34	892.25	0.07
229-228	172	15	RCP	895.26	894.38	0.51
228-226	135	18	RCP	894.38	893.79	0.44
230-224	185	12	RCP	894.77	893.34	0.77

RCP Pipe Totals:

12	821
15	719
18	135
21	739
24	363
30	827

The length of the drain due to the changes described above is now **3604 feet**.

Note: Structure 201-200 was shortened due to the instillation of the Southoak Industrial Park Extension.

The non-enforcement was approved by the Board at its meeting on January 23, 2006 and recorded under instrument #200600004923.


The following sureties were guaranteed by Bond Safeguard Insurance Company and released by the Board on its March 28, 2005 meeting.

Bond-LC No: 5014592
Insured For: Storm Sewers
Amount: \$206,202.00
Issue Date: March 28, 2005

Bond-LC No: 5014594
Insured For: Erosion Control
Amount: \$11,428.80
Issue Date: March 28, 2005


I recommend the Board approve the drain's construction as complete and acceptable.

Sincerely,



Kenton C. Ward, CFM
Hamilton County Surveyor


KCW/slm



NOTE:

1. STORM SEWERS MUST MEET HAMILTON COUNTY SURVEYORS OFFICE CURRENT DETAILS AND SPECIFICATIONS.

2. ALL CASTINGS MUST BE STAMPED WITH "DUMP NO WASTE DRAINS TO WATERWAY"



DETAIL AT FORCE MAIN CROSSING
(NOT TO SCALE)

HORIZONTAL SCALE:
 $1'=50'$


RECORD DRAWING
STORM SEWER AS-BUILTS
STORM SEWER STRUCTURES ONLY
12-09-05

James K. Shinneman

JAMES K. SHINNEMAN P.E. 10200392

LEGEND

	RIGHT-OF-WAY LINE
	STORM SEWER LINE
	SANITARY SEWER LINE
	SANITARY SEWER MANHOLE
	SANITARY SEWER LATERAL
	FLOW DIRECTION
	ELEVATION
	EXISTING CONTOURS
	PROPOSED ELEVATION
	STORM MANHOLE
	STORM INLET
	TOP OF CASTING
	CURB
	REINFORCED CONCRETE PIPE
	MANHOLE STRUCTURE
	DRAINAGE AND UTILITY EASEMENT
	SANITARY, DRAINAGE, AND UTILITY EASEMENT
	SANITARY AND UTILITY EASEMENT
	SANITARY SEWER
	HANDICAP RAMP
	MATCH EXISTING GRADE
	SUBSURFACE DRAIN AND SUMP LINE
	STORM SEWER
	GRANULAR BACKFILL
	CONCRETE END SECTION
	SUBSURFACE DRAIN
	TYPICAL
	PROPOSED
	EXISTING
	RADIUS
	I & E ESMT = INGRESS/EGRESS EASEMENT



WEIHE ENGINEERS, INC.

1036 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46280
(317) 846-6611 FAX: (317) 845-0346
TOLL-FREE: (800) 552-6608
ALLAN H. WEIHE
REGISTERED CIVIL ENGINEER
REGISTERED LAND SURVEYOR
PRESIDENT

CIVIL ENGINEERS • LAND SURVEYORS • LAND PLANNERS • LANDSCAPE ARCHITECTS

6

Kensington Carriage Homes at Oak Trace

C & R CUSTOM HOMES

Part of the NW 1/4 of Section 12, Township 8 North, Range 3 East, Boro of Noblesville, Indiana

PREPARED FOR: *[Signature]*

SHEET NO.

1

PROJECT NO.

W04-0531

1


PROJECT NO.
W04-0531
DRAWING NO.: 12-09-05

DESIGNED BY:
EAC/JKS
DRAWN BY:
JAB
CHECKED BY:
JKS

DATE:
12/09/05
BY:
EAC

STORM SEWER PLAN AND PROFILE

2



This information was gathered for input into the Hamilton County Geographic Information System (GIS). This document is considered an official record of the GIS.
Entry Date: 3-19-09
Entered By: SLM

WEIHE ENGINEERS, INC.

1650 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46220
(317) 462-5611 FAX (317) 845-0516
TOLL FREE (800) 452-5468

ALLAN H. WEIHE
REGISTERED CIVIL ENGINEER
REGISTERED LAND SURVEYOR
PRESIDENT

CIVIL ENGINEERS * LAND SURVEYORS * LAND PLANNERS * LANDSCAPE ARCHITECTS

Kensington Carriage Homes at Oak Trace

STORM SEWER PLAN AND PROFILE

Part of the NW 1/4 of Section 12, Township 18 North, Range 3 East, Portion on Plat of

Hamilton County Surveyor's Office

Sheet No. 7

Project No. W04-0531

Prepared for:

C & R CUSTOM HOMES

Sheet No. 7

For the NW 1/4 of Section 12, Township 18 North, Range 3 East, Kensington Carriage Homes

Legend

- - - RIGHT-OF-WAY LINE
- - - SANITARY SEWER LINE
- - - SANITARY SEWER MANHOLE
- - - SANITARY SEWER LATERAL
- - - FLOW DIRECTION
- - - EXISTING SPOT ELEVATION
- - - EXCAVATED SECTION
- - - STORM MANHOLE
- - - STORM INLET
- - - TOP OF CASTING
- - - INVERT
- - - REINFORCED CONCRETE PIPE
- - - M.H.
- - - STR.
- - - S.D. & U.E.
- - - S & U.E.
- - - SAN. H.C.
- - - M.E.
- - - STM
- - - S.S.D.
- - - S.S.P.
- - - TYP.
- - - PROP.
- - - EX.
- - - R.
- - - I & E ESMT

NOTE:

1. STORM SEWERS MUST MEET HAMILTON COUNTY SURVEYOR'S OFFICE CURRENT DETAILS AND SPECIFICATIONS.
2. ALL CASTINGS MUST BE STAMPED WITH "DUMP NO WASTE DRAINS TO WATERWAY"

RECORD DRAWING

STORM SEWER AS-BUILTS
STORM SEWER STRUCTURES ONLY
12-09-05

James K. Shinneman
JAMES K. SHINNEMAN P.E. 10200392

HORIZONTAL SCALE:
1"=50'

(XXX.XX) = ASBUILT ELEVATION

REVISIONS AND ISSUES

REVISIONS FOR WESTFIELD INC. REVIEW
REVISIONS FOR HCO REVIEW
REVISIONS FOR GRADING AND LANDSCAPE PER
HAMILTON COUNTY SURVEYOR'S OFFICE

△ REVISIONS TO GRADING

△ REVISIONS TO WATER MAIN
STORM SANITARY AND WATER ABSURBS

JAMES K. SHINNEMAN
REGISTERED
PROFESSIONAL
ENGINEER
NO. 10200392
STATE OF
INDIANA
James K. Shinneman P.E. 10200392
12/14/05

This Information was gathered for input into the
Hamilton County Geographic Information System (GIS). This document is considered an
official record of the GIS.
Entry Date: March 2009
Entered by: SLW

Hamilton County
Surveyor's Office

Part of the NW 1/4 of Section 12, Township 18 North, Range 3 East, Kensington Carriage Homes

Sheet No. 7

For the NW 1/4 of Section 12, Township 18 North, Range 3 East, Kensington Carriage Homes

Sheet No. 7


Project No. W04-0531

7



Part of the NW 1/4 of Section 12, Township 18 North, Range 3 East, Kensington Carriage Homes

Sheet No. 7

Project No. W04-0531



	905	900	895	890	885	880	875	870	865	860
WATER-MAIN	Inv = (893.14)	54' of 12' RCP (0.6% (1.94%))	(891.21) (SW) Inv = 892.09 (892.09)							
SEW. MAIN	Inv = (893.45)	PROPOSED GRADE C. = (897.36)	EXISTING GRADE C. = (897.45)	STM STR #218 C. = (897.00)	STM STR #113 C. = (896.96)					
	905	900	895	890	885	880	875	870	865	860
	1+00	0+50	0+00							



WEIHE ENGINEERS, INC.

1856 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46290
(317) 844-6461 FAX: (317) 843-0546
REGISTERED LAND SURVEYOR
PRESIDENT

CIVIL ENGINEERS • LAND SURVEYORS • LAND PLANNERS • LANDSCAPE ARCHITECTS

LEGEND	
—	RIGHT-OF-WAY LINE
---	STORM SEWER LINE
—	SWALE
—	SANITARY SEWER LINE
●	SANITARY SEWER MANHOLE
—	FLOW DIRECTION
—	EXISTING SPOT ELEVATION
- - -	PROPOSED ELEVATION
- - -	REINFORCED CONCRETE PIPE
□	MANHOLE
○	TOP OF CASTING
□	INVERT
—	STRUCTURE
—	MATCH EXISTING GRADE
—	SUBSURFACE DRAIN
—	GRANULAR BACKFILL
—	CONCRETE END SECTION
—	SUBSURFACE DRAIN
—	SANITARY SEWER PIPE (SDR-35)
T.C.	TYPICAL
INV.	PROPOSED
RCP.	EXISTING
M.H.	RADIUS
STR.	INGRESS/EGRESS EASEMENT
D. & U.E.	SANITARY AND UTILITY EASEMENT
S. & U.E.	SANITARY SEWER
H.C.	HANDICAP RAMP
M.E.	MATCH EXISTING GRADE
STM	STORM SEWER
S.S.D.	GRANULAR BACKFILL
S.S.P.	CONCRETE END SECTION
TYP.	SUBSURFACE DRAIN
PROP.	SANITARY SEWER PIPE (SDR-35)
EX.	TYPICAL
R.	PROPOSED
I & E ESMT	EXISTING


RECORD DRAWING

STORM SEWER AS-BUILTS
STORM SEWER STRUCTURES ONLY


12-09-05

JAMES K. SHINNEMAN P.E. 10200392

PROJECT NO.:	W04-0531
BY:	DWYANE L. SHINNEMAN, P.E.
DATE:	11/10/05
JOB:	W04-0531
DRAWN BY:	DWYANE L. SHINNEMAN
CHECKED BY:	EAC-JAS
DATE:	12/09/05
BY:	JAS
DATE:	10/13/04



James K. Shinneman P.E. 10200392



This information was gathered for input into the Hamilton County Geographic Information System (GIS). This document is considered an official record of the GIS.

Entry Date: March 2009

Entered By: SLM

Kensington Carriage Homes at Oak Trace

STORM SEWER PLAN AND PROFILE

Part of the NW 1/4 of Section 12, Township 18 South, Range 5 East, Four Rivers Township, IN

P

Q

R

S

T

U


8



PROJECT NO.
W04-0531


PREPARED FOR:
C & R CUSTOM HOMES

Sheet No.

100-12-09-0531





WEIHE ENGINEERS, INC. 

1005 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46220
(317) 845-4651 FAX: (317) 845-0546
TOLL-FREE (800) 452-6408

ALLAN H. WEIHE
REGISTERED CIVIL ENGINEER
REGISTERED LAND SURVEYOR
PRESIDENT

CIVIL ENGINEERS • LAND SURVEYORS • LAND PLANNERS • LANDSCAPE ARCHITECTS

Kensington Carriage Homes at Oak Trace

RECORD DRAWING
STORM SEWER AS-BUILTS
STORM SEWER STRUCTURES ONLY
12-09-05

C & R CUSTOM HOMES

STORM SEWER PLAN AND PROFILE

PREPARED FOR:
C & R CUSTOM HOMES

DATE: 12-09-05 SHEET NO.: 9

PROJECT NO.: W04-0531

REVISIONS AND ISSUES
REVISIONS PER REQUEST OF OWNER
REVISIONS REVIEWED AND APPROVED
BY HAMILTON COUNTY SURVEYOR'S OFFICE
JAMES K. SHINNEMAN
REGISTERED PROFESSIONAL ENGINEER
NO. 10200392
STATE OF INDIANA
12/19/05
JAMES K. SHINNEMAN P.E. 10200392

1005 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46220
(317) 845-4651 FAX: (317) 845-0546
TOLL-FREE (800) 452-6408

ALLAN H. WEIHE
REGISTERED CIVIL ENGINEER
REGISTERED LAND SURVEYOR
PRESIDENT


CIVIL ENGINEERS • LAND SURVEYORS • LAND PLANNERS • LANDSCAPE ARCHITECTS

This copy is from the digital Archive of the Hamilton County Surveyor's Office; Noblesville, Indiana 46060

WEIHE ENGINEERS, INC.

10550 NORTH COLLEGE AVENUE
INDIANAPOLIS, INDIANA 46280
(317) 846-5611 FAX (317) 843-5546
TOLL-FREE (800) 452-6408

CIVIL ENGINEERS * LAND SURVEYORS * LAND PLANNERS * LANDSCAPE ARCHITECTS



LEGEND

- RIGHT-OF-WAY LINE
- STORM SEWER LINE
- SWALE
- SANITARY SEWER LINE
- SANITARY SEWER LATERAL
- FLOW DIRECTION
- EXISTING SPOT ELEVATION
- PROPOSED ELEVATION
- STORM MANHOLE
- STORM INLET
- T.C. "C" CASTING
- INVERT
- REINFORCED CONCRETE PIPE
- MANHOLE
- M.H.
- STRUCTURE
- DRAINAGE AND UTILITY EASEMENT
- SANITARY, DRAINAGE, AND UTILITY EASEMENT
- S & U.E.
- SANITARY AND UTILITY EASEMENT
- SANITARY SEWER
- HANDICAP RAMP
- H.C.
- M.E.
- MATCH EXISTING GRADE
- SUBSURFACE DRAIN
- SWALE LINE
- STORM SEWER
- GRANULAR BACKFILL
- CONCRETE END SECTION
- S.S.D.
- S.S.P.
- SUBSURFACE DRAIN
- SANITARY SEWER PIPE (SUR-35)
- TYP.
- PROPOSED
- EX.
- EXISTING
- R.
- RADIUS
- I & E ESMT
- INGRESS/EGRESS EASEMENT


(xxx.xx) = ASBUILT ELEVATION

NOTE:

1. STORM SEWERS MUST MEET HAMILTON COUNTY SURVEYORS OFFICE CURRENT DETAILS AND SPECIFICATIONS.
2. ALL CASTINGS MUST BE STAMPED WITH "DUMP NO WASTE DRAINS TO WATERWAY"

RECORD DRAWING
STORM SEWER AS-BUILTS
STORM SEWER STRUCTURES ONLY
12-09-05

JAMES K. SHINNEMAN P.E. 10200392



This information was gathered for input into the
Hamilton County Geographic Information System (GIS). This document is considered an
official record of the GIS.
Entry Date: March 2009
Entered By: SLN

PREPARED FOR:	Kensington Carriage Homes at Oak Trace		
SHEET NO.	C & R CUSTOM HOMES		
PROJECT NO.	10		
W04-0531	STORM SEWER PLAN AND PROFILE		
Per 1/16/04 12:20:00 PM, Report: East Township - 1 - County, Indiana			