Drain: KREAGER-HINSHAW	Drain #: /08
Improvement/Arm:	
Operator: J. LIVINGSTON	Date: 2-24-04
Drain Classification: Urban/Rural	

GIS Drain Input Checklist

•	Pull Source Documents for Scanning	_ fuel
•	Digitize & Attribute Tile Drains	Sem
•	Digitize & Attribute Storm Drains	
•	Digitize & Attribute SSD	· · · · · · · · · · · · · · · · · · ·
•	Digitize & Attribute Open Ditch	Sim/ forf
•	Stamp Plans	- furf
•	Sum drain lengths & Validate	Joseph J.
•	Enter Improvements into Posse	
•	Enter Drain Age into Posse	Sim
	Sum drain length for Watershed in Posse	Sim for
•	Check Database entries for errors	- Just

Gasb 34 Footages for Historical Cost <u>Drain Length Log</u>

Orain Improvement	V a - a		engui Log			
Orain-Improvement:	HKEHIO	<u>ea - </u>	MUSHAW		 	
		Length	Length	Length	Egeneral (A)	
Orain Type:	Size:		(DB Query)	Reconcile	Price:	Cost:
TILE *	8"	850'	850		200 If	170000
OPEN DITCH		11,800'	11800		19.55/1	20 10-
					17. 175	230,690
TILE-ARM ! *	10"	1800'	1300'		30 If	390000
	7	1000	7800		0 17	3700
	:					
			·			<u> </u>
						**
		į				
	Sum:	13950'	13950'	<u> </u>	<i>F</i>	236,210
			7			. <u>~~~,~~</u>
nal Report:		a de la companya de l				
omments:						
to record of Tice	WSTALLATIN	SIZE LENG	TH. INSTALLE	Sametime	BETWEEN	1952
WALD 1978. MANA MIGNAL COMMISSION	BACH TILL	CENGTH FREE	m MAP ON F	ILE. ARM	1 LENG 77.	FROM

mapcorrection - Field Verification 5-13-04

2-26



Kenton C. Ward, Surveyor Phone (317) 776-8495 Fax (317) 776-9628

Suite 188 One Hamilton County Square Noblesville, Indiana 46060-2230

Map Correction-Field Verification

Drain Number: 108

Drain Length: ル/ヘ

Drain Name: Kvenger-Hinshaw

Change + / -: ∅

Date: 5-13-04

New Length: ~/♠


Verified By: Suzanne 1. Mills & Andy Conover

Notes & Sketch: (See attached map)

Andy conover pulled the size where the outlets into the open ditch. Thes were compat the outlet and we assumed to be sleeved at I size bigger than the tire. The to the North therefore is 8" the sleeved with 10"cmp. The to the South is 10" sleeved with 12" cmp.

There were two tiles at the south location. The tile to the north is assumed to be private due to the drain map with wo-90-192 which shows a private tile in that area.

Suzapne L. Mills GIS Specialist



No 5323

Report of Commissioners

FAVORABLE.

Kinshmodreager et.al

Filed ______, 188__

Clerk Circuit Court.

Wm. B. Burford, Printer, Indianapolis.

REPORT OF COMMISSIONERS.

To the Honorable Judge of the Hamilton Circuit Court:

The undersigned, Commissioners of Drainage, to whom was referred the petition of June Darea ger Jocol Hussawy for the drainage of West quarter of the South who Range 3 East and the To West quarter, all of Section 18 Dought Hawillow County, respectfully report that they have inspected personally all the lands described in said petition, and all other lands liable to be affected by the construction of the proposed work, and are of the opinion that the proposed drainage will unfrove the That neighborhood, will benefit hwand and will fre of land can be account be as fold

They estimate the cost of constructing the work at uniteen hundred fifty 25 to dollars. They further report that they have estimated the benefits and injury

to the several tracts of land which will be affected by the work, as follows:

Junds in Hamelton	a dounts	· ·			,		1 ,
OWNERS.	DESCRIPTION.	s.	T.	R.	Acres.	Injury.	Benefit,
les in James Pereages	Nt N.W.gr S.W.gr	8	19	3	20		S65
Jacob Hinshaw 2	N.E.gr Swigr	8	19	3	40		8.5
	N.W.gr S'.E.gr	8	19	3	40		30
Jacob Hushaw ,	S. L. NW.gr S.W.gr	8	19	3	20		75
	St Sit Sugares	28	19	3	10		8
William Wille 6	NES'ESWIGHTE	u8,	15	3	10		8
Nancy Allen 1 11	N. to S. W. grav. E. g.		1				8
Haron Rawlings &	S, E, growings	8	15	3	40		120
Naron Rawlings	N.E.gr N.W.gr	8	15	3	40		73
Saron Rawleige	N. S.W. grappy	8	15	3	20		36
Haron Rawlings	StaN, Wigreyway	8	15	3	20		10
James Seap	Stan S. W.gr Nu	88	15	૭	20		5-5
Stepten down stan est	S'. E. gr S'. E. gr	<i>></i>	15	3	40		83
Stephen low thou est	Slogge S.E.gr		19	3	40		85
	AMIGUS', E. 31	9	15	3	40		5 0
Stephen Som the Est	N. Eigr S', E, gr	7	15	3	40		75
	N.E.gr.N.E.gr	>	19	3	40		ø +
	S.E. grave, gr	7	15	3	40		36
Jonathan Stour fton 19	S', E, gr S', Wgr	7	19	3	40		40
	N.E.gr S.Wigr	- '	1	ſ			40
	. 1	ľ	1		40		35
					<u> </u>		

 $All\ of\ which\ is\ respectfully\ submitted.$

Commissioners.

nis copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

3 0

By the construction of a detect commencing 13-1 week wort and 25 rock North of the South West corner of The North West quarter of Sechan & Township 19 Narth Ra 3 East and hunning Mence Wast 1300 feet Thance S'4/2 W, you feet, Thence South 1300 feet, Thence West 800 feet Thence S'47: W. Goo feet, thence S'62° W 100 feet, Thence S.71°W, 550 feet, Thence S,40°W, 12.50 fast, thence, Santo 5-50 feet, Thence S'23° W. 250 feet, Thence S',40° W. 500 feet thence West 500 feet, Thence 5:30° W. you feet, Thence S.90 W. 500 feet, thence S, 31 W. 150 feet thence S, 75°W. 250 fat, thence West 1060 fat, thence S. 340 11 650 feet Thence South 1150 feet, Thence S'62°E, 500 feet, Thence S.78°W 1000 feet, thence West 400 feet, thence S' 30°W. 400 feet, thence s'outh 200 feet, Thence S'18. E / au feet thence s'auth you feet, thence siyou you feet, thence S. 58. W 250 feet, Thence N. 82 W. 350 feet, and ten inatilize 39 rocks South and 40 rocks West es West corner of the North East quarter Dechow 24 Township 19 North Range 2 East in Booke lands Also by the construction of an arm to said detero mencing 52 ruck West of the The North half of the S 8 Township 19 North Range 3 East Thence West 1800 feet and leru 32 an mair dilche ollowing is a tabular statement of the defth of ent and willthe at the top and The bollow and at the end of each we feet thereof and also the It umber of cubic yarely of earl of 100 feet, the exturated to for cubic yaref of remove

1 1 2 1.0 c i content to vi	Talle Malalander all allet to a
18 4.31.0.9.6 621 Con \$75	91 518 210 1816 100 phot \$ 12 50
59 412110 9.4 60 11 750	92 600 200 140 100 11 1250
1 60 40 110 1012 p2 1, 795	93 518 20 1216 88 ,1 1100
61 414 110 918 64 11 800	94613 2101216 88 11 1100
21/18/10/10/pp 11 825	954320101680 11 1000
6 60 415 100 100 66 11 825	9 6 6 19 210 13.8 88 11 1100
4 416 1.010.264 11 800	97578210181298 , 1225
165219 110 818 60 13 750	9851 210121292 11 1150
1 8 8 41 10 1012 80 11 950	997,12,016,2106 1, 1325
10 67 41/ 10 912 60 11 ,750	1007,22,016,4142 1, 1995
11 68 49 10 10 10 4 62 11 1775	10/51220124108 11 1360
1: 69 611. 1.011.2 90 11 1875	1026122101449611 1200
704,41.0 918 168 11 850	1035742.012.898 11 1228-
11 8/ 418 2101112 76 11 950	104614210148100 11 1250
15 72.40201010 74, 925	1056,42,014.8122 11 1525
111 73316210 912621, 775	106622.014411211 1400
11 74316210 9.2 521 11 65-0	1077,02,016,2130 1, 1625
11 75-31420818 56 11 700	108513201216110111395
10 16319210 91458 11 725	1095172,013,48611 1075
50 7 7 319 210 918 F2 11 875	110 6,42,014,8100 11 1250
18 6122101214 96 11 950	111514210121896,11 1200
294,52011.0 7811 995	112542012890 11 1125
80.4112101012 70 11 875	1/3 5132.01216 80 11 1000
8/3142088 68 11 880	114472011.4 62 11 776
823132108166011 750	1/5 5122101214.62 11 995
833192109186411 800	116 5142,012,8 76 11 950
84 43201018 70 11 875	119572.013.49811 975
854132101018 94 11 925	1185732,0126 7811 975
86 4122101014 72 1, 00	119 5162,013,2 74 1, 9 25
87416210111276 1 950	120518 2101216 94 11 925
884,32,0'10,678 11 950	12/575-2018109011 875
893721091488 11 825	122502012068 11 850
l.	123572210121466 4 828
1400 \$19800	3018 \$377 25

124 613210 146 86 1250 410 75	159 318 310 1016 96 1250 \$12 00
125 013 210 146 112 11 1400	158 3.8 3.0 106 96 1, 1200
126515-201318 96 1, 1200	159 316 310 10,2 92 1, 1150
124 61121014290,11 1125	160312310 9.480 11 1000
1246,13101521021, 1275	161315-3101010 78 11 975
6 129518 310.14696 11.1200	1623,13,0 9,2,56 1, 950
130610310150130 11 1625	163/19 310 618 50 1, 625
× 13/519 3.014. #30 11 1625	1642193108.848 11 600
11/3251/310/312/2211 1525	185 1.23,0 5,4 40. 11 6-00
10 133 51/3101312112 1) 1400	1662103107,028 1, 350
11 13 4518310146120 11 1500	169.113 310 516 28 11 350
12 /35 418 3,012 16/16 11 1450	148115 310 610 22 11 275
136 612310 1514/24 11 1550	169 216310812 44 1, 550
11 13/ 5113101312124 11 1550	170 1.9 310 618 46 1, 573
15/38 5123101314112 1, 1400	824 \$10300
16 139 514 310 13.8120 1, 1500	
17/40615-3,0140124 1, 1550	
	Arm To Main witch
18 14/013 310 113.6/22 1, 1 5 25	o 401090
18 14/013 310 13, 9 122-1, 1 5 25-	0 4001090
18 14/013 31013, 9/22-1, 1525 19 142, 4, 9 31012, 4126 11 1.575 20 148 510 310 310 146 11 1750	1 510.110.1110 601220687 50
18 14/013 310 13, 9 122-1, 1 5 25-	2 77 1.01614 88 11 11 00
18 14/013 310 13, 9/22-1, 1525- 19 142, 419 310 12, 4126, 11 1,575- 20 148 510 310 13, 0140 1, 1750	0 40 10 90 1 510 10 110 60 1220 87 50 2 77 10 164 88 11 11 00 3 574 10 118 90 11 1125
18 14/013 31013, 6122-1, 1525- 19 142, 4, 8 31012, 4126, 1, 1, 575- 20 148 510 31013, 0146 1, 1750 21 144 415 31012, 0140 1, 1750 22 145 463, 012, 2130 11 1625	1 510 110 110 60 1220 67 40 2 17 1.0 164 88 11 11 00 3 574 1.0 11,8 90 11 1125 4 579 1.0 128 76 11 930
18 14/013 310 13, 6/22-1, 1525- 19 142, 418 310 12, 4126, 11 1, 575- 20 148 510 310 13, 0140 1, 1750 21 144 415 310 12, 0140 1, 1750 22 145 46310 12, 2130 11 1625 23 146 5133, 013, 6144 1, 1800	0 410 110 9.0 1 510 110 1110 60 122 0 87 50 2 7.7 1.0 1614 88 11 11 00 3 574 1.0 1118 90 11 1125 4 579 1.0 128 76 11 950 5 43 1.0 1016 68 11 850
18 14/013 31013, 6/22-1, 1525 19 142, 4, 8 31012, 4126, 1, 1, 575 20 148 510 31013, 0140 1, 1750 21 144 415 31012, 0140 1, 1750 22 145 4631012, 2130 11 1625 23 146 5133, 013, 6144 1, 1800	0 40 10 9.0 1 510 10 110 60 1220 87 50 2 77 1.0 16.4 88 11 11 00 3 574 1.0 11.8 90 11 1125 4 579 1.0 128 76 11 950 5 43 1.0 10 16 68 11 850 6 4.0 1.0 9.0 53 11 650
18 14/013 31013, 6/22-1, 1525- 19 142, 418 31012, 4126, 11 1.575- 20 148 510 31013, 0140 1, 1750 21 144 415 31012, 0140 1, 1750 22 145 463, 012, 2130 11 1625 23 146 5133, 013, 6144 1, 1800 24 147 4143, 011, 8140 1, 1750 25 148 513 31013, 6140 (1 1750)	0 410 110 9.0 1 510 110 1110 60 122 0 67 40 2 17 1.0 1614 88 11 11 00 3 514 1.0 1118 90 11 1125 4 519 1.0 128 76 11 950 5 43 1.0 1016 68 11 850 6 4.0 1.0 9.0 52 11 650 7 4 6 7.0 10.0 56 11 9.00
18 14/013 31013, 6122-1, 1525 19 142, 4, 8 31012, 4126, 11 1.575 20 148 510 31013, 0140 1, 1750 21 144 4, 531012, 0140 1, 1750 22 145 4, 631012, 2130 11 1625 23 146 5133, 013, 6144 1, 1800 24 147 4, 43, 011, 8140 1, 1750 25 148 513 31013, 6140 (1 1750) 26 149 311 310 9, 2110 11 1375	0 40 10 9.0 1 510 10 110 60 1220 87 50 2 77 1.0 16.4 88 11 11 00 3 574 1.0 11.8 90 11 1125 4 579 1.0 128 76 11 950 5 43 1.0 10 16 68 11 850 6 4.0 1.0 9.0 53 11 650
18 14/013 310 13. 6/22 1, 1525 19 142, 418 310 12, 4126 11 1.575 20 148 510 310 13.0.140 1, 1750 21 144 415 310 12, 0.140 1, 1750 22 145 46310 12, 2130 11 1625 23 146 513 310 13.6144 1, 1800 24 148 513 310 13.6140 1, 1750 25 148 513 310 13.6140 1, 1750 26 149 311 310 9, 2110 1, 1375 27 150 48 310 12.6100 1, 1250 28 151 314 310 9.8108 1, 1350 29 15 2 319 316 1018 52 2, 1150	0 410 110 9.0 1 510 110 110 60 122 0 87 40 2 77 1.0 1614 88 11 11 00 3 574 1.0 1118 90 11 11 25 4 579 1.0 128 76 11 950 5 43 1.0 1016 68 11 850 6 4.0 1.0 9.0 55 11 650 7 4 5 7 0 10 0 5 6 11 9 00 8 4.2 10 9.4 56 11 7.60
18 14/ 013 310 13, 6122 1, 1525 19 142, 418 310 12, 4126 1, 1, 575 20 148 510 310 12, 0140 1, 1750 21 149 415 310 12, 2130 11 1625 23 148 513 310 13, 6144 1, 1800 24 148 43 310 13, 6140 1, 1750 25 148 313 0 9, 2110 1, 1375 26 148 310 12, 6100 1, 1350 28 151 314 310 9, 8108 1, 1350 29 152 319 31 10, 852 1, 1150 30 153 420 310 11, 0100 1, 1250	150101090 2 1710161488 11 1100 3 5741011890 11 1125 4 579 101218 76 11 950 5 43101016 68 11 850 6 40109056 11 900 8 421091456 11 700 8 421091456 11 750 10 43109660 11 750
18 14/ 013 310 13,6122-1, 1 5 25 10 142,412 310 12,14126 11 1,575 20 148 12 03 10 13,0 140 1, 1750 21 144 45 310 12,0 140 1, 1750 22 145 463 10 12,2130 11 1625 23 146 613 310 13,6 144 1, 1800 24 142 414 310 11,8 140 1 1750 25 149 311 310 9,2 110 11 1375 26 149 311 310 9,2 110 11 1375 27 150 48 310 12,6 100 11 1350 28 151 314 310 9,8 108 1 1350 29 152 319 316 10,8 52 11 150 30 13 40 310 11,0 100 1, 1250	0 410 110 9.0 1 510 110 110 60 1220 87 50 2 77 1.0 1614 88 11 11 00 3 574 1.0 1118 90 11 1125 4 579 1.0 1218 76 11 950 5 43 1.0 1016 68 11 850 6 4.0 1.0 9.0 52 11 650 7 467 810 1018 60 11 750 9 49 1.0 1018 60 11 750 10 43 1.0 9.6 60 11 750 11 511 100 112 62 11 755 12 48 1.0 1016 68 14 8 50
18 14/ 013 310 13.6122-1, 1 5 25 10 142.418.310 1214126, 11 1.575 20 148 510 310 13.0140 1, 1750 21 144 415 310 1210 140 1, 1750 22 145 46310 1212130 11 1625 23 146 513 310 13.6144 1, 1800 24 148 413 310 13.6140 11 1750 25 149 311 310 9.2110 11 1375 26 149 311 310 9.2110 11 1375 27 150 418 310 1216100 11 1350 28 151 314 310 9.8108 1 1350 29 15 2 319 316 1018 52 1 1150 30 15 4310 310 910 86 3 1075	1 510 110 910 60 1220 687 50 2 1,7 1.0 1614 88 11 11 00 3 57 4 1.0 1118 90 11 1125 4 519 1.0 128 76 11 950 5 43 1.0 1016 68 11 8 50 6 4.0 1.0 9.0 52 11 650 7 4.6 7.0 1010 56 11 900 8 4.2 10 9.4 56 11 750 10 4.3 1.0 1018 60 11 750 11 571 100 112 62 11 755 12 48 1.0 1018 68 14 8 50 13 46 1.0 1018 62 11 755
18 14/ 013 310 13.6122-1, 1 5 25 10 142.418.310 1214126, 11 1.575 20 148 510 310 13.0140 1, 1750 21 144 415 310 1210 140 1, 1750 22 145 46310 1212130 11 1625 23 146 513 310 13.6144 1, 1800 24 148 413 310 13.6140 11 1750 25 149 311 310 9.2110 11 1375 26 149 311 310 9.2110 11 1375 27 150 418 310 1216100 11 1350 28 151 314 310 9.8108 1 1350 29 15 2 319 316 1018 52 1 1150 30 15 4310 310 910 86 3 1075	1 510 110 910 60 1220 687 40 2 717 110 1614 88 11 11 00 3 514 110 1118 90 11 11 25 4 519 110 1218 76 11 950 5 43 110 1016 68 11 850 6 40 1.0 9.0 56 11 900 7 46 7.0 10.0 56 11 900 9 49 10 1018 60 11 950 10 43 10 9.6 60 11 950 11 511 10 112 62 11 955 12 48 10 1018 68 11 850 13 46 10 1018 68 11 850
18 14/ 013 310 13,6122-1, 1 5 25 10 142,412 310 12,14126 11 1,575 20 148 12 03 10 13,0 140 1, 1750 21 144 45 310 12,0 140 1, 1750 22 145 463 10 12,2130 11 1625 23 146 613 310 13,6 144 1, 1800 24 142 414 310 11,8 140 1 1750 25 149 311 310 9,2 110 11 1375 26 149 311 310 9,2 110 11 1375 27 150 48 310 12,6 100 11 1350 28 151 314 310 9,8 108 1 1350 29 152 319 316 10,8 52 11 150 30 13 40 310 11,0 100 1, 1250	1 510 110 910 60 1220 687 50 2 1,7 1.0 1614 88 11 11 00 3 57 4 1.0 1118 90 11 1125 4 519 1.0 128 76 11 950 5 43 1.0 1016 68 11 8 50 6 4.0 1.0 9.0 52 11 650 7 4.6 7.0 1010 56 11 900 8 4.2 10 9.4 56 11 750 10 4.3 1.0 1018 60 11 750 11 571 100 112 62 11 755 12 48 1.0 1018 68 14 8 50 13 46 1.0 1018 62 11 755

W. E. Bekeere, Indianapolis, Ind.

> They estimate the total number of cubic pands of earth to be removed from Said de and the total cost of removing the same at \$1850.25 They estimate the cost of grubbing The dich ated and remove other obstructions at Estimated wit of construction They would further specify that the banks of said outer should be out smoothe and of wind Slope and the earth excavated therefrom should be definited not warer to the banks Than two They would further report that the facts following unued fersons are entitled to feel for Services in the matter as follows to wit. Haron Robbings 2 da apman \$3.00 Sharles Rawlings Ida et pissau William Rawling 2"Ida chamman 1150 Jacob Hinshow apwarde 2 da 3,00 Sid, Davis chamman 2da 3,00 They claim fees for services in The watter ad loweressioners of Drawage as follows to wit. Janes A. Mc Mullen us commission 8 da \$2400 Saunel. B. Wells' and Commissioner 8 da 24,00 James Ganders as commissioners 3 da 9.00 James Saudersas lugineer 25.00 All of which is respectfull Submitted, James Sanders

STATE OF INDIANA, ss:

We, the undersigned, Commissioners of Drainage, swear that we have each personally examined each tract of land assessed for benefits and damages and the whole route of the proposed work, and that such drain is of sufficient capacity to carry, without overflowing, all the water which flows or should flow glong such route, that no other lands than those described in this report will be either benefited or damaged by the construction of the proposed work, and that all the statements therein are true and correct, and that all assessments of benefits and injuries set forth therein are correct, just, fair and equitable to all parties concerned, as we verily believe.

James & Mc Mullans Samuel & Wells.

Subscribed and sworn to by said Commissioners, this

day

of Arvenila, 1883. before me.

Clerk Circuit Court.

IN THE MATTER OF THE PETITION OF GEORGE A. RAWLINGS, ET AL FOR THE REPAIR AND CLEAN-OUT OF WHAT IS KNOWN AS THE KREAGER-HINSHAW-RICHARDSON DITCH

No. A-8654

AMENDED REPORT



Clarence De Vaney Clerk Hamilton Circuit Gourt

ORDGRED CONSTRUCTED FEB. 18-1952

Now 1 1952

This copy printed from the Digital Krebive of the Manilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

STATE OF INDIANA) (SS: HAMILTON COUNTY)

IN THE HAMILTON CIRCUIT COURT OCTOBER TERM 1951

IN THE MATTER OF THE PETITION) AMENDED REPORT OF GEORGE A. RAVLINGS, ET AL, (
FOR THE REPAIR AND CLEAN-OUT)
OF WHAT IS KNOWN AS THE KREAGER-)
HINSHAV-RICHARDS & DITCH (
NO. A.

No. A-8654

The report of the viewers was favorable and was filed.

Report of R.D. Horney, County Surveyor, who was appointed to supervise the construction of above drain, would respectfully report that he has made a survey of the above drain and did proceed and definitely determine the best and cheapest method of drainage, the terminal and route, location, character of the proposed work, and fix the same by metes and bounds, courses and distances and descriptions, including grades and bench marks incuding all necessary arms, estimated the cost thereof, divided the drain or ditch into sections of not more than one hundred feet in length, and computed and set out the number of cubic yards of excavation in each section, assessed the benefits of damages as the case may be, to each separate tract of land in the water shed to be affected thereby and to easements held by railways or other public or private corporations, or towns, including any land rights, easements, or water power, injuriously or benefically affected, and do make report to the court under oath.

LOCATION Beginning at a point near the center of section 8, township 19 north, range 3 east in Adams Township, Hamilton County, Indiana, then follow the old channel in a westerly and southwesterly direction crossing into Boone

County about the northeast corner of the south half of the southeast quarter of section 13, township 19 north, range 2 east, continuing in a westerly and southwesterly course in old channel, terminating approximately 30 rods east of the southwest corner of southeast quarter of section 13, township 19 north, range 2 east, in an open ditch.

RECOMMENDATION Cleaning ditch by clearing bank five (5) feet from slope of bank of all brush and shrubs, cleaning out channel and removing all brush, mid, slush, boulders and any other debris off of ditch and disposing of same not nearer than five feet from break of banks.

banks in new cuts 1 to 1. All limbs from trees to be trimmed so they clear the ground by 8 feet. All brush to be piled and disposed of by burning. No brush to be a overed by waste dirt unless approved by the Engineer. All dirt and material to be leveled with bull dozer so it can be farmed over.

The contractor to clean out from under all highway and private bridges. The contractor to remove and replace all fences necessary to do the work but shall not buy any new material for replacement.

The new fence on east side of ditch along County lime road shall not be disturbed if at all possible to work over it.

The assessments will be due and payable when work is started. The apportioned assessments are on an acreage basis. The contractor not to receive more than 70% of work completed as work progresses. The contractor to receive payment only

when assessments are paid in. The work to be completed on This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

or before May 1, 1951.

All work to be done in a nest and workmanlike manner and shall be expedited as rapidly as practicable after starting.

The work is to be done by dragline machine. The work to be advertised and awarded to the lowest and best bidder. The Engineer reserves the right to accept or reject any and all bids. The work tobe bid in one lump sum for complete job.

The contrastor to furnish bond for the completion of work and carry compensation insurance and security bond protecting the engineer and property owner from any and all damages.

The contractor to meet all requirements of State pertaining to questionaire and financial statement.

Width	of d	litch	in t	ottom				
Sta	0	to	Sta.	62	2	ſt	wide	Secritary
Sta	62	to	Sta.	128	3	ft	wide	Control of the Contro
Sta	128	to	Sta.	1 58	şt	. ft	wlde	

To extend ditch 200 ft northeast of Sta O new cut

KREAGER - HINSHAW DRAIN ESTIMATED GOST

Excavations, Clearing care of fences	ng, Leveling an 16000 lin.ft.]	id taking 3 000 cu yd s +	\$3917.98
Attorney fees Recording and relead Legal printing Supervision Court cost Contingency	350.00 sing 25.00 50.00 230.00 20.00 133.31		808 •31
Viewers and Engine Robert F. Hutchinson and abstracting Mileage	ers 3 da @ 10 150 @ 08¢	30. 00	
Jean Mace Mileage	3 da @ 5. 90 @ 08#	15.00	÷
R.D. Horney, Engines helpers	er and	284.80	<u>3/49.00</u> \$5075.29

NAMES	DESCRIPTIONS OF LAND	Section	Township	Range		eres essed	Acr Benef			ount enefits		unt of sment	Asses:	tal smen
		, ag	Ĥ	뛇	A	Hun	A	Hun	\$	Cts	. , \$	Cts.	\$	Ots
Geo.A.Rawlings	E3 NW	8	19	3	80	00			589	92	374	40		
· · · · · · · · · · · · · · · · · · ·	Pt SW NW	8	19	3	5	00			36	90	23	40	-	
	Pt Wa NW	ģ	19	3	35	00			258	30	163	80	561	60
	1													
Robert Ogle	n} sw nw	8	19	3	10	00			73	66	46	80	46	80
Edith Pickett	Pt S. NE	8			0									
W MAN DELLA	re og ne	0	19	3_	8	00			<u>58</u>	78	37	44	37	44
Margaret Ogle	NW SW	8	19	3	40	00			294	96	187	20		
	sł sł sw nw	8	19	3	10	00			73	66	46	80	234	00
John Booth	pt nj nj sj ne	8	19	3	10	00			73 6	56	46	80	46	80
<i>o</i>				<u> </u>										
Elmer Davis	Pt SE SW	8	19	3	25	00			184	30	117	00		
	Pt NW SW	8	19	3	30	00			221	50	140	40		
	Ctr Pt NW NW	17	19	3_	13	33			71	56	62	38	319	78
Herbert Johnson	Pt Ed NW	18	19	3	60	00			322	44	1.98	00	••	
<u> </u>	SW NW	18	 	-		00				96			220	00
			<i>y</i>		4.4				£ 7.4	70	132	00.	330	00
Ralph Artman	nw se	18	19	3	25	фо			134	30	82	5 0	., ,	
	eł sw	18	19	3	65	90			349	30	214	50	297	00
Ross Stephenson	SE NE	18	19	3	40	00			214	96	132	00	132	00
										7			****	
Viola Melette Ap	ple NE NW	18	19	3	40 (00			214	96	132	00	132	00
This copy printed	from the Digital Archive of the Hamilto				Office; C	ne Hami	ilton Co. S					l I		v
Ì	,												\$	7

Harry Jessup Marvin Harwood Jacob Srite	Pt E½ Pt N½N½ NW	se sw	18	 	Range	A	Hun	A	Hun	\$	Cts.	\$	Cts.	\$	Ot
Marvin Harwood			18	3 1	9 3	1									
	Pt Nana Nw	sw	<u> </u>			40	00			214	96	132	00	132	9 0
Jacob Srite			18	1	9 3	10	00			58	30	33	00	33	0
	Pt W1	SW	18	19	3	70	00			376	18	231	00	231	00
Ward Hand	Pt S	NE	7]	9 .	3	53	00			390	82	243	80	243	8
Herman Stahl	Pt E ¹ SE		7	19	3	69	38			511	60	291	36	,	
	ie >t 8} NW NW	NE	18	19			33			214 71	96 72	132 53	00 32	476,	68
Ora M. Ice	wj	SE	7	19	3	80	00			589	92	320	00		
•	: W ₂ B ₂ SE : NE	SW	7	19 9	3 3	· · · · · · · · · · · · · · · · · · ·	68			78 147	82 48		32 00	442	32
Mary P.Lindemeyer	Pt SE SW		7	19	3	39	75			293	12	159	00	159	00
Ekwood Milliken	SW	sw	8 1	.9	3	40	00			294	96	160	00		!
Pt	ul na	MM	17	19	3	13	33			71	72	54	32	214	32
Carl Merriam	₩ <u>}</u>	NE	18	1	9 3	80	00			429	92	264	00	264	0(
Wm. T.Cobb & wf	N ₂ NE	WW.	18	19	3	20	00			107	48	66	00	66	
This copy printed from the			•				-							1 1 1	<u> </u>

															
NAMES	DESCRIPTIONS OF	LANDS	Section	Township	Range		eres essed	Ac Bene	res fited	Am Of Be	ount nefits	Amoi Asses	unt of sment		tal sment
			ශී	Ř	쨢	A	Hun	A	Hun	\$	Cts	. \$	Ots.	\$	Ots.
Harry Jessup	Pt E	SE	18	3 1	9 3	40	00			214	96	132	00	132	2 00
	·														
Marvin Harwood	Pt Nana Nw	SW	18	1	9 3	10	00		-	58	30	33	90	33	3 00
Jacob Srite	Pt W	SW	18	19	3	70	00			376	18	231	00	231	00
	,		 							2,0					
Ward Hand	Pt S2	NE	7]	9	3	53	00			390	82	243	80	243	80
· .														,	
Herman Stahl	Pt E2 SE		7	19	3	69	38			511	60	291	36		
	NE	NE	18	19	3	40 (3 0			214	96	132	00		
	Pt Så NW NW		17	1	9 3	13	33			71	72	53	32	476,	68
Ora M. Ice	₩ġ	SE	7	19	3	80	00	a era		589	92	320	00		
	Pt War Ear SE		7	19	3	10	8			78	82	42	32		
	Pt NE	SW	7 3	.9	3	20 0	0	•		147	48	80	00	442	32
		,				. ,				·				!	
Mary P.Lindeme	yer Pt SE SW		7	19	3	39	75			293	12	159	φo	159	00
								1				 			
Elwood Milliken	SW	SW	8 1	9	3	40	00			294	96	160	00		
	Pt No NW	NW	17	19	3	13	33	-		71	72	54	32	214	32
	With the second	-									,				L
Carl Merriam	W ¹ / ₂	NE	18	1	3	80	00			429	92	264	00	264	00
•													:		
Wm. T.Cobb & wf	n ₂ ne	WM	18	19	3	20	00			107	48	66	QQ	6 6	
													·	1262	. 12
										-				2	· · · · · · · · · · · · · · · · · · ·
This copy printed	from the Digital Archive of the	Hamilton	Count	y Sur	veyor	s Office;	One Ha	nilton Co.	Square,	Ste. 188.	Nobles	ville, In 4	5060		

				-										, .	
NAMES	DESCRIPTIONS OF	LANDS	Section	Township	Range	Asse		Ac: Bene	fited	Amo Of Be	nefits	Amou Assess	ment	To: Assess	men
			+	+	+	A	Hun	 	Hun	\$	Cts.	\$	Ots.	\$	Ote
C.A.Bowen	Pt NW	NW.	19	19	3	15	00			80	70	45	50	49	50
	Betwe	en se	g 7	å	B 1	N-8									
Hamilton County	Highways			& &		18 &	17			200	00	150	00	150	
		& we	5	20	<u>'</u>	3 E	 `						1 00	4.7	
	(Boone	Count	у)												
J & A Gibbs	s]	SE	13	19	2	80	00			160	00	80	00	80	00
						and the			·				-		
J & N Melette	Pt E	NE	13	19	2	20	00			132	00	66	00	66	00
			1												
John Newby	E NE SE		1.3	19	2	28	50		-	188	10	94	05		
1- 5-19-12	N ¹ SE		13	19	2	20	00 -			132	00	66	00	160	05
			-			-									-
S,A,Millikan	Pt SE NE		13	19	3	30	00			198	00	99	00	99	00
Car, af											٠,				
C.A. Watson	Pt E	NE	24	19	2	10	00			20	00	10	00	10	OC
										,			;		
Boone County Hig	hway benefits	Cour	ty	11	ne	road	on	east	sic	le			:		 -
	ì	of	13	19	2					100	00	50	00	_50	00
													<u></u>	5075	2 9
							\	,							
													:		
						<u> </u>		-					:		_
	-							-							
							-								ļ.
,															
															L.
This copy printed f	rom the Digital Archive of the	Hamilton C	ounty	Surve	yor's	Office; Or	e Hami	lton Co. S	quare, S	te. 188, N	oblesvil	le, In 460	50		
											·	- /			<u></u>

INSERT.

No dirt shall be deposited on east side of ditely from Ste 113 + Johnson south line soress the Marvin Harwood property to Ste 117 + or Srites north line.


The fruit trees to be protected and not damaged. All dirt to be leveled. Under the private bridge to be cleaned by hand and not by machine.

at

for Jamages. He to take down wire fence leaving post in place and replace fence along each side of disch bank and relieve the contractor of rewiring and replacing fence. The contractor to replace any post he simuld break off or damage. Sitte to receive fence in planty of time so not to retard the progress of the contractor. The contractor to level the dirt as soon as he is through the Srite property to specifications.

On August 4, 1978, an inspection was made on the Kreagor-Hinshaw Drain. The following are the findings of this inspection.

- 1.) The banks of the portion of ditch East of Joliet Road are clear, except for a area on the South bank of about 500'. Banks are for the most part stable with good cover. Pigs in one field have damaged banks. Crossing in same field needs replaced. Tile outlets of Main Ditch and Arm #1 need structures. Bottom is choked with grass.
- 2.) Banks of ditch between Joliet Road and 216th Street have scattered trees. Crops are planted to the tops of the banks. Bottom still shoked with grass. Concrete headwall of Mary Smith Drain is in good shape and is flowing.
- 3.) Banks of ditch from 216th Street to Hamilton-Boone Road also has scattered trees and crops planted on top of bank. Concrete headwall of the O.J. Sutton Drain may need replaced. The three crossings in the area are in good shape. Grass still in bottom, but channel becoming distinct.
- 4.) Portion from the County Line to the Richardson Drain has scattered trees on bank. Cattle have done damage to banks. Channel more defined. All crossings under roads seem adequate.



KREAGER HINSHAW DRAIN'

KREAGER HINSHAW DRAIN,
O. J. SUTTON DRAIN
& MARY M. SMITH DRAIN

CONSISTING OF

This copy printed from the Digital Archive of the Hamilton County Surveyor's Office; One Hamilton Co. Square, Ste. 188, Noblesville, In 46060

