

Drain: RICHARD MOFFITT Drain #: 229
Improvement/Arm: _____
Operator: J. LIVINGSTON Date: 4-21-04
Drain Classification: Urban/Rural Year Installed: 1897

GIS Drain Input Checklist

- Pull Source Documents for Scanning JL
- Digitize & Attribute Tile Drains JL
- Digitize & Attribute Storm Drains _____
- Digitize & Attribute SSD _____
- Digitize & Attribute Open Ditch _____
- Stamp Plans _____
- Sum drain lengths & Validate JL
- Enter Improvements into Posse _____
- Enter Drain Age into Posse JL
- Sum drain length for Watershed in Posse JL
- Check Database entries for errors JL

IN THE MATTER OF

Sept-18 Special Order 75-74
Report of Viewers and
Order Ditch Construction
Samuel King P B

REPORT OF DITCH VIEWERS

COMMISSIONERS' COURT.

182

FILED

Filed. 1897, 18

CALVIN STURDEVANT

Auditor.

WM. B. BURFORD, PRINTER, INDIANAPOLIS.

EWB 10 - 478

To the Honorable Board of Commissioners of *Hamilton* County, Indiana:

We, the undersigned, appointed by this Court, at its *June* Term, 18 *97*, to view a drain described in the certified copy of a petition and order of Court for a *ditch*, by *Richard Moffitt* and others, handed us by the Auditor, would represent that according to said order we, on the day named therein, to-wit: the *15th* day of *July*, 18 *97*, in company with *J. A. Mitchell*, a civil engineer, made an accurate survey of the line of said proposed *ditch* from its source to its outlet. A plat of said *ditch* is filed herewith including the survey by the engineer, marked "Exhibit *B.*" We caused stakes to be set along said line, each one hundred feet, numbering down stream, as shown by plat. We also made a computation of the total number of cubic yards of earth to be removed from said drain, and estimated the total cost for the construction of the work at _____ Dollars. We also apportioned and set apart to each parcel of land a share of said work in proportion to the benefits received, all of which will fully appear by a tabular statement in this report. We have also set out by a statement below, the names of the owners of lands benefited with a description of each tract of land, and the amount assessed against each tract. The depth of cut, the width at bottom, and width at top along said drain is also shown in a tabular statement in this report. After a full and careful view and examination, we are of the opinion that the drain as located by the survey will be of *Public utility* and will benefit one *public highway* and the cost of constructing the proposed drain will be less than the benefits to be derived from the construction thereof, that the proposed drain can best be accomplished by a *tile ditch*.

(As indicated on page 3 of this report.)

The following statement shows who are benefited, the lands thereof and assessment thereon, location, length of each share, amount of assessments, amount of benefits, amount of dirt to be removed from each share, price thereof per cubic yard, and total cost of each share:

No.	NAMES OF OWNERS.	DESCRIPTION OF LANDS.	Section.	Township.	Range.	Acres Assessed.	Fidths Assessed.	Acres Benefited.	Fidths Benefited.	Amount of Benefits.	Amount of Asses'ments.	From Station.		Feet Long.	Cubic Yards to be Removed.	Price per Cubic Yard.	Cost of Construction of Share.		
												F. m Station.	To Station.						
3	<i>J. Collins</i>	<i>SW</i>	<i>1</i>	<i>17</i>	<i>4</i>	<i>40</i>		<i>22</i>		<i>59 00</i>	<i>59 00</i>	<i>13+34</i>	<i>19 80</i>	<i>626</i>	<i>144</i>	<i>cts</i>	<i>15</i>	<i>80</i>	<i>15</i>
5	<i>J. B. Parsley</i>	<i>SW</i> <i>N 1/2 SE</i>	<i>1</i>	<i>17</i>	<i>4</i>	<i>40</i> <i>20</i>		<i>40</i> <i>20</i>		<i>95 00</i> <i>20</i>	<i>115 00</i>	<i>23</i>	<i>34+23</i>	<i>1123</i>	<i>176</i>	<i>"</i>	<i>97</i>	<i>75</i>	
6	<i>Dunning Hall</i>	<i>SW</i>	<i>1</i>	<i>17</i>	<i>4</i>	<i>40</i>		<i>25</i>		<i>59</i>		<i>34+23</i>	<i>40+77</i>	<i>654</i>	<i>114</i>	<i>"</i>	<i>58</i>	<i>65</i>	
4	<i>Albert Morris</i>	<i>NE NE</i> <i>E 1/2 NE</i>	<i>2</i>	<i>17</i>	<i>4</i>	<i>10</i> <i>20</i>		<i>5</i> <i>12</i>		<i>10</i> <i>30</i>	<i>69</i> <i>30</i>	<i>14+50</i>	<i>23</i>	<i>320</i>	<i>61</i>	<i>"</i>	<i>25</i>	<i>50</i>	
2	<i>Amos Eskew</i>	<i>E 1/2 SE</i>	<i>2</i>	<i>17</i>	<i>4</i>	<i>20</i>		<i>12</i>		<i>30</i>	<i>30</i>	<i>10+33</i>	<i>13+54</i>	<i>321</i>	<i>73</i>	<i>"</i>	<i>25</i>	<i>50</i>	
1	<i>Clay Township</i>	<i>Highway N 4 S bet</i>	<i>1/2</i>	<i>17</i>	<i>4</i>					<i>71</i>	<i>71</i>	<i>0</i>	<i>10+33</i>	<i>1033</i>	<i>163</i>	<i>"</i>	<i>60</i>	<i>35</i>	
7	<i>Richard Moffitt</i>	<i>NE</i>	<i>1</i>	<i>17</i>	<i>4</i>	<i>40</i>		<i>30</i>		<i>78</i>	<i>78</i>	<i>40+77</i>	<i>48</i>	<i>723</i>	<i>136</i>	<i>"</i>	<i>66</i>	<i>30</i>	

Viewer's Report of

Ditch.

TABULAR STATEMENT OF STATIONS, WIDTH, DEPTH, LENGTH, ETC

STATIONS.	WIDTH AT TOP.		DEPTH OF CUT.		WIDTH AT BOTTOM.		WIDTH OF CLEARING OR TIMBER
	FEET.	INCHES.	FEET.	TENTHS.	FEET.	INCHES.	
<p>Commencing on the highway at the NW corner of the S¹/₂ of the NW¹/₄ of section 1 Township 17 Range 3 east, running thence south 981 ft. thence south 79° east 819 ft. thence north 55¹/₂° east 600 ft. thence north 72¹/₂° east 150 ft. thence south 79° east 100 ft. thence south 22¹/₂° east 500 ft. thence south 48¹/₂° east 600 ft. thence south 57¹/₂° east 400 ft. thence south 15° east 500 ft. thence south 17° east 300 ft.</p>							
<p>Manner of Construction</p>							
<p>From station 0 to station 6 - 1 row of 6 in tile</p>							
"	"	6	"	"	9 - 1"	"	7 " "
"	"	9	"	"	22 - 1"	"	8 " "
"	"	22	"	"	48 - 1"	"	10 " "
<p>The tile used must be of good quality, well matched and laid in a true line and at the proper grade, and must be inspected before being covered; after which it may be covered to the entire satisfaction of the engineer in charge.</p>							

GENERAL SPECIFICATIONS AND SUGGESTIONS.

The length of the ditch as located is	240 feet						
The fall of the established grade is	2 ⁰ / ₁₀₀	feet, from Station	0	to Station	21	for	2200 feet.
" " " " " " "	5 ⁰ / ₁₀₀	" " "	22	" " "	31	"	900 "
" " " " " " "	3 ⁰ / ₁₀₀	" " "	31	" " "	35	"	400 "
" " " " " " "	5 ⁰ / ₁₀₀	" " "	35	" " "	48	"	1300 "
The total fall is	16.90	feet to the	entire ditch.				

Viewers } Sylvanus Carey
 W. G. Wauk
 John Birford

Subscribed and sworn to before me, this

17

day of Aug.

1894

7/24/95 6:30 pm



SURVEYOR'S OFFICE
Hamilton County

Kenton C. Ward, Surveyor Suite 146
776-8495 One Hamilton County Square
Noblesville, Indiana 46060-2230 April 26, 1995

TO: Hamilton County Drainage Board

RE: Richard Moffitt Drain

Attached is a drain map, drainage shed map and schedule of assessment for the Richard Moffitt Drain. This drain is Number Two (#2) on the 1995 Classification List for maintenance.


This drain was originally constructed in 1897 through the Commissioners Court. In August of 1981, this drain was included as part of the report on the Home Place Drainage report. In the report it was recommended that the outlet be reconstructed and the drain placed on maintenance. Between 1987 to 1992, the construction of Sections 1 to 11 of Lexington Farms addressed the question of the outlet and at that time, the drain within Lexington Farms was placed on maintenance at a rate of \$5.00 per acre, with \$30.00 minimum. Later in 1993 R & D Subdivision and Green Pasture Subdivision was added to the assessment due to the Lexington Farms drainage facilities serving as the drainage outlet for those subdivisions. The new drainage facilities for Lexington Farms eliminated the original drain from STA 28+60 (manhole in the North R/W of 111th Street) to STA 48 (West side of culvert under Monon Rail Road) which is the terminus.

Although the portion South of 111th Street is now maintained, the section of the original drain from STA 0 to STA 28+60 (North of 111th Street) is not under maintenance. I recommend to the Drainage Board that this section of the drain now be placed on

Page #2

maintenance and the remaining un-assessed parcels within the drainage shed be assessed at the current rate.

A hearing for this proposal should be set for July 1995.



Kepton C. Ward
Hamilton County Surveyor
KCW/no